State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-11-13 Relating to Certification of New Motor Vehicles

REGIE RENAULT

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Regie Renault exhaust emission control systems are certified as described below for 1981 model-year gasoline-powered passenger cars.

Engine Family	Displacement Cubic Inches (Liters)	Exhaust Emission Control Systems (Special Features)			
BRE1.4V2FR1	85 (1.4)	Exhaust Gas Recirculation Three Way Catalyst with Closed Loop			

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the certification emission values to be listed on the window decal required by California Assembly-Line Test Procedures for 1981 model-year vehicles:

Engine Family	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
	Grams per Mile	Grams per Mile	Grams per Mile
BRE1.4V2FR1	0.12	4.9	0.3

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That Regie Renault has provided to the Executive Officer all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

__day of July, 1980.

K. D. Drachand, Chief

Mobile Source Control Division

1981 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

	Manufacturer _	Regie Renault	Executive Order No.	A-11-13	Page	1
•	Engine Family	BRE1.4V2FR1	Evaporative Family _	ECS3-1		
	ABBREVIATIONS		Engine CID (Liters)	85 (1.4)	····	

Exhaust Emissions Control System
AIP-Air Injection-Pump
AIV-Air Injection-Valve

***CL-Closed Loop

***EGR-Exhaust Gas Recirculation
EM-Engine Modification
OC-Oxidation Catalyst System
TR-Thermal Reactor

***TWC-Three Way Catalyst System

Special Features
CCV-Combustion
Chamber Valve
CFI-Central Fuel
Injection
DI-Diesel Injection
EFI-Electronic
Fuel Injection
MFI-Mechanical Fuel
Injection
TC-Turbocharged

Fuel System
CFI, DI, EFI, MFI
***nV-nVenturi Carburetor
VV-Variable Venturi

<u>Vehicle Models</u>

Le Car

E.O. #A-11-13 1981 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET							
X Passe	enger Cars Li	ght-Duty	Trucks	Medium-Du	ıty Vehicles	<u>X</u> Gas [Diesel
Manuf	facturer <u>Regie</u> F	Renault			Page	1A	
Engine Family BRE1.4V2FR1			Engine Code A, B				
ECS (Special Features) EGR-TWC CL CID (Liter)- Type 85 (1.4) I-4							
Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Test Weight Class	Ign. System CA, VA, EI	Fuel System	EGR Valve	Label Ident.
	a ccacriment)		Ciuss	Part No.	Part No.	Part No.	Part No.
A	Le Car	M4	2125	7700668704 (Ducellier R324 C33)	7700 692 493 (Weber 32 DIR 80)		7700 694 382
В	Le Car						
Comments:	See page one for	abbrevi	ations a	nd evaporative	e emission fami	ly identifica	ition.

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue -