E.O. Book

## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-19-24 Relating to Certification of New Motor Vehicles

DR. ING. H.C.F. PORSCHE, A.G.

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Dr. Ing. H.C.F. Porsche, A.G. exhaust emission control systems are certified as described below for 1981 model-year gasoline-powered passenger cars.

Engine Family	Displacement Cubic Inches (Liters)	Exhaust Emission Control Systems (Special Features)
BPR121V6FB0	121 (2.0)	Three Way Catalyst with Closed Loop (Mechanical Fuel Injection) (Turbocharged)

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the certification emission values to be listed on the window decal required by California Assembly-Line Test Procedures for 1981 model-year vehicles:

Engine Family  Hydrocarbons  Grams per Mil		Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
BPR121V6FB0	0.11	1.4	0.2

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That Dr. Ing. H.C.F. Porsche, A.G. has provided to the Executive Officer all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

\_day of September, 1980.

K. D. Drachand, Chief

Mobile Source Control Division

## 1980 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Porsche AG	Executive Order No. A-19-24	_Page1
Engine Family BPR121V6FB0	Engine (CID) E	<b></b> -
ABBREVIATIONS		
Ignition System CA-Centrifugal Advance EEC-Electronic Engine Control EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard Fuel System	Exhaust Emissions Control System AI-Air Injection CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst PAI-Pulse Air Injection TR-Thermal Reactor TWC-Three Way Catalyst	Special Features CCAV-Combustion Chamber Air Valve EFI-Electronic Fuel Injection MFI-Mechanical Fuel Injection
EFI, MFI nV-nVenturi Carburetor VV-Variable Venturi		TC-Turbo Charged

Vehicle Models: 924 Turbo

•	1981 A	IR RESOU	IRCES BOA	ARD SUPPLEMENTA		#A <u>-19-24</u>	
<u>X</u> Passe	enger Cars Li					X Gas	Diesel
Manuf	facturer <u>Porsch</u> e	e AG	The second se		Page		
Engir	ne Family <u>BPR12</u>	1 <b>V6<del>BP</del>0</b>			Engine Code	M31/04	
ECS (	(Special Features)	TWC,	CL (MFI,	TC)	CID (Liter)- Type _	121 (2.0) I-4	<u> </u>
Engine Code	Vehicle Models (If Coded see	Tes	Equiv. Test We <b>ig</b> ht	st CA, VA, VR,	Fuel System MFI	EGR Valve	Label Ident.
	attachment)		wergill	Part No.	Part No.	Part No.	Part No.
M31/04	*924 Turbo	M-5	3125	Spark control unit 5 WK 1 665	Air Sensor 0-438-120 -152	n/a	477-000 -273-AA
					Fuel Distributor 0-438-100 -048		
					Electronic Control Unit 0-280-800 -037		
					Turbocharger Assembly KKK K-26-2660 GA4.10		

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

\*Add 10% to dyno test HP for air conditioning usage.

Date of Issue -