E. C. Bak

## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-24-12 Relating to Certification of New Motor Vehicles

## AUTOMOBILES PEUGEOT

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1981 model-year Automobiles Peugeot exhaust emission control systems are certified as described below for 1981 diesel-powered passenger cars.

Engine Family	Displacement Cubic Inches (Liters)	Exhaust Emission Control Systems (Special Features)					
XD2S	141 (2.3)	Engine Modification Exhaust Gas Recirculation (Diesel Fuel Injection) (Turbocharger)					

Vehicle Models, Transmissions, and Engine Codes as listed on attachments.

The following are the certification emission values to be listed on the window decal required by California Assembly-Line Test Procedures for 1981 model-year vehicles:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.22	1.2	1.3

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

day of September, 1980.

K. D. Drachand, Chief

Mobile Source Control Division

## 1981 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

M ufacturer Peugeot	Executive Order No. A-24-12 Page 1
Engine Family XD2S	Evaporative Family <u>EXD2S</u>
ABBREVIATIONS	Engine CID (Liters) 141 (2.3)

Ignition System
CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance
Control
VA-Vacuum Advance
VR-Vacuum Retard

Exhaust Emissions Control System
AIP-Air Injection-Pump
AIV-Air Injection-Valve
CL-Closed Loop
EGR-Exhaust Gas Recirculation
EM-Engine Modification
OC-Oxidation Catalyst System
TR-Thermal Reactor
TWC-Three Way Catalyst System

Special Features
CCV-Combustion
Chamber Valve
CFI-Central Fuel
Injection
DI-Diesel Injection
EFI-Electronic
Fuel Injection
MFI-Mechanical Fuel
Injection
TC-Turbocharged

Fuel System
CFI, DI, EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

Vehicle Models

\*505 Sedan

\*Add 10% to dyno test Hp for air conditioning usage.

E.O. #A -24-12

1981 AIR	RESOURCES	BOARD	SUPPLEMENTAL	DATA	SHEET
----------	-----------	-------	--------------	------	-------

X Passenger Cars Light-Duty Trucks Medium-Duty Vehicles Gas X Diesel										
Manufacturer Automobiles Peugeot Page 2										
Engine Family XD2S Engine Code See Below										
ECS (Special Features)EGR (MFI, TC) CID (Liter)- Type141 (2.3) 14										
Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test We <b>ig</b> ht	Ign. System	Fuel System	EGR Valve	Label Ident.			
	a ccacrimenc)		ne igno	Part No.	Part No.	Part No.	Part No.			
XD2S M5 **XD2SM5/AC	*505 Sedan	M5	3500	n.a.	Bosch Injection Pump VE4/10F 2075 R 67 or ***VE R 67 Type 514 Garett Turbocharger TAO 302	Guiot SA N° 1561A	See SDS pp. 3 & 4			
XD2S A3 **XD2SA3/AC		А3			Bosch Injection Pump VE 4/10F 2125 R67/1 or ***VE R 67/1 Type 515 Garett Turbocharger TAO 302					

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Date of Issue - 09-15-80

Revised - 11-03-80:RC#XD2S 81-1 (10-15-80) Change in part #.

<sup>\*</sup>Add 10% to dyno test HP for air conditioning usage.

<sup>\*\*</sup>Equipped with a pressure-actuated air conditioning compressor cut-off switch.


-12 Page 3	S Order No. A-72	Executive	. joabna.	Automobiles F	Manufacturer
,	יר האוא טחבבו	ONFREMENTA	κ κεροάκ <mark>ιε</mark> ρ αργκη ε	IA 1881	

LOCATION : On front hood.	COLOR : Text : blue.  Back ground : white.	FASTENING METHOD: Adhesives with tear apart when	MATERIAL: Plastic.	OFF POSITION  ALL ELECTRICAL ACCES— SORIES IN THE OFF POSITION	NEUTRAL . AIR CONDITIONNING IN	TRANSMISSION IN	- VEHICLE CONDITIONS : . ENGINE HOT (FAN HAS	- ENGINE TUNE UP SPECIFICATIONS:	- EMISSION CONTROL SYSTEM : MFI - EGR	- DISPLACEMENT: 2.304 liters (140.6 ci)	XD2S A3 - XD2S	<ul> <li>ENGINE FAMILY: XD2S</li> <li>EVAPORATIVE FAMILY: EXD2S</li> <li>ENGINE CODES: XD2S M5 - XD2S M5/AC</li> </ul>	CALIFORNIA 0.46g/mile 4.0g/mile 1.5g/mile FEDERAL 0.41g/mile 3.4g/mile 1.5g/mile	1981 STANDARDS	VEHICLE EMISSION CONTROL INFORMATION Automobiles PEUGEOT
	·	apart when removalis attemped.	ОМ	TESTIG SOF		1,219 METERS (4,000 Feet)"	REGULATIONS APPLICABLE OT 1981 MODEL YEAR NEW MOTOR	ADJUSTMENT PROCEDURES SEE WORKSHOP MANUAL "THIS VEHICLE CONFORMS TO U.S. F. P. A and california and	+ 0 + 0	EXHAUST 0.25 mm	INTAKE 0.15 mm + 0 0.006" + 0	- VALVE ADJUSTMENT - VEHICLE CONDITIONS: ENGINE COLD (6 HOURS REST MINIMUM) + 0.05 + 0.002"		MANUAL AND AUTOMATIC 830 ± 30 RPM TRANSMISSION WITH AC FAST IDLE : 1250-1350 RPM	IDLE SPEEDS: MANUAL AND AUTOMATIC 810 - 30 RPM TRANSMISSION WITHOUT AC

\_\_lanufacturer Automobiles Peugeot

Executive Order No. A-1/2-12 Page 4

505 DIESEL MODEL



Material : plastic

Fastening Method: Adhesives - will tear apart when removal is

attempted

Color Text : blue

Back ground : white