E.C. Book

## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-30-18 Relating to Certification of New Motor Vehicles

## AUDI NSU AUTO UNION A.G.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1981 model-year Audi NSU Auto Union A.G. exhaust emission control systems are certified as described below for gasoline-powered passenger cars.

Engine Family	Displacement Cubic Inches (Liters)	Exhaust Emission Control Systems (Special Features)			
BAD2.2V6FC15000C 131 (2.2)		Three Way Catalyst with Closed Loop (Mechanical Fuel Injection)			

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the certification emission values for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1981 model-year vehicles:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.35	2 1	0.2

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

19 m day of

day of September, 1980.

K. D. Drachand, Chief

Mobile Source Control Division

## 1981 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

facturer _	Audi	Executive Order No.	A-30-18	_ Page	1	
Engine Family	BAD2.2V6FC15000C	Evaporative Family _	5000			
ABBREVIATIONS		Engine CID (Liters)	131 (2.2)			

Ignition System
CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance
Control
VA-Vacuum Advance
VR-Vacuum Retard

Exhaust Emissions Control System
AIP-Air Injection-Pump
AIV-Air Injection-Valve
CL-Closed Loop
EGR-Exhaust Gas Recirculation
EM-Engine Modification
OC-Oxidation Catalyst System
TR-Thermal Reactor
TWC-Three Way Catalyst System

Special Features
CCV-Combustion
Chamber Valve
CFI-Central Fuel
Injection
DI-Diesel Injection
EFI-Electronic
Fuel Injection
MFI-Mechanical Fuel
Injection
TC-Turbocharged

Fuel System
CFI, DI, EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

Vehicle Models

5000 4000

						#A30-18	
				RD SUPPLEMENTA		V Can	D
X Passe	enger Cars Li	gnt-Duty	rucks	Medium-Du	ity venicies	X_ Gas	Diesel
Manut	facturer <u>Audi</u>				Page _		
Engir	ne Family BA	D 2.2V6F	C15000C		Engine Code	e -	
	(Special Features)				CID (Liter)- Type	131 (2.2) 14	
Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test We <b>ig</b> ht	Ign. System CA,VA,VR,EI Distributor	Fuel System (MFI)	EGR Valve	Label Ident.
				Part No.	Part No.	Part No.	Part No.
2.2ILCHM	*4000	<b>M</b> 5	2750 2875	035 905 -206 A	Bosch Fuel Injection Control Unit	n/a	VECI 433 000 -331 AJ
2.2ILCHA		A3			035 133 -353 K		Vac. Hose 035 000
2.2ILBOM	*5000	M5	3250 3125		Electronic Control Unit 035 906		-363 BF
2.2ILBHM					-263 D		
?ILCOA	-	A3	Ţ				
2.21LCHA							

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

\*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - 9/12/80