State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-30-19 Relating to Certification of New Motor Vehicles

AUDI NSU AUTO UNION

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Audi NSU Auto Union exhaust emission control systems are certified as described below for 1981 model-year gasoline-powered passenger cars.

Engine Family	Displacement Cubic Inches (Liters)	Exhaust Emission Control Systems (Special Features)
BAD2.2V6FY65TC	131 (2.2)	Three Way Catalyst With Closed Loop (Mechanical Fuel Injection) (Turbocharged)

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the certification emission values to be listed on the window decal required by California Assembly-Line Test Procedures for 1981 model-year vehicles:

Engine Family	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
	Grams per Mile	Grams per Mile	Grams per Mile
BAD2.2V6FY65TC	0.20	2.1	0.2

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That Audi NSU Auto Union has provided to the Executive Officer all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

26 th

day of November, 1980.

K. D. Drachand, Chief

Mobile Source Control Division

1981 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer <u>Audi NSU Auto Union</u>	Executive Order No. A-30-19 Page 1
Engine Family <u>BAD2.2V6FY65TC</u>	Evaporative Family <u>5000T</u>
ABBREVIATIONS	Engine CID (Liters) <u>131 (2.2)</u>

Ignition System
CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance
Control
VA-Vacuum Advance
VR-Vacuum Retard

Exhaust Emissions Control System
AIP-Air Injection-Pump
AIV-Air Injection-Valve
CL-Closed Loop
EGR-Exhaust Gas Recirculation
EM-Engine Modification
OC-Oxidation Catalyst System
TR-Thermal Reactor
TWC-Three Way Catalyst System

Special Features
CCV-Combustion
Chamber Valve
CFI-Central Fuel
Injection
DI-Diesel Injection
EFI-Electronic
Fuel Injection
MFI-Mechanical Fuel
Injection
TC-Turbocharged

Fuel System
CFI, DI, EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

Vehicle Models: 5000 Turbo

	1981 A	IR RESOU	RCES BOA	RD SUPPLEMENTA		A-30-19	
_χ_Passenger Cars Light-Duty Trucks Medium-Duty Vehicles _X_ Gas Diesel							
Manufacturer <u>Audi NSU Auto Union</u>					Page 2		
Engine Family BAD2.2V6FY65TC					Engine Code		
CID (Liter)- ECS (Special Features) <u>TWC, CL, (MFI, TC)</u> Type 131/2.2/I5							
J	Vehicle Models (If Coded see attachment)		Test Weight Class	Ign. System CA,VA,VR,EI	Fuel System	EGR Valve	Label Ident.
	a ccacrimency			Part No.	Part No.	Part No.	Part No.
TILAOA	5000 Turbo*	А3	3250	035 905 -205 H or 035 905 -205 J	Mixture Control Unit 035 133 -353 J	n/a	VECI 035 000 -308 B
,					Electronic Control Unit Bosch 0280 800 -027		Vac. Hose 035 000 -363 BK
					Turbocharger KKK K 26/2664 -G6.91		
				Ĵ			
Comments: See page one for abbreviations and evaporative emission family identification.							

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue -