## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-16-45 Relating to Certification of New Motor Vehicles

TOYO KOGYO CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-3, and G-45-4;

IT IS ORDERED AND RESOLVED: That 1982 model-year Toyo Kogyo Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks.

Engine Family	Displacement Cubic Inches (Liters)	Exhaust Emission Control Systems (Special Features)		
CTK2.OT2AGGO	120.2 (2.0)	Air Injection - Pump Exhaust Gas Recirculation Oxidation Catalyst		

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1982 model-year vehicles:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
0-3999	- <del>0.41</del> -0.39	9.0	1.0
The following		n emission values for th	is engine family:
Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
0-3999	0.18	3.9	0.8

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed in El Monte, California this

\_\_\_ day of May, 1981.

K. D. Drachand, Chief Mobile Source Control Division

## 1982 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Chamber Valve CFI-Central Fuel Injection

Fuel Injection

Manufacturer Toy	o Kogyo	Executive Order No. A-16-45	Page1
Engine Family CTM	(2.OT2AGGO	Evaporative Family	
		Engine CID (Liters) 120.2 (2.0)	<del></del>
ABBREVIATIONS			
Ignition System CA-Centrifugal Adv EEC-Electronic Eng EI-Electronic Igni ESAC-Electronic Sp Control VA-Vacuum Advance VR-Vacuum Retard	ine Control tion	Exhaust Emissions Control System AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System TR-Thermal Reactor TWC-Three Way Catalyst System	Special Features CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection- Direct DIP-Diesel Injection-
Fuel System CFI, CL, DID, DIP, nV-nVenturi Carbur VV-Variable Ventur	etor		Prechamber  MFI-Mechanical Fuel Injecti TC-Turbocharged
Vehicle Models:		t and long wheelbase) hort and long wheelbase)	
Dyno Horsepower:	11.4 12.5 (w/AC)		

DRIVE SYSTEM: rear wheel

•		•			Pa	age <u>2</u>	
	1982 A	IR RESOU	RCES BOA	RD SUPPLEMENTA	AL DATA SHEET		
Passe	enger Cars <u>χ</u> Li	ght-Duty	Trucks	Medium-Du	uty Vehicles	<u>x</u> Gas	Diesel
Manut	facturer <u>Toyo</u>	Kogyo		· · · · · · · · · · · · · · · · · · ·	E.O.	#A - 16-45	
Engir	ne Family <u>CTK2.0</u>	T2AGGO		CID (liter)	) - Type 120.	2(2.0) - 14	
ECS (	(Special Features)	A	IP, EGR,	ОС	The state of the s		rate and the construction of the latest the construction of the co
Engine Code	Vehicle Models (If Coded see	Trans.	Equiv. Test	Ign. System CA,VA,EI	Fuel System 2V	EGR Valve	Label Ident.
	attachment)	Weight	Part No.	Part No.	Part No.	Part No.	
CMT-M (w/o AC)	Courier (SWB) Mazda B2000 (SWB)  Courier (LWB) Mazda B2000 (LWB)	M-4 M-5	3000, 2875	T4T62471	215282-B31	8397	•
CMT-MC (w/AC)	Courier Mazda B2000						8270 UA17

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

\*Add 10% to dyno test HP for air conditioning usage.

Date of Issue -5-12-81 Revisions: