State of California AIR RESOURCES BOARD

E D. Fort

EXECUTIVE ORDER A-10-212 Relating to Certification of New Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-3, and G-45-4;

IT IS ORDERED AND RESOLVED: That 1982 model-year Ford Motor Company exhaust emission control systems are certified as described below for gasoline-powered passenger cars.

Engine Family	Displacement Cubic Inches (Liters)	Exhaust Emission Control Systems (Special Features)
CFM2.3V2GBB2	140 (2.3)	Air Injection - Pump Exhaust Gas Recirculation Three-Way Catalyst

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1982 model-year vehicles:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.39	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.27	2.5	0.7

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California, this

day of September, 1981.

(K. D. Drachand, Chief

Mobile Source Control Division

1982 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Ford Motor Company	_ Executive Order NoA-10-212	Page 1
Engine Family CFM2.3V2GBB2	Evaporative Family 2BM	····
	Engine CID (Liters) 140 (2.3	3)
ABBREVIATIONS		
Ignition System CA-Centrifugal Advance EEC-Electronic Engine Control EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard Fuel System	Exhaust Emissions Control Syst AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System TR-Thermal Reactor TWC-Three Way Catalyst System	em Special Features CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber
CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor VV-Variable Venturi		MFI-Mechanical Fuel Injectior TC-Turbocharged
Vehicle Model	Body Type	Code

<u>Vehicle Model</u>	Body Type	<u>Code</u>
Capri GS, RS, Capri	3-door Hatchback	61D, 61H
L	3-door Hatchback	61D
Fairmont Futura	2-door Sedan 4-door Sedan	36R, 66B 54B
Granada GL, GLX, L	2-door Sedan 4-door Sedan	66D 54D
Mustang GL, GLX, L	2-door Sedan	66B, 66H
GL, GLX, L, SS	3-door Hatchback	61B, 61H
GT	3-door Hatchback	61B
Zephyr Z-7	2-door Sedan	36R
GS	4-door Sedan	54D

DRIVE SYSTEM: Rear Wheel

•					•	Pa	ge <u>2</u>	
		1982 A	IR RESOU	RCES BOA	RD SUPPLEMENTA			
X Passe	nger Cars	Li	ght-Duty	Trucks	Medium-Du	ty Vehicles	_x Gas	Diesel
Manuf	acturer _	Ford Mo	tor Comp	any		E.O. ;	#A -10-212	
Engin	e Family _	CFM2.3V	2GBB2		CID (liter)	- Type <u>140</u>	(2.3) - I4	···
ECS (Special Fe	eatures)	AIP,	EGR, TW	<u>c</u>			·
Engine Code	Vehicle (If Code attachm	ed see	Trans.	Equiv. Test Weight	Ign. System CA, VA, EI Distributor	Fuel System 2V	EGR Valve	Label Ident.
					Part No.	Part No.	Part No.	Part No.
2-05A-R00A/N	Capri	61D 61H	M-4	3000	E0EE-12127- CA	E1ZE-9510- CA	D8EE-9D475- D2A	AZV
	Mustang	61B 61H 66B 66H				•		
2-05B-R00A/N			M-5	<u> </u> 		E1BE-9510- RA	D8EE-9D475- E3A	AZY
				i .	· ·	IV1	20/1	
					· 			
				<u> </u>	·			
							·	
	ł			1 .	[.	1	1	ı

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - 9/14/81 Revisions:

		1982 A	IR RESOU	RCES BOA	RD SUPPLEMENTA	AL DATA SHEET		
<u>X</u> Passe	nger Cars	Li	ght-Duty	Trucks	Medium-Du	ıty Vehicles	<u>X</u> Gas	Diesel
Manuf	acturer	Ford Mo	tor Comp	any		E.O. #	#A <u>-10-212</u>	
Engin	e Family _	CFM2.3V	2GBB2		CID (liter)	- Type <u>140</u>	(2.3) - I4	
ECS (Special Fe	atures)	AIP,	EGR, TW	<u>C</u>	 		
Engine Code	Vehicle Models (If Coded see		[]7	Equiv. Test	Ign. System CA, VA, EI	Fuel System	EGR Valve	Label Ident.
Code	attachm			Weight	Distributor Part No.	2V Part No.	Part No.	Part No.
2-05B-R01A/N	Fairmont	66B	M-4	3000	E0EE-12127- CA	E1BE-9510- RA	D8EE-9D475- E3A	AZZ
	Fairmont	36R 54B		3125				
·	Granada	54D 66D						
	Zephyr	36R 54D						
			·					
		•				 		
			· •					
						·		
						1 1 1	,	

Page 3

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - 9/14/81 Revisions: