State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-215 Relating to Certification of New Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-3, and G-45-4;

IT IS ORDERED AND RESOLVED: That 1982 model-year Ford Motor Company exhaust emission control systems are certified as described below for gasoline-powered passenger cars.

Engine Family	Displacement Cubic Inches (Liters)	Exhaust Emission Control Systems (Special Features)		
CFM5.8V2HAF6	351 (5.8)	Air Injection - Pump Exhaust Gas Recirculation Three Way Catalyst with Closed Loop		

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1982 model-year vehicles:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.39	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.36	6.5	0.6

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 400

day of September, 1981.

K D. Drachand, Chief

Mobile Source Control Division

1982 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer _	Ford Motor Company	Executive Order No.	A-10-215	Page	1
Engine Family	CFM5.8V2HAF6	Evaporative Family	2EQ		
		Engine CID (Liters)	351 (5.8)		

ABBREVIATIONS

Ignition System
CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance
Control
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System
CFI, CL, DID, DIP, EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

Exhaust Emissions Control System
AIP-Air Injection-Pump
AIV-Air Injection-Valve
CL-Closed Loop
EGR-Exhaust Gas Recirculation
EM-Engine Modification
OC-Oxidation Catalyst System
TR-Thermal Reactor
TWC-Three Way Catalyst System

Special Features
CCV-Combustion
Chamber Valve
CFI-Central Fuel
Injection
DID-Diesel
InjectionDirect
DIP-Diesel

MFI-Mechanical Fuel Injection TC-Turbocharged

Injection-

Prechamber

<u>Vehicle Models</u>	Body Type	<u>Code</u>	
Ford LTD LTD LTD S	2-Door 4-Door 4-Door	66H 54H 54D	
Mercury Marquis	4-Door	54 H	

DRIVE SYSTEM: Rear Wheel

ř			•		Pa	ige <u>2</u>	
	1982 A	IR RESOU	RCES BOA	RD SUPPLEMENTA	AL DATA SHEET		
X Passe	enger Cars Li	ght-Duty	Trucks	Medium-Du	ıty Vehicles	<u>X</u> Gas	Diesel
Manuf	acturer <u>Ford Mot</u>	or Compa	iny		E.O. :	#A <u>-10-215</u>	
Engir	ne Family <u>CFM5.8V</u>	2HAF6		CID (liter)) - Type <u>351</u>	(5.8) - V8	
	Special Features)						
Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Wei g ht	Ign. System CA, VA, EI Distributor Part No.	Fuel System VV Part No.	EGR Valve	Label Ident. Part No.
2-24P-R06A/N	Ford* 54D 54H 66H	A-4	4250	E2AE-12127- EA	E1AE-9510- AGA	E1AE-9D448- KA	AVL
,	Mercury* 54H						
						-	
		-					
							·
							·
	!		1	<u> </u>	1		<u> </u>

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - 9-3-81 Revisions: