State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-216 Relating to Certification of New Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-3, and G-45-4;

IT IS ORDERED AND RESOLVED: That 1982 model-year Ford Motor Company exhaust emission control systems are certified as described below for gasoline-powered passenger cars.

Engine Family	Displacement <u>Cubic Inches (Liters)</u>	Exhaust Emission Control Systems (Special Features)		
CFM5.0V2HCB2	255/30 ² (4.2/5.0)	Air Injection - Pump Exhaust Gas Recirculation		
		Three-Way Catalyst with Closed Loop		
Vehicle Models	Transmissions Engine Codes	and Evanomative Emission		

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1982 model-year vehicles:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
Grams per Mile	Grams per Mile	<u>Grams per Mile</u>		
0.39	7.0	0.7		

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile

0.26

. 3.3

0.6

FORD MOTOR COMPANY

EXECUTIVE ORDER A-10-216 (Page 2 of 2)

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all **material** required to demonstrate certification compliance with the Board's **emission** control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California, this 12^{m} day of August, 1981.

K^f D. Drachand, Chief Mobile Source Control Division

1982 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Ford Motor Compan	y Executive Order No. <u>A-10-</u>	216 Page 1
Engine Family <u>CFM5.0V2HCB2</u>	Evaporative Family2EQ	
	Engine CID (Liters) <u>255/30</u>	2 (4.2/5.0)
ABBREVIATIONS		
Ignition System CA-Centrifugal Advance EEC-Electronic Engine Control EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard	Exhaust Emissions Control AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculat EM-Engine Modification OC-Oxidation Catalyst Syste TR-Thermal Reactor TWC-Three Way Catalyst Syste	CCV-Combustion Chamber Valve CFI-Central Fuel ion Injection DID-Diesel em Injection- Direct
<u>Fuel System</u> CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor VV-Variable Venturi		Prechamber MFI-Mechanical Fuel Injection TC-Turbocharged
Vehicle Models	Туре	Code
Thunderbird Thunderbird Landau Thunderbird Heritage	2-dr Sedan	66D
XR-7	2-dr Sedan	66D
Lincoln Continental Lincoln Continental Signature Series Lincoln Continental Givenchy	4-dr Sedan	54D

DRIVE SYSTEM: Rear Wheel

	۵ د یون		IRCES BOA	RD SUPPLEMENT		age <u>2</u>	<u></u>
	enger CarsLi	ght-Duty	Trucks	Medium-D	uty Vehicles		Diesel
Engi	facturer <u>Ford M</u> ne Family <u>CFM5.0</u> (Special Features)	V2HCB2		CID (liter			**
Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Wei g ht	Ign. System Part No.	Fuel System Part No.	EGR Valve Part No.	Label Ident. Part No.
2-18Q-ROON (w/o AC)	Thunderbird* 66D XR-7* 66D		3625	E1BE-12127- DA	E2SE-9510- DB or DA or FA**	E1SE-9D448- GA	ATE
2-18 Q-R 00A (w/AC)	Thunderbird* 66D		3750	EEC: E2AF- 12A651-EA w/knock sensor			
	XR-7* 66D		3625+				
							·

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - 8-14-81 Revisions: ** 4-30-82 Revision (add alt p.n.) *** 5-5-82 Corrected CID and Engine Codes

				•		age <u>3</u>	12
	· · · · ·				AL DATA SHEET		
4	enger CarsLi facturerFord Mo						Diesel
	ne Family <u>CFM5.01</u> (Special Features)) - Type <u>302</u> ((5.0) - V8	
Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test We ig ht	Ign. System	Fuel System	EGR Valve	Label Ident.
				Part No.	Part No.	Part No.	Part No.
2-20 R -R02A	Continental 54D	A-4	4000***	E1SE-12127- DA	AC or YA,++-		
-R10A++				EEC: E2AF- 12A651-DA	AA++ or AB++	E25E-9D448 EA	BGS++
-R16A+++					E25E-9510- ABA+++		BJA+++
2-20R-R12A**				E1SE-12127- DA EEC: E2AF- 12A651-CA	E2SE-9510- AC		BBE
				**			

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

```
Date of Issue -
                  5-5-82
Revisions: ** 10-9-81 RC# 4.2/5.0-317(rev MCU, add SDV)
          *** 10-28-81 Revision(increase ETW)
            + 12-23-81 RC# 4.2/5.0-325 (rev ETW)
                            0
                                 - 11
           ++ 1-14-82 "
                                         (rev carb, TVV & purge restr)<sup>™</sup>
          +++ 5-5-82 RC#4.2/5.0-332(add choke vac trap)
```

011981