(Page 1 of 2) 2.0. Brok

X

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-218 Relating to Certification of New Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-3, and G-45-4;

IT IS ORDERED AND RESOLVED: That 1982 model-year Ford Motor Company exhaust emission control systems are certified as described below for gasoline-powered passenger cars.

Engine Family	Displacement <u>Cubic Inches (Liters)</u>	Exhaust Emission Control Systems (Special Features)
CFM5.OV5HEC8	302 (5.0)	Air Injection - Pump Exhaust Gas Recirculation Three-Way Catalyst with Closed Loop (Central Fuel Injection)

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1982 model-year vehicles:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	<u>Grams per Mile</u>
0.39	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	<u>Grams per Mile</u>	Grams per Mile

0.32

1.3

0.5

FORD MOTOR COMPANY

EXECUTIVE ORDER A-10-218 (Page 2 of 2)

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed in El Monte, California this $\, \varkappa \,$ day of 1981.

K. D. Drachand, Chief Mobile Source Control Division

1982 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

e.

Manufacturer Ford Motor Company	Executive Order No. <u>A-10-218</u> Page 1
CFM5.0V5HEC8 Engine Family	Evaporative Family 2FQ
	Engine CID (Liters) <u>302 (5.0)</u>
ABBREVIATIONS	
Ignition System CA-Centrifugal Advance EEC-Electronic Engine Control EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard <u>Fuel System</u> CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor VV-Variable Venturi	Exhaust Emissions Control System AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System TR-Thermal Reactor TWC-Three Way Catalyst SystemSpecial Features CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection- DirectTR-Thermal Reactor TWC-Three Way Catalyst SystemDIP-Diesel Injection- DirectMFI-Mechanical Fuel InjectionMFI-Mechanical Fuel Injection
Vehicle Model	Body Type Code
Lincoln Town (Mark VI Mark VI	Car 4-Dr Sedan 54D 4-Dr Sedan 54D 2-Dr Sedan 66D

DRIVE SYSTEM: Rear Wheel Drive

.			•		Pa	ge <u>2</u>	<u></u>
. 🕊	1982 A	IR RESOU	RCES BOA	RD SUPPLEMENTA	L DATA SHEET		
<u>X</u> Passe	enger Cars 🔄 Li	ght-Duty	Trucks	Medium-Du	ty Vehicles	X Gas	Diesel
Manuf	facturer <u>Ford</u>	Motor C	ompany		E.O. #	¥A-10-218	
Engir	ne Family <u>CFM5.0V</u>	5HEC8		CID (liter)	- Type <u>302</u>	(5.0) - V8	
ECS ((Special Features)	AI	P, EGR,	TWC w/CL (CFI)	1999-1		<u></u>
Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Wei g ht	FEC	Fuel System Electronic Fu Charging Ass' Part No.	el	Label Ident. Part No.
1-22P-ROOA	Lincoľn* 54D Mark IV* 54D 66D	A-4	4250	Part No. ElVF-12A649- DB			
							<u> </u>

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue -3-23-81 Revisions: