State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-14-43 Relating to Certification of New Motor Vehicles

Toyota Motor Company, Ltd.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-3, and G-45-4;

IT IS ORDERED AND RESOLVED: That 1982 model-year Toyota Motor Company, Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars.

Engine Family	Displacement Cubic Inches (Liters)	Exhaust Emission Control Systems (Special Features)		
CTY1.8V2FCC8	108 (1.8)	Air Injection Pump Exhaust Gas Recirculation Three Way Catalyst with Closed Loop		

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1982 model-year vehicles:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.39	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
Grams per Mile	Grams per Mile	<u>Grams per Mile</u>		
0.14	2.9	0.4		

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed in El Monte, California this

7 day of oury, 1981.

K. D. Drachand, Chief

Mobile Source Control Division

1982 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer <u>Toyota Motor Co.</u>	_ Executive Order NoA-14-43	Page1
Engine Family CTY1.8V2FCC8	Evaporative Family <u>EV-T</u>	
	Engine CID (Liters) <u>108 (1.8)</u>	
ABBREVIATIONS		
Ignition System CA-Centrifugal Advance EEC-Electronic Engine Control EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard Fuel System CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor VV-Variable Venturi	Exhaust Emissions Control System AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System TR-Thermal Reactor TWC-Three Way Catalyst System	Special Features CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber MFI-Mechanical Fuel Injection TC-Turbocharged
Models	Engine Codes	
Corolla: 2-door sedan	1,2,3,4,5, 6,7,8,9	
Corolla: Lift-back	2315	

Corolla: 2-door sedan

Corolla: Lift-back 2,3,4,5, 6,7,8,9

Corolla: 4-door sedan 2,3,4,5,6.7, sport coupe hard top

2.3,4,5,6.7, 8,9

2.3,4,5,6.7, 8,9,10,11,12,13

DRIVE SYSTEM: Front engine/ Rear wheel drive.

	1982	AIR RESOU	IRCES BOA	ARD SUPPLEMENT	AL DATA SHEET		,
X Passe	enger Cars L	ight-Duty	Trucks	Medium-D	uty Vehicles	X Gas	Diesel
Manuf	facturer Toyot	a Motor	Company		E.O.	#A -14-43	
Engir	ne Family <u>CTY1.8</u>	V2FCC8		CID (liter) - Type 108	3 (1.8) I-4	
	(Special Features)				The fight of the second se		urrens er eller syn Mandelli Mildela
Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight	Ign. System VA, CA, EI	Fuel System 2V	EGR Valve	Label Ident.
				Part No.	Part No.	Part No.	Part No.
1	Corolla 2-dr sd	n M-4	2500	Nippondenso 19100-28081	Aisan Kogyo 21100-28190	25620-28070	See page
3, 5	4-drisdn*	M-5 A-3	2500		-28200 -28190	·	
2, 4 (w/AC)		M 5	2625	-	-28200	 	
6, 8 (w/AC)		A-3			-28190		
11, 13		A-4				<u> </u>	
10, 12 (w/AC) Lift back *	M-5	2500		-28200		
	LIIC DACK	M-5	2500	<i>"</i>	-20200		
2, 4 (w/AC)			2625			•	
7, 9		A-3		,	-28190		
6, 8 (w/AC)							
;							
	<u> </u>						
	See page one for fer to manufacture If two test we						

Page __

Date of Issue -072381 Revisions:

*Add 10% to dyno test HP for air conditioning usage.

	1982 A	IR RESOU	IRCES BOA	RD SUPPLEMENTA	AL DATA SHEET		
X Pass	enger Cars Li	ght-Duty	Trucks	Medium-Du	ity Vehicles	_X Gas	Diesel
Manu	facturer <u>Toyo</u> 1	ta Motor	Company		E.O.	#A - 14-43	
Engi	ne Family <u>CTY1.8</u>	BV2FCC8		CID (liter)	- Type 10:	8 (1.8) 7-4	
	(Special Features)						
	(Special readules)		• • • • • • • • • • • • • • • • • • •				
Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Wei g ht	Ign. System VA, CA, EI Part No.	Fuel System 2V Part No.	EGR Valve Part No.	Label Ident. Part No.
2 5	C		0500				
3,5	Sport Coupe *	M-5	2500	Nippondenso 19100-28081	Aisan Kogyo 21100-28200	25620-28070	See page 4
2,4(w/AC)	_	A-3	2625		-28190		
7,9					-20190		
6,8(w/AC)			ļ				
11,13	1	A-4					
10,12(w/AC)	·						:
3,5	Hard Top *	M-5	2500		-28200		
7,9		A-3			-28190		
2,4(w/AC)		M-5	2625		-28200		
6,8(w/AC)	•	A-3			-28190		
11, 13		A-4					
10, 12(w/AC)							
3,5 2,4 (w/AC)	5 dr. wagon *	M-5			-28200		
7,9 6,8(w/AC)		A-3			-28190		
	<u> </u>	<u></u>	·				

Page 3

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue -072381 Revisions:



VEHICLE EMISSION CONTROL INFORMATION

ENGINE FAMILY : CTY1.8V2FCC8

108.0 CID

EVAP. FAMILY : EV-T

EXHAUST EMISSION CONTROL SYSTEM AI/EGR/O2S/TWC

MAKE ALL ADJUSTMENTS WITH ENGINE AT NORMAL OPERATING TEMPERATURE, CHOKE FULL OPEN, AIR CLEANER INSTALLED, AIR CONDITIONER OFF AND TRANSMISSION IN NEUTRAL.

ENGINE TUNE-UP SPECIFICATIONS FOR ALL ALTITUDES

TRANSMISSION	MANUAL	AUTOMATIC			
IDLE SPEED (RPM)	650 FOR W/O P.S.				
	850 FOR W/ P.S.				
IGNITION TIMING	7° @ 950 RPM MAX.	WITH ALL THE			
(°BTDC)	VACUUM HOSES DISCONNECTED FROM THE				
	DISTRIBUTOR AND S	EALED			
IDLE MIXTURE .	IDLE MIXTURE SCREW IS PRESET AND				
SETTING	SEALED AT FACTORY.				
	ADJUSTMENT DURING TUNE-UP IS NOT				
	RECOMMENDED.				
FAST IDLE SPEED	W/O P.S. 3,400	W/O P.S. 3,200			
(RPM)	W/ P.S. 3,200	W/ P.S. 3,000			
THROTTLE POSITIONER	1,400				
SETTING SPEED (RPM)					
VALVE CLEARANCE	INTAKE 0.008 (0.20 mm)				
(IN.)	EXHAUST 0.013 (0.	33 mm)			

W/O P.S. : MODEL WITHOUT POWER STEERING. W/ P.S. : MODEL WITH POWER STEERING.

(m) TOYOTA MOTOR CO., LTD.

CATALYST

THIS VEHICLE CONFORMS TO U.S. EPA AND STATE OF CALIFORNIA REGULATIONS APPLICABLE TO 1982 MODEL YEAR NEW M VEHICLES PROVIDED THAT THIS VEHICLE IS INTRODUC COMMERCE FOR SALE IN THE STATE OF CALIFORNIA ON

CALIFORNIA 3T-C