State of California AIR RESOURCES BOARD superidd .

EXECUTIVE ORDER A-15-53
Relating to Certification of New Motor Vehicles

NISSAN MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-3, and G-45-4;

IT IS ORDERED AND RESOLVED: That 1982 model-year Nissan Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars.

| Engine Family | Displacement Cubic Inches (Liters) | (Special Features) |
|---------------|---------------------------------------|--|
| CNS2.8V5FAF4 | 146/168 (2.4/2.8) | Exhaust Gas Recirculation Three Way Catalyst with Closed Loop (Electronic Fuel Injection) |

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1982 model-year vehicles:

| Hydrocarbons | Carbon Monoxide | Nitrogen Oxides |
|----------------|-----------------|-----------------|
| Grams per Mile | Grams per Mile | Grams per Mile |
| 0.41 | 7.0 | 0.7 |

The following are the certification emission values for this engine family:

| Hydrocarbons Grams per Mile | Carbon Monoxide Grams per Mile | Grams per Mile |
|--------------------------------|-----------------------------------|----------------|
| 0.31 | 2.4 | 0.3 |

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 14 M

day of September, 1981.

K. D. Drachand, Chief

Mobile Source Control Division

1982 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Nissan Motor Co., LtdExecutive Order No. A-15-53 Page 1 Evaporative Family EVP-EFI-1A Engine Family <u>CNS2.8V5FAF4</u> Engine CID (Liters) 146/168 (2.4/2.8)

ABBREVIATIONS

Ignition System CA-Centrifugal Advance EEC-Electronic Engine Control EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard

Fuel System CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor VV-Variable Venturi

Exhaust Emissions Control System AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System TR-Thermal Reactor TWC-Three Way Catalyst System

Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection-Direct DIP-Diesel

Special Features

CCV-Combustion

Prechamber MFI-Mechanical Fuel Injection TC-Turbocharged

Injection-

Vehicle Model<u>s</u>

Datsun 810 Delux Wagon Maxima Sedan Maxima Wagon

(1) Datsun 280ZX 280ZX Grand Luxury 280ZX Grand Luxury T-Bar Roof 280ZX 2+2 Grand Luxury 280ZX 2+2 Grand Luxury T-Bar Roof

DRIVE SYSTEM: Front Engine, Rear Drive

DATE ISSUED: 091481

REVISIONS: (1) R/C 28V5F-82-01, Added 280ZX Models 100981

| · | | | | • | | | |
|-----------------|--|----------|----------------|---------------------------|--------------------------|-----------------|-----------------|
| , | | | ue. | | Pag | je <u>2</u> | |
| • | | | | D SUPPLEMENTAL | | | ý. |
| X Passe | nger Cars Lig | pht-Duty | Trucks | Medium-Du | ty Vehicles | X Gas | Diesel |
| Manuf | acturer Nissan M | otor Co. | , Ltd. | | E.O. # | A <u>-15-53</u> | , |
| Fngin | e Family <u>CNS2.8V</u> | 5FAF4 | | CID (liter) | - Type 146 | (2.4) - I6 | · |
| | Special Features) | | | | | | |
| Engine Code | Vehicle Models (If Coded see | Trans. | Equiv. Test | Ign. System CA, VA, EI | Fuel System EFI | EGR Valve | Label Ident. |
| Code | attachment) | | Weight | Distributor Part No. | Control Unit Part No. | Part No. | Part No. |
| L24FA AL24FA | Datsun 810* Delux Wagon Maxima Sedan | A-3 | 3125 | D6K81-02 | A11-637 | EVK72-49 | 14805 W3100 |
| | Datsun 810* Maxima Wagon | | 3250 | | | | |
| L24FM AL24FM | | M-5 | | | | EVK72-45 | |
| | Datsun 810* Delux Wagon Maxima Sedan | | 3125 | | | | |
| | | | | | | | |

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - 9-4-81 Revisions:

| | | | | - | • | Pag | _{je} 3 | |
|-----------------|---------|----------------------------------|----------|----------------|-----------------|-------------------|-----------------|-----------------|
| | | | | | RD SUPPLEMENTAL | | | ď |
| | X Passe | nger Cars Lig | ght-Duty | Trucks | Medium-Du | ty Vehicles | <u>X</u> Gas | Diesel |
| | | acturer <u>Nissan M</u> | | | | E.O. # | A <u>-15-53</u> | |
| | | e Family <u>CNS2.8V</u> | | | CID (liter) | - Type <u>168</u> | (2.8)-16 | |
| | | Special Features) | | | | | | |
| | Engine | Vehicle Models (If Coded see | Trans. | Equiv. Test | Ign. System | Fuel System | EGR Valve | Label Ident. |
| | Code | attachment) | | Weight | Part No. | Part No. | Part No. | Part No. |
| L28FA AL28FA | | Datsun 280ZX Grand Luxury* | А3 | 3125 | D6K81-02 | A11-639 | EVK72-49 | 14805 P9100 |
| | | T-Bar Roof* | | | | | | ł |

L28FM AL28FM

| | Luxury* T-Bar Roof* 2+2* | | |
|---|--|-----|------|
| | 2+2 T-Bar* Roof | | 3250 |
| · | Datsun 280ZX* 280Z Grand Luxury* T-Bar Roof* | M-5 | 3125 |
| | 2+2* 2+2 T-Bar Roof* | | 3250 |
| | | | |
| | | | |

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - R/C 28V5F-82-01 100981 Revisions: