### State of California AIR RESOURCES BOARD

# EXECUTIVE ORDER A-15-57 Relating to Certification of New Motor Vehicles

NISSAN MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1982 model-year Nissan Motor Co., Ltd. exhaust emission control systems are certified as described below for diesel-powered passenger cars.

Engine Family	Displacement Cubic Inches (Liters)	Exhaust Emission Control Systems (Special Features)
CNS2.8D6JBC9	170 (2.8)	Exhaust Gas Recirculation

Vehicle Models, Transmissions, and Engine Codes as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1982 model-year vehicles:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
Grams per Mile	Grams per Mile	Grams per Mile		
0.41	7.0	1.5		

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.19	1.4	1.1

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles". BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

\_day of September, 1981.

K. D. Drachand, Chief

Mobile Source Control Division

#### 1982 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Nissan Motor Co. Ltd.	Executive Order No. <u>A-15-57</u>	Page _	1
Engine Family <u>CNS2.8D6JBC9</u>	Evaporative Family		
	Engine CID (Liters) 170 (2.8)		

#### **ABBREVIATIONS**

Ignition System
CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance
Control
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System
CFI, CL, DID, DIP, EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

Exhaust Emissions Control System AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System TR-Thermal Reactor TWC-Three Way Catalyst System

Special Features
CCV-Combustion
Chamber Valve
CFI-Central Fuel
Injection

DID-Diesel Injection-Direct

DIP-Diesel Injection-Prechamber

MFI-Mechanical Fuel Injection TC-Turbocharged

## Vehicle Models

Datsun 810 Delux Wagon Diesel Maxima Sedan Diesel Maxima Wagon Diesel

DRIVE SYSTEM: Rear Wheel

. •				•		age <u>2</u>	·
•	1 <b>98</b> 2 <i>F</i>	AIR RESOL	JRCES BOA	ARD SUPPLEMENT	AL DATA SHEET		
X_ Pass	enger Cars Li	ght-Duty	/ Trucks	Medium-D	uty Vehicles	Gas <u>X</u>	Diesel
Manu	facturer <u>Nissan</u>	Motor C	o., Ltd.	·····	E.O.	#A-1.5-57	
	ne Family <u>CNS2.8</u> 1						
•	(Special Features)			:			
Code   (If Coded see	Vehicle Models (If Coded see attachment)	Trans. Equiv Test Weigh		Ign. System	Fuel System	EGR Valve	Label Ident.
	a coacrimerro		ne igni	Part No.	Part No.	Part No.	Part No.
LD28CA ALD28CA	Datsun 810* Delux Wagon Maxima Sedan Maxima Wagon	A-3	3375	None	Pump: NP-VE6/ 10F2500RNP6 Injector: 41-1120	AEY76-37	14805 W3310
LD28CM ALD28CM		M-5			Pump: NP-VE6/ 10F2500RNP7 Injector: 41-1120		
	į.	ļ	i		I	i	

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

\*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - 9-1 -81 Revisions:

