(Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-3-46 Relating to Certification of New Motor Vehicles

DAIMLER-BENZ AKTIENGESELLSCHAFT

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-3, and G-45-4;

IT IS ORDERED AND RESOLVED: That 1982 model-year Daimler-Benz Aktiengesellschaft exhaust emission control systems are certified as described below for gasoline-powered passenger cars.

Engine Family	Displacement Cubic Inches (Liters)	Exhaust Emission Control Systems (Special Features)		
CMB3.8V6FRA6	234 (3.8)	Air Injection - Pump Three Way Catalyst with		

Closed Loop (Mechanical Fuel Injection)

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1982 model-year vehicles:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.41	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.26	1.5	0.3

DAIMLER-BENZ AKTIENGESELLSCHAFT

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

Z

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

day of October, 1981.

K. D. Drachand, Chief Mobile Source Control Division

1982 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

.

4

Manufacturer Daimler-Benz AG	Executive Order No	Page 1
Engine Family CMB3.8V6FRA6	Evaporative Family CMBV69	
	Engine CID (Liters) 234 (3.8)	
ABBREVIATIONS		
Ignition System CA-Centrifugal Advance EEC-Electronic Engine Contro EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard	CL-Closed Loop	Special Features CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection- Direct DIP-Diesel Injection-
CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor VV-Variable Venturi		Prechamber MFI-Mechanical Fuel Injection TC-Turbocharged

<u>Model</u>

380 SL

DRIVE SYSTEM: Front Engine/Rear Wheel

<u>-</u>	- Mariu		r-Benz AG		Medium-D	Engin	P 11	- <u> </u>
		(Special Features)		FI/AI/TWC/C)S	.Code CID (Liters)-		
	jine ode	Vehicle Models (If Coded see attachment)	Trans.	Test Weight Class	Ign. System Part No.	Fuel System Part No.	EGR Valve Part No.	Label Ident. Part hu
M 11	6-1	** 380 SL	4-A	3 875	Mfr. Part No.: 0 237 401 012 MB Part No.: 003 158 12 01	NFI Mfr. Part No.: 0 438 080 014 MB Part No.: 000 070 21 06	n/a	Emission Contro 126 584 09 21 Vacuum routing diagram 126 584 10 21
			-	•				
				•		ì		
	•							

Comments. See page one for abbreviations and evaporative emission family identification. Flease refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment.

#Add 10, to dyno test HF for air conditioning usage.

Date of Issue -

051280