

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-7-54  
Relating to Certification of New Motor Vehicles

VOLKSWAGENWERK AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1982 model-year Volkswagenwerk AG exhaust emission control systems are certified as described below for diesel-powered passenger cars.

<u>Engine Family</u>	<u>Displacement Cubic Inches (Liters)</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
CVW1.6D6JBZ9	97 (1.6)	Engine Modification (Turbocharger)

Vehicle Models, Transmissions, and Engine Codes as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1982 model-year vehicles:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.46	8.3	1.5

The following are the certification emission values for this engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.18	0.8	1.2

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 26<sup>th</sup> day of January, 1982.

  
G. D. Drachand, Chief  
Mobile Source Control Division

1982 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Volkswagen Executive Order No. A-7-54 Page 1  
 Engine Family CVW1.6D6JBZ9 Evaporative Family N/A  
 Engine CID (Liters) 97 (1.6)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance  
 EEC-Electronic Engine Control  
 EI-Electronic Ignition  
 ESAC-Electronic Spark Advance Control  
 VA-Vacuum Advance  
 VR-Vacuum Retard

Fuel System

CFI, CL, DID, DIP, EFI, MFI  
 nV-nVenturi Carburetor  
 VV-Variable Venturi

Exhaust Emissions Control System

AIP-Air Injection-Pump  
 AIV-Air Injection-Valve  
 CL-Closed Loop  
 EGR-Exhaust Gas Recirculation  
 EM-Engine Modification  
 OC-Oxidation Catalyst System  
 TR-Thermal Reactor  
 TWC-Three Way Catalyst System

Special Features

CCV-Combustion Chamber Valve  
 CFI-Central Fuel Injection  
 DID-Diesel Injection-Direct  
 DIP-Diesel Injection-Prechamber  
 MFI-Mechanical Fuel Injection  
 TC-Turbocharged

Vehicle Models

Quantum Coupe - Turbo Diesel  
 Quantum Wagon - Turbo Diesel  
 Quantum Sedan - Turbo Diesel

DRIVE SYSTEM: Front engine/Front drive  
 ISSUE DATE: 01/09/82

1982 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Cars     Light-Duty Trucks     Medium-Duty Vehicles     Gas     Diesel

Manufacturer Volkswagen E.O. #A -7-54

Engine Family CVW1.6D6JBZ9 CID (liter) - Type 97 (1.6) L4

ECS (Special Features) EM (TC, DIP)

Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight	Ign. System	Fuel System	EGR Valve	Label Ident.
				Part No.	Fuel Injection Control Unit Part No.	Part No.	Part No.
CY	Quantum Coupe	M5	2750	N/A	068 130 107 AN	N/A	VECI 068 133 - 033 AP
		A3			068 130 107 AQ		
	Quantum Wagen Quantum Sedan	M5	2875		068 130 107 AN		
		A3			068 130 107 AQ		

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

\*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - 01/09/82

Revisions: