## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-9-93 Relating to Certification of New Motor Vehicles

### CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-3, and G-45-4;

IT IS ORDERED AND RESOLVED: That 1982 model-year Chrysler Corporation exhaust emission control systems are certified as described below for gasoline-powered passenger cars.

Engine Family	Displacement <u>Cubic Inches (Liters)</u>	Exhaust Emission Control Systems (Special Features)
CCR2.6V2BAL8	155.92 (2.6)	Air Injection - Valve Exhaust Gas Recirculation Oxidation Catalysts (Combustion Chamber Valve)

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1982 model-year vehicles:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
Grams per Mile	Grams per Mile	<u>Grams per Mile</u>		
0.39	7.0	0.7		

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
Grams per Mile	Grams per Mile	Grams per Mile		
0.15	2.9	0.6		

#### CHRYSLER CORPORATION

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed in El Monte, California this \_\_\_\_\_\_

day of May, 1981.

K. D. Drachand, Chief Mobile Source Control Division

.

# 1982 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

į	Manufacturer <u>Chrysler</u>	Executive Order	No. <u>A-9-93</u>	Page1
	Engine Family <u>CCR2.6V2BAL8</u>	Evaporative Fam	ily <u>CCRKB</u>	
		Engine CID (Lite	ers) <u>155.92 (</u>	2.6)
	ABBREVIATIONS			
	Ignition System CA-Centrifugal Advance EEC-Electronic Engine Control EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard	aT AdvanceAIP-Air Injection-Pumpic Engine ControlAIV-Air Injection-Valvec IgnitionCL-Closed Loopnic Spark AdvanceEGR-Exhaust Gas RecirculationEM-Engine ModificationOC-Oxidation Catalyst System		CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection- Direct
	Fuel System CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor VV-Variable Venturi			Prechamber MFI-Mechanical Fuel Injection TC-Turbocharged
	Vehicle Models Code	Make	Carline/M	iode 1
Ì	PL,PH,PP 21 PL,PH,PP 41 PH,PP 45	Plymouth	Reliant	2-Door 4-Door Wagon
	DL,DH,DP 21 DL,DH,DP 41 DH,DP 45	Dodge	Aries	2-Door 4-Door Wagon
	VH,VP 22 VH,VP 41	Dodge	400	2-Door 4-Door
	CH,CP 22 CH,CP 41	Chrysler	Le Baron	2-Door 4-Door
	*CH,CP 27	Chrysler	Le Baron	Convertible
	*VH,VP 27	Dodge	400	Convertible
	**CP 45	Chrysler	Le Baron	Wagon

DRIVE SYSTEM: Front engine, Front drive

\*Revised 09-01-81 (R.C. #35) \*\*Revised 09-04-81 (R.C. #38)

نة • •

1997 - 19				Page 2			
Manu	senger Cars Li ufacturer Chry	ight-Dutj	y Trucks rporation	)	uty Vehicles E.D. (	FA-9-93	
ECS (Special Features) AIV, EGR, OC-D							
Engine Code	*Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight	lgn. System El, CA, VA Part No.	Fuel System 2V Part No.	EGR Valve Part No.	Label Ident. Part No.
A-2 A-6*** A-10****	PL,PH,PP-21 DL,DH,DP-21 PL,PH,PP-41 DL,DH,DP-41	A3	2875	4243694	4243432	4243561	VECI 4275112 Vac. Hcse 4227719
	PH, PP, DH, DP-45 VH, VP, DH, DP-22 VH, VP, CH, CP-41		3000				4667713
<u>}_4</u> ** A-8***	+CH,CP,VH,VP-27 ++CP-45				4243706**		
A	-					-	
A-13 <del>+++</del> A-14 <del>+++</del>					4243066 <del>+++</del>		
A-15+++							
	<u> </u>	!		· · · ·			

Lomments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

\*Add 10% to dyno test HP for air conditioning usage.

```
Date of Jssue - 05-01-81

Revisions: ** - 07-06-81 (RC #3:05-19-81)Revise carb. flow curve

*** - 08-27-81 (R.C. #29: 08-24-81) Revise Coolant Thermostat from 88°C to 82°C

**** - 08-27-81 (R.C. #30: 08-24-81) Delete After Run Cooling Fan

+ - 09-01-81 (R.C. #35: 08-28-81) Addition of Model

++ - 09-04-81 (R.C. #38: 09-01-31) Addition of Model

+++ - 01-04-82 (R.C. #50: 12-09-81) Revise carb. flow curve
```