

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-95  
Relating to Certification of New Motor Vehicles

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-3, and G-45-4;

IT IS ORDERED AND RESOLVED: That 1982 model-year Chrysler Corporation exhaust emission control systems are certified as described below for gasoline-powered passenger cars.

<u>Engine Family</u>	<u>Displacement Cubic Inches (Liters)</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
CCR5.2V4HAL1	318 (5.2)	Air Injection Pump Exhaust Gas Recirculation Three Way Catalyst With Closed Loop

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1982 model-year vehicles:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.39	7.0	0.7

The following are the certification emission values for this engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.15	3.8	0.6

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.


BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed in El Monte, California this 18<sup>th</sup> day of June, 1981.

  
K. D. Drachand, Chief  
Mobile Source Control Division

1982 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Chrysler Executive Order No. A-9-95 Page 1  
 Engine Family CCR5.2V4HAL1 Evaporative Family CCRKE  
 Engine CID (Liters) 318 (5.2)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance  
 EEC-Electronic Engine Control  
 EI-Electronic Ignition  
 ESAC-Electronic Spark Advance Control  
 VA-Vacuum Advance  
 VR-Vacuum Retard

Fuel System

CFI, CL, DID, DIP, EFI, MFI  
 nV-nVenturi Carburetor  
 VV-Variable Venturi

Exhaust Emissions Control System

AIP-Air Injection-Pump  
 AIV-Air Injection-Valve  
 CL-Closed Loop  
 EGR-Exhaust Gas Recirculation  
 EM-Engine Modification  
 OC-Oxidation Catalyst System  
 TR-Thermal Reactor  
 TWC-Three Way Catalyst System

Special Features

CCV-Combustion Chamber Valve  
 CFI-Central Fuel Injection  
 DID-Diesel Injection-Direct  
 DIP-Diesel Injection-Prechamber  
 MFI-Mechanical Fuel Injection  
 TC-Turbocharged

Vehicle Model

FS41  
 FL41; FH41  
 SS41; SP41

GL41; GH41  
 XS22

\*BL41

Carline

Chrysler New Yorker  
 Chrysler Special  
 Chrysler Cordoba

Dodge Diplomat  
 Dodge Mirada

Plymouth Fury

DRIVE SYSTEM: Front Engine. Rear Wheel Drive.

\*Revised - 06/17/81(RC#8:05/21/81) Add'n of model

1982 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

6/18/81

Passenger Cars     Light-Duty Trucks     Medium-Duty Vehicles     Gas     Diesel

Manufacturer Chrysler E.O. #A-9-95

Engine Family CCR5.2V4HAL1 CID (liter) - Type 318 (5.2)-V8

ECS (Special Features) AIP, EGR, CL

Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equip. Test Weight	Ign. System ESA Part No.	Fuel System 4V Part No.	EGR Valve Part No.	Label Ident. Part No.
*A-1	FL 41	A3	4000	4145998 4145996	4179179 4227241	4104089 4105089 4175669 4287669	VECI 4275114  Vac. Hose 4227712
	**BL,**GL 41		***4250				
*A-2	FL, FH, GH 41 XS, SS 22		4000				
	FS 41, SP 22 **BL,**GH 41		***4250				
****A-5	FL, FH, GH 41 XS, SS 22		4000		4287051		
	FS 41, SP 22 BL, GH 41		4250				

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

\*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - 06/17/81

Revisions: \*\* - 06/17/81 (RC#8:05/21/81) Add'n of model.

\*\*\* - 02/04/82 (RC#67:01/28/82) Production vehicle weight update.

\*\*\*\* - 03/12/82 (RC#72:03/09/82) Revised carburetor secondary air door setting to 13/32" from 1/2" to improve reliability.

1982 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Cars     Light-Duty Trucks     Medium-Duty Vehicles     Gas     Diesel

Manufacturer Chrysler E.O. #A -9-95

Engine Family CCR5.2V4HAL1 CID (liter) - Type 318 (5.2) - V8

ECS (Special Features) AIP, EGR, CL, TWC

Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight	Ign. System ESA/EFC Part No.	Fuel System 4V Part No.	EGR Valve Part No.	Label Ident. Part No.
**A-8	FL, FH, GH 41 XS, SS 22	A3	4000	4227251**	4287071	4104089 4105089	VECI 4275114  Vac. Hose 4227712
	FS 41, SP 22 BL, GH 41		4250				

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

\*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - \*\* 05/17/82 (R.C. #79: 05/07/82) ESA/EFC Calibration

Revisions: