State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-86-30 Relating to Certification of New Motor Vehicles

MITSUBISHI MOTORS CORP.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-3, and G-45-4;

IT IS ORDERED AND RESOLVED: That 1982 model-year Mitsubishi Motors Corp. exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks.

Engine Family	Displacement Cubic Inches (Liters)	Exhaust Emission Control Systems (Special Features)		
CMT2.OT2BCA8	121.75 (2.0)	Air Injection - Valve (Combustion Chamber Valve) Exhaust Gas Recirculation Oxidation Catalysts		

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1982 model-year vehicles:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.41	9.0	1.0

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
Grams per Mile	Grams per Mile	Grams per Mile		
0.20	5.3	0.7		

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed in El Monte, California this 15 day of July, 1981.

K. D. Drachand, Chief

Mobile Source Control Division

1982 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer _	Mitsubishi	Executive Order No.	A-86-30		Page	1
Engine Family	ily Evaporative Family		CMT2.OTC			
		Engine CID (Liters)	121.75 (2.0)		<u> </u>	
ABBREVIATIONS						
EI-Electronic	Advance Engine Control	Exhaust Emissions Co AIP-Air Injection-Po AIV-Air Injection-Va CL-Closed Loop EGR-Exhaust Gas Reci EM-Engine Modificati	mp ilve rculation	C.C	Decial Fe CV-Combus Chambe I-Centra Inject D-Diesel	stion er Valve al Fuel cion

Fuel System CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor VV-Variable Venturi

VA-Vacuum Advance

VR-Vacuum Retard

EM-Engine Modification OC-Oxidation Catalyst System TR-Thermal Reactor TWC-Three Way Catalyst System

Direct DIP-Diesel Injection-Prechamber MFI-Mechanical Fuel Injection

TC-Turbocharged

Injection-

Vehicle Models **Truckline** 9JL4 Dodge RAM50 Pickup 0JL4 Plymouth Arrow Pickup

Front Engine/ Rear Drive DRIVE SYSTEM:

Date of Issue - 06-29-81 Revisions - 07-14-81: Corrections

	·	•	•	•	P	age 2	···
Manu- Engi	enger Cars Li enger Cars Li facturer CMT2 ne Family (Special Features)	ght-Duty ubishi 2.0T2BCA8	/ Trucks	CID (liter	uty Vehicles E.O. 12) - Type	#A - 86-30	
Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Wei g ht	Ign. System CA, VA,EI Part No.	Fuel System 2V Part No.	EGR Valve	Label Ident. Part No.
2.OTC-M A2.OTC-M	9JL4 OJL4	M4 M5	2875	T4T62076	32-35 DID TA-80	K5T50995	VECI MD034462 Vac. Hose MD034503

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue -

06/29/81

Revisions:

07/14/81: Corrections