(Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-20-21 Relating to Certification of New Motor Vehicles

ISUZU MOTORS LIMITED

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1982 model-year Isuzu Motors Limited exhaust emission control systems are certified as described below for diesel-powered passenger cars.

	Displacement	Exhaust Emissi
Engine Family	Cubic Inches (Liters)	(Special

CSZ111D6JCD6 111 (1.8)

Engine Modification

on Control Systems

Features)

Vehicle Models, Transmissions, and Engine Codes as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1982 model-year vehicles:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	<u>Grams per Mile</u>
0.41	7.0	1.5

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
Grams per Mile	Grams per Mile	Grams per Mile		
0.34	0.8	1.1		

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles". ISUZU MOTORS LIMITED

EXECUTIVE ORDER A-20-21 (Page 2 of 2)

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

b day of August, 1981.

K. D. Drachand, Chief Mobile Source Control Division

1982 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

,

Manufacturer <u>Isuzu Motors Limi</u> t	ted Executive Order No. <u>A-20-21</u>	Page1
Engine Family <u>CSZ111D6JCD6</u>	Evaporative FamilyNA	
	Engine CID (Liters) 111 CID (1	.8)
ABBREVIATIONS		
Ignition System CA-Centrifugal Advance EEC-Electronic Engine Control EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard <u>Fuel System</u> CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor VV-Variable Venturi	Exhaust Emissions Control System AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System TR-Thermal Reactor TWC-Three Way Catalyst System	Special Features CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber MFI-Mechanical Fuel Injection TC-Turbocharged
Models:	I-MARK	
PD-1:	Coupe	
PD-2:	Sport Coupe	
PD-3:	Sedan	
PD-4:	Sport Sedan	

DRIVE SYSTEM: Front engine/Rear wheel drive

~

-

1.4			•	•	Pa	age <u>1A</u>	
•	1 98 2 A	IR RESOL	IRCES BOA	RD SUPPLEMENT	AL DATA SHEET		
X Passe	enger Cars 🔤 Li	ght-Duty	Trucks	Medium-Du	uty Vehicles	Gas <u>X</u>	Diesel
Manut	facturer <u>Isu</u>	zu Motor	s Limited	1	E.O. :	#A20-21	
Engine Family CSZ111D6JCD6 CID (liter) - Type 111 (1.8) L-4							
ECS (Special Features)EM							
Engine Code	Vehicle Models (If Coded see	Trans.	Equiv. Test	Ign. System	Fuel System DIP	EGR Valve	Label Ident.
	attachment)		Weight	Part No.	Part No.	Part No.	Part No.
	PD-1	M4 (M-1C)	2,500	NA	Diesel Kiki Co., Ltd.	NA	8942442970
DCD-1	PD-1 PD-2 PD-3 PD-4	(M-2E)	2,625		8942429570 8942429590		
DCD-2	PD-1 PD-2 PD-3	A3 (A-3)	2,750		8942429580 8942429600		
	PD-4						

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue -"ryisions: