F.O. BOOK

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-23-14 Relating to Certification of New Motor Vehicles

HONDA MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-3, and G-45-4;

IT IS ORDERED AND RESOLVED: That 1982 model-year Honda Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars.

Engine Family	Displacement Cubic Inches (Liters)	Exhaust Emission Control Systems (Special Features)
CHN1.3V3ACBO	81 (1.3)	Air Injection-Valve Engine Modification - CVCC Exhaust Gas Recirculation Oxidation Catalyst

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1982 model-year vehicles:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	<u>Grams per Mile</u>
0.41	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
	0.0	0 6

0.30

2.0

0.6

HONDA MOTOR CO., LTD.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed in El Monte, California this 2θ

day of August, 1981.

K. D. Drachand, Chief
Mobile Source Control Division

1982 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Honda Motor Co., Ltd. Executive	Order No. <u>A-23-14</u> Page <u>1</u>
Engine Family	ve Family <u>82FB</u>
Engine CI	D (Liters) <u>81 (1.3)</u>

ABBREVIATIONS

VV-Variable Venturi

- 5

<u>Ignition System</u> CA-Centrifugal Advance EEC-Electronic Engine Control EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard	Exhaust Emissions Control System AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System TR-Thermal Reactor	Special Features CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection- Direct
Fuel System CFI, CL, DID, DIP, EFI, MFI	TWC-Three Way Catalyst System	DIP-Diesel Injection- Prechamber
nV-nVenturi Carburetor		MFI-Mechanical

MFI-Mechanical Fuel Injection TC-Turbocharged

Vehicle Models

Civic 1300 Hatchback Civic 1300 FE Hatchback

DRIVE SYSTEM: Front Engine/Front Drive Date Issued - 08/07/81 Revised - 10/09/81:Corrections

k satisfier	· · · ·				Pa	age 2	
	1982 A	IR RESOU	RCES BOA	RD SUPPLEMENTA			
X Pass	enger Cars 🔄 Li	ght-Duty	Trucks	Medium-Du	ıty Vehicles	X Gas	Diesel
Manu	facturer <u>Honda</u>	Motor Co	., Ltd.	·	E.O.	#A-23-14	
	ne Family <u>CHN1.3</u>			•			
	(Special Features)						
Engine Code	Vehicle Models (If Coded see	Trans.	Equiv. Test	Ign. System	Fuel System	EGR Valve	Label Ident.
	attachment)		Weight	Part No.	Part No.	Part No.	Part No.
CB1	Civic Hatchback	M-4	2125(1)	Distributor Hitachi	Keihin CB55C	18710-PA6 6821	VECI See SDS
CB1/1**			2125	D4R80-26			p. 3
CB2		M5			CB55F		Vac. Hose
							17277- PA5 ^Z -680
CB2/1**							1713 -000
CB3		A3	-	D4R80-25	CB57C		VECI
							See SDS p. 3
					· ·		Vac. Hose
CB3/1							PA5 ^Z -690
							,
<u></u>					· · · · · · · · · · · · · · · · · · ·		

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - 08/07/81 -Revisions: **-08/07/81 (RC #A82B-01:08/07/81) AC fan circuit changed. -10/09/81:Corrections -092581 (RC #A82B-02, ETW Changed from 2000 to 2125)

1982 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

nufacturer	Honda Motor	Co.	Executive	e Order No.	<u>A-23-14</u>	Page <u>3</u>
				•		
VEHICLE	EMISSION CONTR	ROL INFORMATIC	DN 🦾 HONDA	CIVIC: 130	o' 🐴 🖓	ter and the state and a second
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					
FVAD	NE FAMILY IDENT	TDENTIEICATIC	N OALDU,	DISPLACEM	ENI BI CID	OC EGR AIV
			•			
TUNE UP	SPECIFICATIONS	 	ATAL	YST		
TUN	E. UP CONDITIONS	SE ENGINE AT N	IORMAL OPF	RATING TEM	PEDATIDE	
		HEADLIGHTS				
		COOLING FAN		ATER FAN OF	Pr	
	and the second second	AIR CONDITI				2.14 B. All + 1
TDLE SP	F.E.D			4 & S SPEE	DTRANSMISSION	1700 ± 50 1
					C (IN GEAR)	700, ±507
FAST	IDLE SPEED			4 & 5 SPEEL	TRANSMISSION	3100
				AJTOMATIC	(IN NEUTRAL)	3000 F300r
VALVE LA	CHI		and the second		+0.02	
TALTE LA	11				AUX) 0.15 -0.03	
	and the second			<u>EA.</u>		men COLL
	NI TIMING SATE IN			6 S SPEED	TRANSMISSION	20 ±2 BTDC
TOWITT	DN TIMING AT ID	LE	· · · · · · · · · · · · · · · · · · ·	UTO MATIC	(IN GEAR)	18°±2°

Reference in the second OR EQUIVALENT PLUG TYPE: NGK BRGEB-II SPARK ND W20ESR-LI PLUG GAP

_____ **•**__ •

IDLE MIXTURE ADJUSTMENT. ADJUSTHENT DURING TUNE UP IS NOT 'RECOMMENDED. FOR MAJOR REPAIR, ADJUSTING MIXTURE SETTING BY OTHER THAN APPROVED SERVICE PROCEDURE MAY VIOLATE FEDERAL in the second AND STATE LAWS

THIS VEHICLE CONFORMS TO U.S. EPA AND STATE OF CALIFORNIA REGULATIONS APPLICABLE TO 1982 MODEL YEAR NEW MOTOR VEHICLES PROVIDED THAT THIS VEHICLE IS ONLY INTRODUCED INTO COMMERCE FOR SALE IN THE STATE OF CALIFORNIA.

HONDA MOTOR CO., LTD. JAPAN

ISSUED: 07/10/81