State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-30-26 Relating to Certification of New Motor Vehicles

AUDI NSU AUTO UNION AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-3, and G-45-4;

IT IS ORDERED AND RESOLVED: That 1982 model-year Audi NSU Auto Union AG exhaust emission control systems are certified as described below for gasoline-powered passenger cars.

Engine Family	Displacer Cubic Inches		Exhaust Emission Control Systems (Special Features)
CAD2.2V6FBZX	131	(2.1)	Three-Way Catalyst - Closed Loop (Mechanical Fuel Injection) (Turbocharger)

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1982 model-year vehicles:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
Grams per Mile	Grams per Mile	Grams per Mile		
0.41	7.0	0.7		

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.19	1.4	0.2

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 4^{μ} day of February, 1982.

K. D. Drachand, Chief

Mobile Source Control Division

1982 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Audi	Executive Order No.	A-30-26	Page1
Engine Family CAD2.2V6FBZX	Evaporative Family	ADB-N	
	Engine CID (Liters)	131 (2.1)	******************************
ABBREVIATIONS			
Ignition System CA-Centrifugal Advance EEC-Electronic Engine Control EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard	Exhaust Emissions Con AIP-Air Injection-Pum AIV-Air Injection-Valv CL-Closed Loop EGR-Exhaust Gas Recirc EM-Engine Modification OC-Oxidation Catalyst TR-Thermal Reactor TWC-Three Way Catalyst	ve culation System	Special Features CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection- Direct DIP-Diesel
Fuel System CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor VV-Variable Venturi			Injection- Prechamber MFI-Mechanical Fuel Injection TC-Turbocharged

Vehicle Model

Quattro

DRIVE SYSTEM:

Front engine/Four wheel drive 02/10/82

ISSUE DATE: 02/10/82

a de la companya de	·				Pa	age2	
Manu	1982 A enger Cars Li facturer Audi ne Family CAD2.2	ght-Duty	y Trucks	ARD SUPPLEMENTAMedium-DuCID (liter)	uty Vehicles	X Gas #A-30-26 (2.1) L5	Diesel
ECS	(Special Features)	TWC,	, CL (TC)	(MFI)	- Type		
Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Wei g ht	Ign. System EFI Part No.	Fuel System MFI Part No.	EGR Valve	Label Ident. Part No.
QZ	Quattro	M5	3375	Control Unit 035 905 383A Distributor 035 905 206L	Fuel Pump 431 906 091A Fuel Inject. Control Unit 035 133 353 AD Turbocharger KKK 035 145 703E		VECI 035 000- 308 E Vac. Hose 035 000- 363 BQ

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - 02/10/82 Revisions: