## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-86-29 Relating to Certification of New Motor Vehicles

MITSUBISHI MOTORS CORP.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-3, and G-45-4;

IT IS ORDERED AND RESOLVED: That 1982 model-year Mitsubishi Motors Corp. exhaust emission control systems are certified as described below for gasoline-powered passenger cars.

Engine Family	Displacement Cubic Inches (Liters)	Exhaust Emission Control Systems (Special Features)		
CMT2.6V2BCAX	155.92 (2.6)	Air Injection - Valve (Combustion Chamber Valve) Exhaust Gas Recirculation Oxidation Catalysts		

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1982 model-year vehicles:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.41	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.25	2.3	0.6

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed in El Monte, California this 15 day of July, 1981.

K. D. Drachand, Chief

Mobile Source Control Division

## 1982 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer _	Mitsubishi	Executive Order No.	A-86-29	Page	1
Engine Family _	CMT2.6V2BCAX	Evaporative Family	CMT2.6C		
		Engine CID (Liters)	155.92 (2.6)	_	·

## **ABBREVIATIONS**

Ignition System
CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance
Control
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System
CFI, CL, DID, DIP, EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

Exhaust Emissions Control System AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System TR-Thermal Reactor TWC-Three Way Catalyst System

DID-Diesel
InjectionDirect
DIP-Diesel
InjectionPrechamber

MFI-Mechanical
Fuel Injection

TC-Turbocharged

Special Features

CFI-Central Fuel

Injection

Chamber Valve

CCV-Combustion

Vehicle Models	Carline
2H-23	Dodge Challenger
3H-23	Plymouth Sapporo

DRIVE SYSTEM: Front engine/Rear drive

Date of Issue - 06-20-81

Revisions - 07-14-81: Corrections

	1982 A	NIR RESOU	IRCES BOA	RD SUPPLEMENTA	AL DATA SHEET	- skindderen deren der vertilen von der verkeln verberen der bei	
	enger Cars Li facturerMitsu		Trucks	Medium-Du		X Gas #A -86-29	Diesel
	ne Family CMT2.			CID (liter)	) - Type <u> </u>		1
ECS (	(Special Features)	AIV, (C	CCV), EGR	, OC			
Engine Vehicle Models Code (If Coded see	T	Equiv. Test Wei <b>g</b> ht	Ign. System CA, VA, EI	Fuel System 2V	EGR Valve	Label Ident.	
	attachment)		weight	Part No.	Part No.	Part No.	Part No.
2.6C-M A2.6C-M	2H-23* 3H-23*	M5	3125	T4T62077	32-35 DID TA-72	K5T50998	VECI MD034463
2.6C-A		A3	†		32-35 DID		Vac. Hose
A2.6C-A					TA-73		MD034505
		:		•			
				-			
			:				
				•			

2

Page

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

\*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - 06-20-81 Revisions: