(Page 1 of 2)

## State of California AIR RESOURCES BOARD

.

## EXECUTIVE ORDER A-6-255 Relating to Certification of New Motor Vehicles

## GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1983 model-year General Motors Corporation exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks.

Engine Family	Disp	lacement	Exhaust Emission Control Systems
	<u>Cubic In</u>	ches (Liters)	(Special Features)
D1G1.9T2TBA7	119	(1.9)	Air Injection - Pump Exhaust Gas Recirculation Three-Way Catalyst with Closed Loop

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1983 model-year vehicles:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
0-3999	0.41	9.0	1.0

The following are the certification emission values for this engine family:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
0-3999	0.25	8.0	0.9

## GENERAL MOTORS CORPORATION

BE IT FURTHER RESOLVED: That the listed vehicle models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this  $6^{47}$  day of August, 1982.

K. D. Drachand, Chief Mobile Source Control Division

0273U/52U	ISSUED:	E62=Stepside/Fenderside Pickup E63=Fleetside/Wideside Pickup ZW9=Chassis Cab (3)	BODY CODES	Ub=Suburban or Sportvan/ Rally 16=Blazer/Jimmy 53=Extended Cab (3)	Uigits b&/=Cab or Body Style 03=Conventional Cab 05=Chevy Van/Vandura		1=10         Series/3425         to         7000           2=20         Series/6400         to         8600           3=30         Series/7100         to         14500	Dinit 3=Series/GVWR Range	I=GMC Iruck (3)	Digit 1=Division C=Chevrolet	TRUCK MODEL IDENTIFICAT Example: CC10703	<pre>1983 AIR RESOUR Manufacturer: Exhaust Family Note: Chevrole not list</pre>
	REVISIONS: (1) Added by RC 31- (2) 7A and 8A added (3) Model identific	<pre>nv = n Venturi Carburetor A/C = Air Conditioning CID = Cubic Inches Displacement EGR = Exhaust Gas Recirculation AIP = Air Injection Pump</pre>			10=60 to 65 11=66 to 71 13=78 to 83	0/=42 to 4/ 08=48 to 53 09=54 to 59	05=30 to 35 06=36 to 41	(Body-Frame Integral) Digits 4&5=Cab to Rear Axle	G=Forward Control 4 x 4	Digit 2=Chassis Type C,S=Conventional 4 x 2	ION CODE - See Note	CES BOARD SUPPLEMENTAL DATA ( .EE General Motors Corporation Exe D1G1.9T2TBA7 Evaporati it models listed; GMC Truck Div. ied. For GMC models, read T inst
	l27 (21 by RC ation i			8,8A 1 (2)	7,7A 1 (2)	6 1		2 I 3(1) 1	1 1		Eng. C	<pre>f - GM cutive ve Fami has com ead of</pre>
	SE82) 31-12 nform		ABBRE		19 N	19 Y	19 Y 19 N	19 V 19 N	19 N	1	ID A	FORMA Order lies plete C as
	8 (2) atio	= Th = Clo	VIAT	es 8	0 8	es 8	o es 88	lo es 8	0 8	ן פַר		Num Num digi
	2SE82). n and tran	ree-Way Co osed Loop	IONS	942506000	942506000	942506000	942506000 942506000	942506000 942506000	942506000	odule art #	lectronic	GASOLINE F ber A-6-2 <u>3B7-8</u> e of match t one of m
	s. type update	nverter		8942505980	8942505980	8942545850	8942545850 8942545850	8942505970 8942545850	8942505970	Mfgr: Hitachi Part #	DATA Fuel System	UELED TRUCKS 55 Page 1 3D7-8 ing models, odel code.
	d 11-23-82.			8942123000	8942123000	8942123000	8942123000 8942123000	8942123000 8942123000	8942123000	Valve Part #	EGR	<b>`</b>
				A-3 (3)	(3)	M-4,5	M-4,5 (3)	M-4,5	M-4,5	i ype	Trans	

	Mar A	IR RESOUR	CES BO	ARD 198	one Cornor	≥tion	DATA .'EE	:T - GM FO	RMAT -	GASOLIN	E-FUELED Page	TRI	UCKS	UCKS
	Mar (X)	nufacture ) Light Du	. <u>Gener</u> Ity Tru	<u>ral Mot</u> Jcks (	ors Corpor: ) Medium [	<u>ation</u> Duty V	Executi ehicles	ve Order 1 Engine Fa	io.	A-6-255 D16	1.91	Page 2TBA	Page 2 2TBA7	Page 2 2TBA7
	(X) Eng	) Light Du yine (CID)	ity Tru	ıcks ( 119	) Medium I Exhaus	Duty Vo t Emis	ehicles sion Con	Engine Fa trol Syste	amily_	D16	1.9T EGR,	2TBA	2TBA7 TWC,CL	2TBA7 TWC,CL
See Page Model Code	e 1 for: Body Code	Equiv. Test Weight	Eng. Code	Trans	(1) Tune-Up . Label	Eng. Code	Trans.	(1) Tune-Up Label	Eng. Code	Trans.		(1) ne-Up abel	(1) ne-Up Eng. abel Code	(1) ne-Up Eng. abel Code Trans.
CS10603	E63	2875	⊢	з	DRT	2	3	DRT	7,7A	A		DRW	DRW 8,8A	DRW 8,8A A
CS10653	E63	3000	↦	3	DRT	2	З	DRT	7,7A	A	_	DRW	DRW 8,8A	DRW 8,8A A
CS10803	E63	3000	<b>ا</b> ست	3	DRT	2	X	DRT	7,7A	A		DRW	DRW 8,8A	DRW 8,8A A
CS10516		3375	сл	Z	DRT	6	Z	DRT	7,7A	Þ		DRW	DRW 8A	DRW 8A A
CS10516		3500	6	3	DRT									
CT10516		3625	ω <i>κ</i>	2 3	DRT									
CT10603	E63	3250	<b>сл</b> .	3	DRT	თ	З	DRT						
CT10803	E63	3375	თ	3	DRT	6	Z	DRT						
CT10653	E63	3375	თ	3	DRT	6	Z	DRT						
(1) 1500	cc canis	ster only	See	table	below for	labels	used wi	th 2500 c	c canis	ter.				
Evap Fami	INDEX TO	0 TUNE-UP n. Volume		S abe1 Co	des									
387-8 307-8		1500 cc 2500 cc		DRT D	RW									
Comments:	See pag manufag	ge one fo cturer's l	r evap Ip lis	orative t for c	emission orrect dyn	family o test	identif HP sett	ication ar ings based	nd engi d on mo	ne code del, equ	<u> </u>	escript oment a	escriptions. oment and fron	escriptions. Please ment and frontal area
ISSUED:		_	REVISE	D: CT1	0516 model ine codes 0516 and C	engin 7A and 710516	e codes 8A adde model e	3 and 4 ac d by RC 3 ngine code 5 and 6 u	dded by 1–128 ( 25 4 ar	RC 31-1 22SE82). 1d 6 upda	27 R)	(21SE)   (rev   (01-1	(21SE82). (rev. 007) (01-11-83).	(21SE82). (rev. 007) (01-10-4 (n1-11_83)
				TID	nang wode i	and m	00000		000000		0			/ ~ * . * * *