

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-14-53
Relating to Certification of New Motor Vehicles

X

TOYOTA MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1983 model-year Toyota Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars.

<u>Engine Family</u>	<u>Displacement Cubic Inches (Liters)</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
DTY2.8V5FBB4	168.4 (2.8)	Exhaust Gas Recirculation Three-Way Catalyst with Closed Loop (Electronic Fuel Injection)

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1983 model-year vehicles:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.39	7.0	0.7

The following are the certification emission values for this engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.20	1.9	0.4

BE IT FURTHER RESOLVED: That the listed vehicle models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.


BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 28th day of August, 1982.


K. D. Drachand, Chief
Mobile Source Control Division

1983 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Toyota Motor Co., Ltd. Executive Order No. A-14-53 Page 1

Engine Family DTY2.8V5FBB4 Evaporative Family EV-ME

Engine CID (Liters) 168.4 (2.8)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
 EEC-Electronic Engine Control
 EI-Electronic Ignition
 ESAC-Electronic Spark Advance Control
 VA-Vacuum Advance
 VR-Vacuum Retard

Exhaust Emissions Control System

AIP-Air Injection-Pump
 AIV-Air Injection-Valve
 CL-Closed Loop
 EGR-Exhaust Gas Recirculation
 EM-Engine Modification
 OC-Oxidation Catalyst System
 TR-Thermal Reactor
 TWC-Three Way Catalyst System

Special Features

CCV-Combustion Chamber Valve
 CFI-Central Fuel Injection
 DID-Diesel Injection
 DID-Diesel Injection-Direct
 DIP-Diesel Injection-Prechamber

Fuel System

CFI, CL, DID, DIP, EFI, MFI
 nV-nVenturi Carburetor
 WV-Variable Venturi

MFI-Mechanical Fuel Injection
 TC-Turbocharged

Model covered:

Sales names

Vehicle models

Celica Supra - - - - -	MA61L-B1MQFA
(Celica Supra L-Type)	MA61L-B1PQFA
Cressida 4-Door Luxury Sedan - - - - -	MX63L-XEMMFA
	MX63L-XEPMFA
Cressida 5-Door Luxury Wagon - - - - -	MX62LG-XWPMFA

DRIVE SYSTEM: Front Engine/Rear Drive

1983 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Cars Light-Duty Trucks Medium-Duty Vehicles Gas Diesel

Manufacturer Toyota Motor Co., Ltd. E.O. #A -14-53

Engine Family DTY2.8V5FBB4 CID(liter) - Type 168.4 (2.8) I-6

ECS (Special Features) EGR + TWC + CL (EFI)

Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Ign. System EI,EEC Part No.	Fuel System EFI,CL Part No.	EGR Valve Part No.	Label Ident. Part No.
1	MA61L-BLMQFA	M5	Nippondenso 89661-22040	Computer 89661-22040 Air flow meter 22250-43150 Injector 23250-45011	25620-43080	11298-13110
2	MA61L-BLPQFA	A4	Nippondenso 89661-22050	Computer 89661-22050 Air flow meter 22250-43150 Injector 23250-45011		
3	MX63L-XEMMFA	M5	Nippondenso 89661-22040	Computer 89661-22040 Air flow meter 22250-43140 Injector 23250-45011		
4	MX63L-XEPMFA MX62LG-XWPMFA	A4	Nippondenso 89661-22050	Computer 89661-22050 Air flow meter 22250-43140 Injector 23250-45011		

Comments : See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue -

Revisions :