SUPER CERED BY AND IN-LINGE 1 of 2) 9-22 05

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A -15-59 Relating to Certification of New Motor Vehicles

NISSAN HUIOR CO., LTD.

Function to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1983 model-year Nissan Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars.

Engine Family	Displacement Cubic Inches (Liters	Exhaust Emission Control Systems (Special Features)
DNS2.2V5FAA8	133.4 (2.2)	Exhaust Gas Recirculation Three-Way Catalyst with Closed Loop (Electronic Fuel Injection)

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1983 model-year vehicles:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Nile
0.41	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per Mile	Grams per Mile	Grams per Mile	
0.24	2.0	0.5	

and the second second

NISSAN MOTOR CO., LTD.

EXECUTIVE ORDER A-15-59 (Page 2 of 2)

BE IT FURTHER RESOLVED: That the listed vehicle models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 12^{17} day of August, 1982.

K. D. Drachand, Chief Mobile Source Control Division

NISSAN

Eng. Family: DNS2.2V5FAA8

17.02.00.00 Supplemental Data Sheet

1983 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer <u>NISSAN MOTOR CO., LTD.</u> Executive Order No. <u>A-15-59</u> Engine Family <u>DNS2.2V5FAA8</u> Engine (CID) <u>133.4</u> Evaporative Emission Family <u>EVP-EFI-2A</u>

ABBREVIATIONS <u>Distributor</u> C-Centrifugal Advance V-Vacuum Advance VR-Vacuum Retard HEI-High Energy Ignition EI-Electronic Ignition <u>Fuel System</u> EFI, FI nV-nventuri Carburetor VV-Variable Venturi

Exhaust Emissions Control System AI-Air Injection CAI-Catalyst Air Injection CAB-Chamber Air Bleed DD-Dual Displacement EFI-Electronic Fuel Injection EGR-Exhaust Gas Recirculation EM-Engine Modification EFE-Early Fuel Evaporation ESAC-Electronic Spark Advance Control FI-Fuel Injection

OC-Oxidation Catalyst PAI-Pulse Air Injection RC-Reduction Catalyst TC-Turbo Charged TR-Thermal Reactor TWC-Three Way Catalyst (Feedback Control) EGR Syst. Service I-Inspect, repair/replace as needed R-Replace

Transmission

5 Speed Manual

Engine Code

Model

DATSUN 200SX HARDTOP

Z22EFM AZ22EFM HZ22EFM AHZ22EFM

DATSUN 200SX HATCHBACK

Z22EFADATSUN 200SX HARDTOPAZ22EFADATSUN 200SX HATCHBACKHZ22EFADATSUN 200SX HATCHBACKAHZ22EFA

DRIVE SYSTEM: Rear Wheel

· .	Issue Date: 06/03/82	17.02-DNS2.2V5FAA8-1	PAGE IS 🗍 SATISFACTORY	
	Revision			
	Date		DATE/	
l			EPA REP	

T E.O.# A-15-59 Engine (CID) 133.4 +102 (A/C) Yes X No	Tune-up Specification (1) Basic Timing (2) Idle Mixture (3) Idle Speed	 (1) 8° BTDC @750RPM (2) None (3) 750[±]100RPM "N" Manual-Neutral (N) 	 (1) 8.° BTDC @700RPM (2) None (3) 700±100RPM "D" Automatic-Drive (U) Lification.
ng1 102	EGR System Fart No. Service	EGR Valve AEY76-35 no service	EGR Valve AEY76-27 no service family iden
1983 AIR RESOURCES BOARD SUPPLEMENTAL, DATA SHEET X Passenger Cars Light-Duty Trucks TOR CO., LTD. Engine Family DNS2.2V5FAA8 E EFLHEGR +TWC+CL+2 plug ++	Fuel System Type: Mfgr. Part Number	Control Unit All-647 (JECS) Air Flow Meter A31-629 (JECS) Injector A46-0021 (JECS) A46-0022 (DKC)	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$
OURCES BOARD SUPPL r Cars []Lf . Engine Family WC+CL+2 plug.	Distributor Type: Mfgr. Part Number	H I TACH I	
1983 AIR RESOURCES X Passenger Cars OTOR CO., LTD. En EFI+ECR+TWC+CL+2	Inertia Welght Class		3 3 abbreviations and
	Trans	M5	A-3 for abb
irer <u>NISSAN M</u> Control System	Vehicle Models (refer to page 1)	DATSUN	2005X See page 1 f
Manufacturer Emission Con	Manufactur Emission Co Eng. Code	Z2ZEFM AZZ2EFM AZZ2EFM AUZ22EFM AUZ22EFM	Z22EFA AZ22EFA AZ22EFA AHZ22EFA AHZ22EFA Comments: 5
Issue Date: 06/0 Revision	03/82	17.02-DNS2.2V5FAA8-2	PAGE IS SATISFACTORY UNSATISFACTOR DATE _/_/
Date			EPA REP

NISSAN

2

Eng. Family: DNS2.2V5FAA8

j.

E.O.# A-15-59

NISSAN

Eng. Family: DNS2.2V5FAA8

17.03.00.00 Test Weight / Horsepower List

Vehicle Model	Test Weight	Tire Size	Without	A/C factor	With 4	V/C factor
	(lbs)		Test HP	Coastdown Time(sec)	Test HP	Coastdown Time(sec)
DATSUN 200SX HARDTOP	- 3000	185/70 SR 14 Radial	8.7	16.31	9.6	15.10
DATSUN 2005X HATCHBACK	5000		8,3	16.60	9.1	15.56

Note: Since A/C installation ratio is over 33% of this family, only "with A/C factor" is used at certification tests.

-	Issue Date: 06/25/82	17.03-DNS2.2V5FAA8-1			
	Revision		DATE/_/_		
	Date		EPA REP		