

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-6-242
Relating to Certification of New Motor Vehicles

GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1983 model-year General Motors Corporation exhaust emission control systems are certified as described below for gasoline-powered passenger cars.

<u>Engine Family</u>	<u>Displacement Cubic Inches (Liters)</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
DTG2.8W2NNA3	173 (2.8)	Air Injection - Pump Exhaust Gas Recirculation Three-Way Catalyst with Closed Loop

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1983 model-year vehicles:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.39	7.0	0.7

The following are the certification emission values for this engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.16	3.0	0.6

BE IT FURTHER RESOLVED: That the listed vehicle models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.


BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 27th day of July, 1982


K. D. Drachand, Chief
Mobile Source Control Division

1983 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer General Motors Corporation Executive Order No. A-6-242 Page 1Engine Family D1G2.8W2NNA3 Evaporative Family 3B6-1CEngine CID (Liters) 173 (2.8)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
 EEC-Electronic Engine Control
 EI-Electronic Ignition
 ESAC-Electronic Spark Advance Control
 VA-Vacuum Advance
 VR-Vacuum Retard

Exhaust Emissions Control System

AIP-Air Injection-Pump
 AIV-Air Injection-Valve
 CL-Closed Loop
 EGR-Exhaust Gas Recirculation
 EM-Engine Modification
 OC-Oxidation Catalyst System
 TR-Thermal Reactor
 TWC-Three Way Catalyst System

Headings

AIR COND-Air Conditioning
 BB-Basic Body
 BT-Body Type
 DI-Diesel Injection
 DIN-Diesel Injector Nozzles
 DIV-Division
 ECM-Electronic Control Module
 ETW-Equivalent Test Weight
 TLC-Tune-Up Label Code
 TNS-Transmission
 TM-Trim

Fuel System

CFI, CL, DID, MFI, TBI
 nV-nVenturi Carburetor
 VV-Variable Venturi

Special Features

CCV-Combustion Chamber Valve
 CFI-Central Fuel Injection
 DID-Diesel Injection-Direct
 DIP-Diesel Injection-Prechamber
 MFI-Mechanical Fuel Injection
 TC-Turbocharged
 TBI-Throttle Body Injection

DIV	BB	TM	BT	MODEL NAME	DIV	BB	TM	BT	MODEL NAME
1				CHEVROLET	2				PONTIAC
	A	W	19	Celebrity Sedan		X	Y	37	Phoenix Coupe
			27	Celebrity Notchback Coupe				68	Phoenix Hatchback Sedan
	F	P	87	Camaro Sport Coupe			Z	37	Phoenix LJ Coupe
		S	87	Camaro Berlinetta Sport Coupe				68	Phoenix Hatchback LJ Sedan
	X	H	11	Citation Slantback Coupe					
		X	08	Citation Hatchback Coupe	3				OLDSMOBILE
			68	Citation Hatchback Sedan		X	B	37	Omega Coupe
								69	Omega Sedan
2				PONTIAC			E	37	Omega Brougham Coupe
	A	F	19	6000 Sedan				69	Omega Brougham Sedan
			27	6000 Coupe					
		G	19	6000 LE Sedan	4				BUICK
			27	6000 LE Coupe		X	B	37	Skylark Coupe
		H	19	6000 STE Sedan				69	Skylark Sedan
	F	S	87	Firebird			C	37	Skylark Limited Coupe
		W	87	Firebird Trans Am				69	Skylark Limited Sedan
		X	87	Firebird S/E			D	37	Skylark Sport Coupe
	X	T	37	Phoenix SJ Coupe				69	Skylark Sport Sedan
			68	Phoenix Hatchback SJ Sedan					

DRIVE AXLE: Front wheel drive for A and X basic body.
 Rear wheel drive for F basic body.

ISSUED:

REVISIONS:

0265U

1983 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
GASOLINE-FUELED PASSENGER CARS

Manufacturer General Motors Corporation Executive Order No. A-6-242 Page 2

Engine Family D1G2.8W2NNA3 Exhaust Emission Control System AIP, EGR, TWC, CL

ENG. CID	ENG. CODE	AIR COND	ECM PART NO.	2V CARB. PART NO.	EGR VALVE PART NO.	ETW	DIV	B	T	BT	TNS	TLC	REV. NOTES													
173	51, 51A, 51C 51B, 51D	W	16023051	17083452	17064057	3125	12	A		19	A3	DSU	A													
													B													
													DE													
													C													
													E													
																				1	X		08			
																				1	X		11			
																				1	X		68			
																				234	X		37			
																				2	X	Y	68			
																				3	X		69			
																				4	X	B	69			
																				3125	12	A		19		
																				12	A		27			
																				2	X	Z	68			
							4	X	CD	69																
52, 52A, 52C 52B, 52D	W/O		16023051	17083450	17064057	3125	12	A		19			B													
													E													
													C													
													E													
																				12	A		27			
																				16033021	17064924	2875	34	X	B	37
																				3000	1	X		08		
																				1	X		11			
																				12	X		68			
																				2	X		37			
																				3	X	E	37			
																				34	X		69			
																				4	X	CD	37			
																				3125	12	A		19		
																				12	A		27			

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP lists for correct dyno test HP settings based on model, equipment and frontal area.

ISSUED: 072782 REVISIONS: A. 1A19 revised ETW by RC 31-007 on 080382. B. EC 51A and 52A added by RC 31-039 on 081382. C. EC 51B and 52B added by RC 31-092 on 091582. D. Corrected ETW for 2A19 and 2A27 on 091582. E. EC 51C, 52C, 51D and 52D added by RC 31-098 on 092982.

1983 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
GASOLINE-FUELED PASSENGER CARS

Manufacturer General Motors Corporation Executive Order No. A-6-242 Page 2.1

Engine Family D1G2.8W2NNA3 Exhaust Emission Control System AIP, EGR, TWC, CL

ENG. CID	ENG. CODE	AIR COND	ECM PART NO.	2V CARB. PART NO.	EGR VALVE PART NO.	ETW	DIV	B	T	BT	TNS	TLC	REV. NOTES
173	61, 61A, 61B	W	16023071	17083452	17064057	3000	1	X		08	A3	DSU	
							1	X		11			A
							1	X		68			B
							234	X		37			
							2	X	Y	68			
							3	X		69			
							4	X	B	69			
						3125	2	X	Z	68			
							4	X	CD	69			
	62, 62A, 62B	W/O		17083450		2875	34	X	B	37			
						3000	1	X		08			
							1	X		11			
							12	X		68			
							2	X		37			
							3	X	E	37			
							34	X		69			
							4	X	CD	37			

Comments: See page one for abbreviations and evaporative emission family identification
Please refer to manufacturer's HP lists for correct dyno test HP settings
based on model, equipment and frontal area.

ISSUED: 072782 REVISIONS: A. EC 61A and 62A added by RC 31-039 on 081382.
B. EC 61B and 62B added by RC 31-098 on 092982.

1983 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
GASOLINE-FUELED PASSENGER CARS

Manufacturer General Motors Corporation Executive Order No. A-6-242 Page 3

Engine Family D1G2.8W2NNA3 Exhaust Emission Control System AIP, EGR, TWC, CL

ENG. CID	ENG. CODE	AIR COND	ECM PART NO.	2V CARB. PART NO.	EGR VALVE PART NO.	ETW	DIV	B	T	BT	TNS	TLC	REV. NOTES
173	63, 63A	W	16023091	17083453	17061104	3000	1	X		08	M4	DSW	
							1	X		11			A
							234	X		37			C
							12	X		68			
							34	X		69			
	64, 64A	W/O		17083451		2875	1	X		08			
							1	X		11			A
							3	X		37			
							4	X	B	37			C
							3	X	B	69			
						3000	2	X		37			C
							4	X	CD	37			CD
							12	X		68			
							3	X	E	69			
							4	X		69			
	65, 65A, 65B	W	16030051 16025321	17083632	17064057	3375	12	F		87	A3	DSX	B F
	66, 66A, 66B	W/O	16030051 16025321	17083630		3250	1	F		87			B F
						3375	2	F		87			B F
	71, 71A	W	16025341	17083632		3375	12	F		87	A4		B F
	72, 72A	W/O		17083630		3250	1	F	P	87			B
						3375	1	F	S	87			F
							2	F		87			
	75, 75A	W	16030071 16023171	17083633	17061104	3250	1	F		87	M5	DSY	B
							2	F	S	87			
						3375	2	F	X	87			
	76, 76A	W/O	16030071 16023171	17083631		3250	12	F		87			B E

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP lists for correct dyno test HP settings based on model, equipment and frontal area.

ISSUED: 072782 REVISIONS: A. EC 63A and 64A added by RC 31-039 on 081382. B. EC 65A, 66A, 71, 72, 75A and 76A added by RC 31-086 on 092482. C. Reordered body type in ascending order on 092482. D. Corrected trim level for 4X37 to include "D" trim code previously shown incorrectly with 4X69 on 092482. E. EC 79 and 79A moved to page 4 on 100782. F. EC 65B, 66B, 71A and 72A added by RC 31-105 on 101982.

1983 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
GASOLINE-FUELED PASSENGER CARS

Manufacturer General Motors Corporation Executive Order No. A-6-242 Page 4

Engine Family D1G2.8W2NNA3 Exhaust Emission Control System AIP, EGR, TWC, CL

ENG. CID	ENG. CODE	AIR COND	ECM PART NO.	2V CARB. PART NO.	EGR VALVE PART NO.	ETW	DIV	B	T	BT	TNS	TLC	REV. NOTES
173	79,	W	16025511	17083456	17064057	3250	2	A		19	A3	DSZ	
	79A												A
	79B,			17083650									B
	79C												C
	81,		16026661	17083456		3250	2	A		19			A
	81A												B
	81B			17083650									B
	83,		16023111	17083456		3000	1	X		08		DTA	
	83A						1	X		11			A
	83B,			17083650			1	X		68			B
	83C												C
	84,	W/O		17083454		3000	1	X		08			
	84A,						1	X		11			A
	84B						1	X		68			C
	85,	W		17083456		3000	1	X		08		DSZ	
	85A						1	X		11			A
	85B,			17083650			2	X	YZ	37			BD
	85C						4	X	BD	37			C
							1	X		68			
						3125	2	X	T	37			
							3	X		37			
							4	X	C	37			
							2	X		68			
							34	X		69			
	86,	W/O		17083454		3000	1	X		08			
	86A,						1	X		11			A
	86B						2	X	YZ	37			CD
							34	X		37			
							1	X		68			
							2	X	YZ	68			D
							34	X		69			
						3125	2	X	T	37			
							2	X	T	68			
	87,	W &	16023131	17083455		3000	1	X		08	M4	DTB	
	87A	W/O					1	X		11			A
							1	X		68			

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP lists for correct dyno test HP settings based on model, equipment and frontal area.

ISSUED: 072782 REVISIONS: A. EC 79A, 81A, 83A-87A added by RC 31-039 on 081382. B. EC 79B, 81B, 83B and 85B added by RC 31-100 on 100782. C. EC 79C, 83C, 84B, 85C and 86B added by RC 31-057 on 121682. D. Models 2XY37, 2XZ37, 2XY68 and 2XZ68 added by RC 31-203 on 022383.

1983 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
GASOLINE-FUELED PASSENGER CARS

Manufacturer General Motors Corporation Executive Order No. A-6-242 Page 5

Engine Family D1G2.8W2NNA3 Exhaust Emission Control System AIP, EGR, TWC, CL

ENG. CID	ENG. CODE	AIR COND	ECM PART NO.	2V CARB. PART NO.	EGR VALVE PART NO.	ETW	DIV	B	T	BT	TNS	TLC	REV. NOTES
173	89, 89A	W & W/O	16023131	17083455	17064057	3000	1	X		08	M4	DTC	A
							1	X		11			
							234	X		37			
							1	X		68			
							34	X		69			
						3125	2	X		68			
91	W		16023191	17083636		3375	12	F		87	A3	DTD	
92	W/O			17083634		3375	12	F		87			
93	W		16021681	17083636		3375	12	F		87	A4		
94	W/O			17083634		3250	1	F		87			
						3375	2	F		87			
95	W		16023211	17083635		3250	2	F	S	87	M5		
						3375	1	F		87			
							2	F	WX	87			
96	W & W/O		16030471			3250	2	F	S	87			B
						3375	1	F		87			
							2	F	WX	87			B
97, 97A, 97B	W		16030021	17083636		3375	1	F		87	A4		C
							2	F		87			D
98, 98A, 98B	W/O			17083634		3250	1	F		87			E
						3375	2	F		87			D
										87			E

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP lists for correct dyno test HP settings based on model, equipment and frontal area.

ISSUED: 072782 REVISIONS: A. EC 89A added by RC 31-039 on 081382. B. EC 96 revised by RC 31-006 on 090382. C. Corrected trans for EC 97 and 98 to A4 on 092482. D. EC 97A and 98A added by RC 31-086 on 092482. E. EC 97B and 98B added by RC 31-057 on 121682.