#### State of California AIR RESOURCES BOARD

### EXECUTIVE ORDER A-16-49 Relating to Certification of New Motor Vehicles

## TOYO KOGYO CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-3, and G-45-4;

IT IS ORDERED AND RESOLVED: That 1983 model-year Toyo Kogyo Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered light-duty truck.

Engine Family	Displacement Cubic Inches (Liters)	Exhaust Emission Control Systems (Special Features)
DTK2.OT2AJJ5	120.2 (2.0)	Air Injection - Pump Exhaust Gas Recirculation Oxidation Catalyst

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1983 model-year vehicles:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
0-3999	0.39	9.0	1.0

The following are the certification emission values for this engine family:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile	
0-3999	0.18	4.0	0.8	

TOYO KOGYO CO., LTD.

EXECUTIVE ORDER A-16-49 (Page 2 of 2)

**BE IT FURTHER RESOLVED:** That the listed models were certified to the optional **NOx emission** standard thereby making the vehicle manufacturer subject to **Section** 1960.15 of Title 13, California Administrative Code which includes **repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.** 

**BE IT FURTHER RESOLVED:** That the listed vehicle models also comply with **"California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles."** 

**BE IT FURTHER RESOLVED:** That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

**BE IT FURTHER RESOLVED:** That the Executive Officer has been provided all **material** required to demonstrate certification compliance with the Board's **emission** control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

14 day of July, 1982.

K. D. Drachand, Chief Mobile Source Control Division

17-HJL-1

## 1983 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHLET

Manufacturer TOYO KOGYO CO., LTD	Executive Order No. <u>A-16-49</u>	Page 1
Engine Family	Evaporative Family <u>E</u>	
	Engine CID (Liters) 120.2 (2.0)	

#### ABBREVIATIONS

VV-Variable Venturi

 $\mathbf{x}_{i+1} \in \mathbb{R}^{n}$ 

.

.

Ignition System	Exhaust Emissions Control System	Special Features
CA-Centrifugal Advance	AIP-Air Injection-Pump	CCV-Compustion
EEC-Electronic Engine Control	AIV-Air Injection-Valve	Chamber Valve
EI-Electronic Ignition	CL-Closed Loop	CFI-Central Fuel
ESAC-Electronic Spark Advance	EGR-Exhaust Gas Recirculation	Injection
Control	EM-Engine Modification	DID-Diesel
VA-Vacuum Advance	OC-Oxidation Catalyst System	Injection-
VR-Vacuum Retard	TR-Thermal Reactor	Direct
	TWC-Three Way Catalyst System	DIP-Diesel
	•	Injection-
Fuel System		Prechamber
CFI, CL, DID, DIP, EFI, MFI		
nV-nVenturi Carburetor		MFI-Mechanical
		A A A A A A A A A A A A A A A A A A A

7

MFI-Mechanical Fuel Injection TC-Turbocharged

Vehicle Models

Courier Mazda B2000

DRIVE SYSTEM: Rear Wheel

<u>17-HJL-1.1</u>

	1983 A	IR RESOU	RCES BOARD SUPPLEMENT		age2	
			TrucksMedium-Du GYO_CO., LTD			Diesel
	ne Family		I5CID (liter AIP, EGR & OC	) - Type	120.2 (2.0)	<u> </u>
Engine • Code	Vehicle Models (If Coded see attachment)	Trans.	Ign. System CA,VA,EI Part No.	Fuel System 2V Part No.	EGR Valve Part No.	Label Ident. Part No.
CMT-M & CMT-MC	COURIER MAZDA B2000	M-4 & M-5	T4T62480	215282-B31	8397	UA74 (UA74) UA51 (UA51)

. .

# Comments:

( ): Vacuum Hose Routing Diagram

Date of Issue - 7-7-82 Revisions: