State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-15-61 Relating to Certification of New Motor Vehicles

NISSAN MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1983 model-year Nissan Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars.

Engine Family	Displacement Cubic Inches (Liters)	Exhaust Emission Control Systems (Special Features)
DNS2.0V2AAC4	120.4 (2.0)	Air Injection - Valve Exhaust Gas Recirculation Oxidation Catalyst

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1983 model-year vehicles:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.39	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.23	2.7	0.5

BE IT FURTHER RESOLVED: That the listed vehicle models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 17 day of August, 1982.

K. D. Drachand, Chief Mobile Source Control Division

V2AAC4

1983 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer .	NISSAN MOTOR CO.	., LTD.	Executive Order No.	A-15-61
Engine Family	DNS2.0V2AAC4	Engine	(CID) <u>120.4</u>	
Evaporative E	mission Family	EVP-CAR	RB-1A	
ABBREVIATIONS				
Distributor	Exhaust	Emissio	ns Control System	

Distributor
C-Centrifugal Advance
V-Vacuum Advance
VR-Vacuum Retard
HEI-High Energy Ignition
EI-Electronic Ignition
Fuel System
EFI, FI
nV-nventuri Carburetor
VV-Variable Venturi

AI-Air Injection
CAI-Catalyst Air Injection
CAB-Chamber Air Bleed
DD-Dual Displacement
EFI-Electronic Fuel Injection
EGR-Exhaust Gas Recirculation
EM-Engine Modification
EFE-Early Fuel Evaporation
ESAC-Electronic Spark Advance
Control
FI-Fuel Injection

Engine Code		Model				Transmission		
CA20SCM ACA20SCM	(1)	DATSUN DATSUN DATSUN	NISSAN NISSAN NISSAN	STANZA STANZA STANZA	2-DOOR 2-DOOR 4-DOOR	SEDAN XE. HATCHBACK HATCHBACK HATCHBACK HATCHBACK	DELUXE XE DELUXE	5 Speed Manual
CA20SCA ACA20SCA		DATSUN	NISSAN	STANZA	2-DOOR	HATCHBACK HATCHBACK HATCHBACK	XE	Automatic

DATSUN NISSAN STANZA 4-DOOR HATCHBACK XE

(1) DATSUN NISSAN STANZA 4-DOOR SEDAN XE

DRIVE SYSTEM: Front Wheel

(1) Model added by running change 1-27-83

Issue Date: 07/19/	82 17.02-	17.02-DNS2.0V2AAC4-1		PAGE IS SATISFACTORY
Revision				UNSATISFACTORY DATE//_
Date			E	EPA REP

Date

Revision

issue Date:

Manufacturer

NISSAN MOTOR CO., LTD.

Engine Family <u>DNS2.0V2AAC4</u>

Engine (CID)

Light-Duty Trucks

X Passenger Cars

NS2.0V2AAC4	Eng. Family: D
•	

	DV KED					
	/					\dashv
	.∃SITASMU □		- + OLTAZA 0.1 ZONG		70//	T (10
L	PAGE IS 🔲 SATISFACT		- DNSS ONSFACK-S	-20.71	68/6	51/20
Comments:		CA20SCA ACA20SCA	CA20SCM ACA20SCM		Eng. Code	Emission Control
See page 1 1			DATSUN NISSAN STANZA		Vehicle Models (refer to page 1)	ontrol System
for abb		A3	MS		Trans mission	em <u>EGR</u>
abbreviations			2,500		Inertia Weight Class	R, PAI, OC
s and evaporative		HITACHI D4N82-07	HITACHI D4N82-01	Mfgr. Part Number	Distributor Type:	C, 2 PLUG
1	•	HITACHI DCR342-38	HITACHI DCR342-37	Mfgr. Part Number	Fuel System Type:	
emission family identification.	NO SERVICE	EGR VC CONTROL VALVE AKN80-2	AEY/6-41 #2EGR VALVE AEY76-42 VVT VALVE AVI78-6	Part No. Service #IEGR VALVE	EGR System	+10
tfi	(3)	(1)(2)	(2) (3)	$\begin{array}{c c} & & & \\ \hline & & & \\ \hline \end{array}$	Tung Spec	+10% (A/C)
eation.	FACTORY 650RPM "D" '	O°BTDC @650RPM IDLE MIXTURE SCREW IS PRESET	IDLE MIXTURE SCREW IS PRESET AND SEALED AT FACTORY 650RPM "N"	Idle Mixture Idle Speed O°BTDC @650RPM	Tune-up Specification (1) Basic Timing	/C) Yes X No
				_		

1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET Executive Order # A-15-61

NAZZIN

Eng.	Family:	

17.03.00.00 Test Weight/Horsepower List

ARB

			Withou A/C fa		With A/C	factor
Vehicle Model	Test Weight (1bs)	Tire Size	Test HP	Coastdown Time(sec.)	Test HP	Coastdown Time(sec.)
DATSUN NISSAN STANZA 2-DOOR H/B		165SR13				
DATSUN NISSAN STANZA 4-DOOR H/B	2,625 <u>1</u> /	185/70SR13	7.9	12.88	8.7	12.30
DATSUN NISSAN STANZA 2-DOOR H/B XE						
DATSUN NISSAN STAMZA 4-DOOR H/B	2,625	165SR13 185/70SR13	7.9	13.85	8.7	13.01
DATSUN NISSAN STANZA 4-DOOR H/B XE						
DATSUN NISSAN STANZA 4-DOOR SEDAN XE <u>1</u> /	2,625 <u>1</u> /	165SR13 185/70SR13 <u>1</u> /	7.9 <u>1</u> /	13.52 <u>1</u> /	8.7 <u>1</u> /	12.76 <u>1</u> /

$\underline{1}$ / with R/C No..20V2C-83-03

Issue Date: 7/27	ue Date: 7/27/82 17.03-DNS2.0V2AAC4-1		<u>]</u>	PAGE IS SATISFACTORY	
Revision	12/28/82	1			UNSATISFACTORY DATE/
Date					EPA REP

> 08.13.02.02 Test Horsepower of Emission-Lata vehicles of DATSUN NISSAN STANZA Federal and California models.

This load road hosepower is determined by the coastdown method. (See 08.03.02.01)

DATSUN NISSAN STANZA 4-DOOR 2/ SEDAN 2/	DATSUN NISSAN STANZA 4-DOOR HATCHBACK XE	DATSUN NISSAN STANZA 4-DOOR HATCHBACK	DATSUN NISSAN STANZA 2-DOOR HATCIIBACK XE	DATSUN NISSAN STANZA 2-DCOR HATCHBACK	Model	
	8.7 (7.9)*					
12.76 (13.52)*	13.01 * HATCH (13.85) * BACK					
SEDAN						
	2625					
		(NO)*	VES.		A/C Factor	
,	,	185/70SR13 Radial	165SR13 <u>1/</u> Radial		Tire Size	
GA-427	GAF-240					

The specification in parentheses is for the vehicle without air conditioning.

*

Eng. Family:

NISSAN

E.O.# H-15-61

Eng. Family: DNS2.0V2AAC4

17.03.00.00 Test Weight/Horsepower List

ARB

			Withou A/C fa		With A/C	Eactor
Vehicle Model	Test Weight (1bs)	Tire Size	Test HP	Coastdown Time(sec.)	Test HP	Coastdown Time(sec.)
DATSUN NISSAN STANZA 2-DOOR H/B		165SR13				
DATSUN NISSAN STANZA 4-DOOR H/B	2,500	185/70SR13	7.9	12.88	8.7	12.30
DATSUN NISSAN STANZA 2-DOOR H/B XE						
DATSUN NISSAN STAMZA 4-DOOR H/B	2,625	165SR13 185/70SR13	7.9	13.85	8.7	13.01
DATSUN NISSAN STANZA 4-DOOR H/B XE	NZA					

Issue Date: 7/27/82		17.03-DNS2.0V2AAC4-1			PAGE IS SATISFACTORY UNSATISFACTORY
Revision	·		,		DATE/_/_
Date					 EPA REP