State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-246 Relating to Certification of New Motor Vehicles

CARROZZERIA BERTONE S.p.A.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3, and G-45-4;

IT IS ORDERED AND RESOLVED: That 1983 model-year Carrozzeria Bertone S.p.A. exhaust emission control systems are certified as described below for gasoline-powered passenger cars.

Engine Family	Displacement Cubic Inches (Liters)	Exhaust Emission Control Systems (Special Features)			
DBE1.5V5FEP7	91.44 (1.5)	Three-Way Catalyst with Closed Loop (Electronic Fuel Injection)			

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1983 model-year vehicles:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile_	Grams per Mile
0.41	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	<u>Grams per Mile</u>	Grams per Mile
0.22	1.5	0.3

CARROZZERIA BERTONE S.p.A.

EXECUTIVE ORDER A-246 (Page 2 of 2)

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 12^{17} day of April, 1983.

K. D. Drachand, Chief Mobile Source Control Division

1983 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

• `

			-				
	Manufacturer	Carrozzeria Bertone S.p.A.	_ Executive Order No	Page1			
	Engine Family	DBE1.5V5FEP7	_ Evaporative FamilyEV-1BC				
			Engine CID (Liters) 91.44 (1.5)				
	ABBREVIATIONS						
Ignition System CA-Centrifugal Advance EEC-Electronic Engine Control EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard		T Advance c Engine Control Ignition ic Spark Advance ance	Exhaust Emissions Control System AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System TR-Thermal Reactor TWC-Three Way Catalyst System	Special Features CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection- Direct DIP-Diesel			
	Fuel System CFI, CL, DID, nV-nVenturi C VV-Variable V		•	Injection- Prechamber MFI-Mechanical Fuel Injection TC-Turbocharged			

Vehicle Models:

Bertone X1/9

.

DRIVE SYSTEM: Mid engine/rear transaxle drive

r¹.

•	1.983 A	IR RESOL	JRCES BOA	RD SUPPLEMENT	E.O. AL DATA SHEET	£A246	
<u> </u>	enger Cars Li			•		X_Gas	Diesel
•	Facturer <u>Carrozze</u>		one S.p.	A	Page Engin	2 e	
-	ne Family <u>DBE1.5</u> Special Features)		, (EFI)		Code CID (Liter)- Type	91.44 (1.5) L	4
Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight	Ign. System CA, VA, EI Part No.	Fuel System EFI Part No.	EGR Valve Part No.	Label Ident. Part No
H63XI.16V63.BT	Bertone X1/9	М5	2375 (Test HP 8.0) 2500 (Test HP 8.8) (1)	Bosch 15258 AI	Bosch	N.A.	5991283

. -

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - .

(1) Added per running change 83-1.5-02

(2) Added per running change 83-1.5-Ø3