E.O. Pork

(Page 1 of 2)

## State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-30-33 Relating to Certification of New Motor Vehicles

## AUDI NSU AUTO UNION AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1983 model-year Audi NSU Auto Union AG exhaust emission control systems are certified as described below for diesel-powered passenger cars.

Engine Family	Displacement Cubic Inches (Liters)		Exhaust Emission Control Systems (Special Features)			
DAD1.6D6JBAX	97	(1.6)	Engine Modifications (Diesel Injection - Prechamber			

Vehicle Models, Transmissions, Engine Codes as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1983 model-year vehicles:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.46	8.3	1.5

The following are the certification emission values for this engine family:

Hydrocarbons		Carbon Monoxide	Nitrogen Oxides	
Grams per Mile		Grams per Mile	Grams per Mile	
0.24		1.1	1.0	

AUDI NSU AUTO UNION AG

EXECUTIVE ORDER A-30-33 (Page 2 of 2)

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this  $\frac{29}{4}$  day of September, 1982.

K. D. Drachand, Chief Mobile Source Control Division

## 1983 FIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

•	Panufacturer	Audi NSU Auto Union AG	Executive Order No. A-30-33	Page 1	
	Engine Family	DAD1.6D6JBAX	Evaporative Family n.a.	· · ·	
	•		Engine CID (Liters) 1.6		
	ABBREVIATIONS	·			
Ignition System CA-Centrifugal Advance EEC-Electronic Engine Control El-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard		Advance Engine Control Ignition c Spark Advance nce	Exhaust Emissions Control System AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Dxidation Catalyst System TR-Thermal Reactor TWC-Three Way Catalyst System	Special Features CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber	
	Fuel System CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor VV-Variable Venturi			MFI-Mechanical Fuel Injection TC-Turbocharged	

Vehicle Model

Audi 4000

DRIVE SYSTEM: Front wheel drive

Page no. 17-09 \_\_\_\_

. . '.

.

(

(•

. . .

			•• ,		F	age 2	
• •	₹ <b>9</b> 83 <i> </i>	AIR RESOURCE	ES BDARD SUP	PLEMENTA	L DATA SHEET		
. X Pass	eager Cars Li	ight-Duty Tr	rucksM	iedium-Du	ty Vehicles	Gas X	Diesel
	facturer Audi N						• •
	ne Family DAD1.61					-	
	(Special Features)						
Engine Code	Vehicle Models (If Coded see	Trans. E	THE Ign. 1	System	Fuel System	EGR Valve	Label Ident.
	attachment) (Hp)	- 1	Part 1	No.	Part No.	Part No.	Part No.
CR	Audi 4000 (7.9)		25) n.a.	0	njection pump 68130107 K injectors 968130201 C	n.a.	VECI 068133033 EL

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

\*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - 07-20-82 Revisions:

> Page no. 17-10

181