(Page 1 of 2)

State of California AIR RESOURCES BOARD

.

EXECUTIVE ORDER A-30-34 Relating to Certification of New Motor Vehicles

AUDI NSU AUTO UNION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1983 model-year Audi NSU Auto Union exhaust emission control systems are certified as described below for diesel-powered passenger cars.

Engine Family	Displacement Cubic Inches (Liters)	Exhaust Emission Control Systems (Special Features)		
DAD1.6D6JBZ7	97 (1.6)	Engine Modification (Diesel Injection - Prechamber) (Turbocharger)		

Vehicle Models, Transmissions, Engine Codes as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1983 model-year vehicles:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.46	8.3	1.5

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.20	0.9	1.2

AUDI NSU AUTO UNION

EXECUTIVE ORDER A-30-34 (Page 2 of 2)

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 28 day of October, 1982.

K. D. Drachand, Chief Mobile Source Control Division

1983 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Audi NSU Auto Manufacturer Union AG	Executive Order No.	4-30-34	Page 1
Engine Family DAD1.6D6JB27	Evaporative Family	n.a.	
	Engine CID (Liters)	1.6	
ABBREVIATIONS			

Ignition System	Exhaust Emissions Control System	Special Features
CA-Centrifugal Advance	AIP-Air Injection-Pump	CCV-Combustion
EEC-Electronic Engine Control	AIV-Air Injection-Valve	Chamber Valve
EI-Electronic Ignition	CL-Closed Loop	CFI-Central Fuel
ESAC-Electronic Spark Advance	EGR-Exhaust Gas Recirculation	Injection
Control	 EM-Engine Modification 	DID-Diesel
VA-Vacuum Advance	OC-Dxidation Catalyst System	Injection-
VR-Vacuum Retard	TR-Thermal Reactor	Direct
	TWC-Three Way Catalyst System	DIP-Diesel
		Injection-

Fuel System CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor VV-Variable Venturi

MFI-Mechanical Fuel Injection TC-Turbocharged

Prechamber

Vehicle Models Audi 4000

DRIVE SYSTEM: Front wheel drive

Page no. 17-09

012281

			- · - ·		Pa	age 2	<u> </u>
,	1983 /	AIR RESOUR	RCES BOARD SU	PPLEMENT	AL DATA SHEET		\$
• • • • • • • •	enger Cars L·			Medium-D	uty Vehicles	Gas X	Diesel
Manuf	facturer <u>Audi</u> N	SU Auto Ur	nion AG		F.O. I	HA-30-34	
Engine Family DAD1.6D6JB27 CID (liter) - Type 1.6 Diesel							
ECS (Special Features) DI, TC							
Engine Code	Vehicle Models (If Coded see	Trans.	Ign.	System	Fuel System	EGR Valve	Label Ident.
	attachment) (ETW)		DHp) Part	No.	Part No.	Part No.	Part No.
СҮ	Audi 4000(27,50) Audi 4000(27,50)	M5	(7,9) n.a. (7,9) n.a.		injection pum 068130107 AN injectors 068130201 B injection pum 068130107 AQ injectors	n.a. P	VECI 068133033 CR VECI
	ETW and HP list	(see page	es 10-22 and	10-23)	068130201 B	n.a.	068133033 CR

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - 07-20-82 Revisions:

> Page no. 17-10

81