## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-15-69 Relating to Certification of New Motor Vehicles

NISSAN MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1984 model-year Nissan Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

| Engine Family | Displace<br>Cubic Inches | ement<br>(Liters) | Exhaust Emission Control Systems (Special Features)           |
|---------------|--------------------------|-------------------|---|
| ENS2.4T9FAC7  | 145.8                    | (2.4)             | Exhaust Gas Recirculation Three-Way Catalyst with Closed Loop |

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the certification emission standards for this engine family to be listed on the window decal required by "California Assembly-Line Test Procedures for 1983 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles":

| Equivalent<br>Inertia<br>Weight | Hydrocarbons<br>Grams per Mile | Carbon Monoxide<br>Grams per Mile | Nitrogen Oxides<br>Grams per Mile |  |
|---------------------------------|--------------------------------|-----------------------------------|-----------------------------------|--|
| 0-3999                          | 0.39                           | 9.0                               | 7.0                               |  |
| 4000-5999                       | 0.50                           | 9.0                               | 7.0                               |  |

The following are the certification emission values for the above engine family:

| Equivalent<br>Inertia<br>Weight | Hydrocarbons<br>Grams per Mile | Carbon Monoxide<br>Grams per Mile | Nitrogen Oxides<br>Grams per Mile |  |
|---------------------------------|--------------------------------|-----------------------------------|-----------------------------------|--|
| 0-3999                          | 0.14                           | 4.9                               | 0.4                               |  |
| 4000-5999                       | 0.18                           | 6.2                               | 0.8                               |  |

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this \_ / /

day of August, 1983

K. D. Drachand, Chief Mobile Source Control Division .01.02.00

1984 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

| Manufacturer NISSAN MOTOR CO., LTD. | Executive Order No. A-15-69 |
|-------------------------------------|-----------------------------|
| Engine Family ENS2.4T9FAC7          | Evaporative Family4ECC-2    |
|                                     | Engine CID (Liters) 2.4     |

## ABBREVIATIONS

Ignition System
CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance
Control
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System

FI, CL, DID, DIP, EFI, MFI

NVenturi Carburetor

Variable Venturi

Exhaust Emissions Control System
AIP-Air Injection-Pump
AIV-Air Injection-Valve
CL-Closed Loop
EGR-Exhaust Gas Recirculation
EM-Engine Modification
OC-Oxidation Catalyst System
TR-Thermal Reactor
TWC-Three Way Catalyst System
ECC-Electronic Control Carburetor
ECCS-Electronic Concentrated
Control System

Special Features
CCV-Combustion
Chamber Valve
CFI-Central Fuel
Injection
DID-Diesel
InjectionDirect
DIP-Diesel
InjectionPrechamber

MFI-Mechanical Fuel Injection TC-Turbocharged

DRIVE SYSTEM:

2WD: Front Engine Transmission Rear Axle

4WD: Front Engine Transmission 4WD

| Engine Code          |   | Model Model                                     | Transmission    |
|----------------------|---|---|-----------------|
| BZ24SCM1<br>AZ24SCM1 | NISSAN PICKUP<br>NISSAN PICKUP<br>NISSAN PICKUP | LONG BED  | 5 Speed Manual  |
| BZ24SCM2<br>AZ24SCM2 | NISSAN PICKUP                                   | CAB & CHASSIS (DOUBLE TIRE) HEAVY DUTY LONG BED | 5 Speed Manual  |
| BZ24SCM3<br>AZ24SCM3 | NISSAN PICKUP<br>NISSAN PICKUP<br>NISSAN PICKUP |   | .5 Speed Manual |
| BZ24SCA1<br>AZ24SCA1 | NISSAN PICKUP<br>NISSAN PICKUP<br>NISSAN PICKUP |   | Automatic       |

Issue Date:

06/23/83

Revision Date:



17.01.03.00 Test Weight/Horsepower List

|                        | Test<br>Weight | Test Horsepower         |                    |                       |
|------------------------|----------------|-------------------------|--------------------|-----------------------|
| Vehicle<br>Model       |                | Determination<br>Method | With<br>A/C factor | Without<br>A/C factor |
| MAXIMA 4-DOOR<br>SEDAN | 3125           |                         |                    |                       |
| SEDAN                  | 3250           |                         |                    |                       |
| MAXIMA WAGON           | 3375           | Coastdown               | 9.1                | N.A.                  |

Issue Date: 06/23/83

Revision Date:

17.01.02.00 - cont.

## 1984 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

| Passenger Cars X Light-Duty Trucks  | Hedium-Duty Vehicles X Gas Diesel      |
|-------------------------------------|--|
| Manufacturer NISSAN MOTOR CO., LTD. | E.O. 1A-15-69                          |
| Engine Family ENS2.4T9FAC7          | CID(liter) - Type 2.4 - In-line 4, OHC |
| ECS (Special Features) N.A.         |  |

| Engine<br>Code       | Vehicle<br>Models*                | Trans. | Ign. System Part No.    | Fuel System              | EGR Valve             | Label Ident. Part No.   |
|----------------------|-----------------------------------|--------|-------------------------|--------------------------|-----------------------|---|
| BZ24SCM1<br>AZ24SCM1 | PICKUP                            | м5     | Distributor<br>D4N83-14 | Carburetor<br>DFP384-3   | BPT VALVE<br>ATI75-7  | Vehicle Emission<br>Control Information<br>14805 10W01<br>Vacuum Hose Routing<br>Diagram<br>22304 10W11                 |
| 724SCM2<br>AZ24SCM2  | CAB &<br>CHASSIS<br>HEAVY<br>DUTY | м5     | Distributor<br>D4N82-10 | Carburetor<br>DFP384-11A | EGR VALVE<br>AEY76-70 | Vehicle Emission Control Information For Cab chassis 14805 10W06 For Heavy duty 14805 10W01 Vacuum Hose Routing Diagram |
| BZ24SCM3<br>AZ24SCM3 | PICKUP<br>4WD                     | М5     | Distributor<br>D4N83-13 | Sarburetor<br>DFP384-3   |                       | Vehicle Emission Control Information 14805 10W01 Vacuum Hose Routing Diagram 22304 10W11                                |
| BZ24SCA1<br>AZ24SCA1 | PICKUP                            | L3     | Distributor<br>D4N83-14 | Carburator<br>DFP384-4   | •                     | Vehicle Emission<br>Control Information<br>14805 10W01<br>Vacuum Hose Routing<br>Diagram<br>22304 10W01                 |

Comments: See page before for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment on 17.01.03.00 \* See page before.

Issue Date :

06/23/83

Revision Date: