State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-14-57 Relating to Certification of New Motor Vehicles

TOYOTA MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1984 model-year Toyota Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacement Cubic Inches (Liters)	Exhaust Emission Control Systems (Special Features)	
ETY1.6V2FCC9	88.6 (1.5) 96.8 (1.6)	Air Injection - Valve Three-Way Catalyst with Closed Loop Exhaust Gas Recirculation	

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the certification emission standards for this engine family to be listed on the window decal required by "California Assembly-Line Test Procedures for 1983 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles":

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per Mile	Grams per Mile	Grams per Mile	
0.39	7.0	0.7	

The following are the certification emission values for the above engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per Mile	Grams per Mile	Grams per Mile	
0.23	2.3	0.5	

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment. 5 K

Executed at El Monte, California this

day of August, 1983.

K. D. Drachand, Chief Mobile Source Control Division

17.10.00 Supplemental data sheets

1984 AIR RESOURCES BYARD SUPPLEMENTAL LATA SHEET

		Page _	1
Manufacturer Toyota Motor Corporation	Executive Order No.	14-57	
Engine Family ETY1.6V2FCC9	Evaporative Family _	EV-A	. — .
	Engine CID (Liters)	88.6/96.8 (1.	5/1.6)_

ABBREVIATIONS

Ignition System	Exhaust Emissions Control System	Special Features
CA-Centrifugal Advance	AIP-Air Injection-Pump	CCV-Combustion
EEC-Electronic Engine Control	AIV-Air Injection-Valve	Chamber Valve
EI-Electronic Ignition	CL-Closed Loop	CFI-Central Fuel
ESAC-Electronic Spark Advance	EGR-Exhaust Gas Recirculation	Injection
Control	EM-Engine Modification	DID-Diesel
VA-Vacuum Advance	OC-Oxidation Catalyst System	Injection-
VR-Vacuum Retard	TR-Thermal Reactor	Direct
•	TWC-Three Way Catalyst System	DIP-Diesel
		Injection-

Fuel System

CFI, CL, DID, DIP, EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

MFT-Mechanical
Fuel Injection
TC-Turbocharged

Prechamber

DRIVE SYSTEM: AL21L, AL21LG, AE82L series; Front Wheel Drive

AE86L series; Rear Wheel Drive

AL25LG series; 4 Wheel Drive

Page : 17-72

Issued: 06/06/83

1984 ATR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

	1904 8	IIK KESC	UKCES BURKU SU	PPLEATENLIAL LATE		
				-		
	ger CarsL					
	er					
Engine Fam	ily <u>ETY1.6V2F</u>	009	CID(liter) - Ty	pe <u>88.6/96.8</u>	(1.5/1.6) 4 cy	l. in-line
BCS (Speci	al Features)	AI + C	L + BGR + TWC			
•						
Engine	Vehicle Models (If Coded see attachment) Refer to 08.13.03.00		Ign. System EI, CA, VA Part No.	Fuel System 2V, CL Part No.		Label Ident. Part No.
1.	AL21L-ZGKRCA	M4	19030-15060	21100-15340	25620-15210	11298-15081
2 thru 5	AL211-ZGMDCA -ZGMQCA -ZHMDCA -ZHMRCA AL211G-ZMMDCA AL251G-ZWFDCA -ZWFQCA	M5				
	-2GHECA -2HHECA -2HHECA AL211G-ZWHECA -ZHHECA	А3			·	
26 thru 29	AL251G-ZWHDCA					
10 thru 13	AE82L-ELMDCA -ELMNCA -EEMDCA -EEMNCA	M5	19030-16040	21100-16120	25620-15250	11298-16100
14 thru 17	AE82L-EEHDCA -EEHNCA -ELHDCA -ELHNCA	A3			25620-15260	
18 thru 21	AE86L-ESMDCA -ESMXCA -ECMXCA	M5 .	19030-16050	21100-16160	25620-15210	11298-16021
22 thru	AE86L-ESPDCA -ESPXCA	A4				

Page : 17-73

Issued: 06/06/83 Rev: 1: 06/23/83 84-R-6: 12/20/83

1984 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page	2.1

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Page : 17-74

Issued: 06/06/83