State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-2-18 Relating to Certification of New Motor Vehicles

FUJI HEAVY INDUSTRIES, LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code. Division 26. Part 5. Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1984 model-year Fuji Heavy Industries, Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacement Cubic Inches (Liters)	Exhaust Emission Control Systems (Special Features)
EFJ1.6V2HCE6	97 (1.6)	Air Injection - Valve Exhaust Gas Recirculation Three-Way Catalyst with Closed Loop

Yehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the certification emission standards for this engine family to be listed on the window decal required by "California Assembly-Line Test Procedures for 1983 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles":

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per Mile	Grams per Mile	Grams per Mjle	
0.41	7.0	0.7	

The following are the certification emission values for the above engine family:

Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile	
drailis per mite	diams per inte	diams per mile	
0.15	3.6	0.1	

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

day of July, 1983.

K. D. Drachand, Chief Mobile Source Control Division

1984 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

—itanufacturer _	Fuji Heavy Industries Ltd.	Executive Order No. A	-2-18
Engine Family	EFJ1.6V2HCE6	Evaporative FamilyNU	
		Engine CID (Liters)	97 (1.6)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ES()-Electronic Spark Advance
Control
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System

CFI, CL, DID, DIP, EFI, MFI

NY-nVenturi Carburetor

YV-Variable Venturi

Exhaust Emissions Control System

AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System TR-Thermal Reactor TWC-Three-Way Catalyst System

Special Features

CCY-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection-Direct DIP-Diese? Injection-Prechamber EFI-Electronic Fue 1 Injection MFI-Mechanical Fuel Injection TC-Turbocharged

VEHICLE MODELS:

AF2 (SUBARU 1600 2-door Hatchback) AB2 (SUBARU 1600 4-door Sedan) AW2 (SUBARU 1600 Hardtop)

•	ORIVE SYSTEM:	Front	Engine/ Front	Two -Wheel	Drive
٠	122182				

CAL LDV

6/1/'83

E.O. #A-2-18 1984 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Pass	senger Cars Li	ight-Dut	y Trucks	Medium-D	uty Vehicles	X Gas	Diesel
Manu	ifacturer <u>Fu</u>	ji Heavy	Industr	ies Ltd.	Page Foods	2 e El.6V2CE, E	1 SVOCÉN
Engi	ne Family	EFJ1.	6V2HCE6		Code		1.6V2CMA
ECS	(Special Features)	EGR, AIV, TWC+CL			CID (Liter)- Type 97 (1.6) - H04		
Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight	Ign. System	Fuel System	EGR Valve	Label Ident.
	attatiment/		REIGHE	Part No.	Part No.	Part No.	Part No.
E1.6V2CE	AF2	M4		Nippendenso 100291-0300	Hitachi DC0306-23	Hitachi APDQ72-3A	Tune-up: M9
E1.6V2CM	AF2 AW2	ME	2375	Fuji's Part No. 42987900	Fuji's Part No. 429979450	Fuji's Part No. 469997450	Vacuum Hose Routing: T5
	AB2	M5	2500				
	AF2		2375				
	AB2 AW2		2500				
				٠			
						·	
· ;						•	
•	•						
		•			,		

naments: See page one for abbreviations and evaporative emission family identification. lease refer to manufacturer's HP list for correct dyno test HP settings based on model and quipment. If two test weights are listed, the lower weight will be used for testing.

Add 10% to dyno test HP for air conditioning usage.

