

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-3-53  
Relating to Certification of New Motor Vehicles

DAIMLER-BENZ AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1984 model-year Daimler-Benz AG exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

<u>Engine Family</u>	<u>Displacement Cubic Inches (Liters)</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
EMB2.3V6F505	140 (2.3)	Three-Way Catalyst with Closed Loop (Mechanical Fuel Injection)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the certification emission standards for this engine family to be listed on the window decal required by "California Assembly-Line Test Procedures for 1983 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles":

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.41	7.0	0.7

The following are the certification emission values for the above engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.24	1.6	0.1

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 8<sup>th</sup> day of September, 1983.

  
K. D. Drachand, Chief  
Mobile Source Control Division

Manufacturer Daimler-Benz AG Executive Order No. A-3-53  
 Engine Family EMB2.3V6F505 Evaporative Family EMBV6  
 Engine CID (Liters) 140(2.3) Liters

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance  
 EEC-Electronic Engine Control  
 EI-Electronic Ignition  
 ESAC-Electronic Spark Advance Control  
 VA-Vacuum Advance  
 VR-Vacuum Retard

Fuel System

CFI, CL, DID, DIP, EFI, MFI  
 nV-nVenturi Carburetor  
 VV-Variable Venturi

Exhaust Emissions Control System

AIP-Air Injection-Pump  
 AIV-Air Injection-Valve  
 CL-Closed Loop  
 EGR-Exhaust Gas Recirculation  
 EM-Engine Modification  
 OC-Oxidation Catalyst System  
 TR-Thermal Reactor  
 TWC-Three-Way Catalyst System

Special Feature

CCV-Combustion Chamber Va  
 CFI-Central Fuel Injection  
 DID-Diesel Injection-Direct  
 DIP-Diesel Injection-Prechamber  
 EFI-Electronic Fuel Injection  
 MFI-Mechanical Fuel Injection  
 TC-Turbocharged

VEHICLE MODEL :

190 E 2.3

DRIVE SYSTEM: Front Engine/ Rear -Wheel Drive

122182

1984 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. #A -3-53

Passenger Cars     Light-Duty Trucks     Medium-Duty Vehicles     Gas     Diesel

Manufacturer Daimler-Benz AG Page 2

Engine Family EMB2.3V6F505 Engine Code M102

ECS (Special Features) CL/TWC(MFI) CID (Liter)-Type 140(2.3)L-4

Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equip. Test Weight	Ign. System <i>EI</i> Part No.	Fuel System <i>MFI</i> Part No.	EGR Valve Part No.	Label Ident. Part No.
M 102	190E2.3	A-4	3000	003 158 24 01	Fuel Distributor 0 438 101 004 Air Sensor 0 438 121 010	n/a	Tune up L: 201 584 0521 Vac. Hose Diagram 201 584 0621

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Add 10% to dyno test HP for air conditioning usage.

Date of Issue -

Daimler-Benz AG	US	MY1984	Engine Family EMB2.3V6F505	Section 10.00	Page 31
-----------------	----	--------	-------------------------------	------------------	------------

**EMISSION DATA SELECTION WORKSHEET**

Emission Control System : FI/TWC/OS  
 Engine Code : M102

1. Body Style ETW (lbs) incl. options over 33%

a) 190 E 2.3 3 000

b)

2. Body Style Road Load Power<sup>3</sup> (HP)

a) 190 E 2.3 7.7

b)

3. Engine Code Displacement (cm<sup>3</sup>)

a) M102 2 299

b)

4. Engine Code Fuel Flow (cm<sup>3</sup>/min) at max.  
rated torque

a) M102 -

b)

5. Body Style Transmission Axle Ratio

a) 190 E 2.3 5-M 3.23

b) 190 E 2.3 4-A 3.23

1) incl. 10% for A/C

Section No. 10.13.00.00	Title EDV - Selection Worksheet				Issue Date 02-15-83	
Revision No.						
Revision Date						