State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-17-71 Relating to Certification of New Motor Vehicles

AMERICAN MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1984 model-year American Motors Corporation exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family	Displacement Cubic Inches (Liters)	Exhaust Emission Control Syste (Special Features)		
EAM360T2HLEX	360 (5.9)	Air Injection - Pump Exhaust Gas Recirculation Three-Way Catalyst		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the certification emission standards for this engine family to be listed on the window decal required by "California Assembly-Line Test Procedures for 1983 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles":

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
4000-5999	0.50	9.0	1.0

The following are the certification emission values for the above engine family:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
4000-5999	0.29	5.3	0.6

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this _8

_day of July, 1983.

K. D. Drachand, Chief Mobile Source Control Division

1984 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer American Motors Corporation Engine Family EAM 360 T2 HL EX	Executive Order No. A-17-71 Evaporative Family ET-360A-1P Engine CID (Liters) 360 (5.9)
ABBREVIATIONS: Ignition System CA - Centrifugal Advance EEC - Electronic Engine Control EI - Electronic Ignition ESAC - Electronic Spark Advance Control VA - Vacuum Advance VR - Vacuum Retard	Exhaust Emissions Control System AIP - Air Injection-Pump AIV - Air Injection-Valve CL - Closed Loop EGR - Exhaust Gas Recirculation EM - Engine Modification OC - Oxidation Catalyst System TR - Thermal Reactor TWC - Three-Way Catalyst System
Fuel System CFI, CL, DID, DIP, EFI, MFI nV - nVenturi Carburetor VV - Variable Venturi	Special Features CCV - Combustion Chamber Valve CFI - Central Fuel Injection DID - Diesel Injection-Direct DIP - Diesel Injection-Prechamber EFI - Electronic Fuel Injection MFI - Mechanical Fuel Injection TC - Turbocharged
VEHICLE MODELS: Grand Wagoneer 4WD Model 15 J-10 Pickup Trucks 4WD Models 25 and 26	
DRIVE SYSTEM: Transmission-Transfer Case-Fro	nt ENGINE/ Four -WHEEL DRIVE

Ε.	0.	No.	A-17-71	

1984 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Pas	senger Cars_	Light	-Duty	Trucks_	X_Medium	-Duty V	/ehiclesG	as <u>X</u> Diese	1
Man	ufacturer	America	n Moto	rs Corp	oration		Р	age <u>2</u>	
Eng	ine Family	EAM 360	T2 HL	EX			Engine	Code	
ECS	(Special Fe	atures)_	EGR,	AIP, TW	C (None)		CID (Liter)	Type 360 (5	.9) V8
gine ode	Vehicle M (If Coded Attachme	i See	Trans	Equiv. Test Weight		No.	Fuel System Part No.		Ident.
Al I	15			4750	CA, VA 3233174		2V 8933001726		(1)
j	25, 26			4500			(ID 4RHA2) 	(ID 17075570)	
1]						
1									
		<u> </u>							
				1					
			<u> </u>						
			<u> </u>						
	(1) Std.	Coolir	je 893	300209	} 4				
	H.D.	Coolir	g 893	300209	5				
					I		ļ	!	

Comments:		
	•	

(See Page 1 for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.)

Note: Add 10% to dyno test HP for air conditioning usage.

Date of Issue: