State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-18-30 Relating to Certification of New Motor Vehicles

VOLVO CAR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1984 model-year Volvo Car Corporation exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacement Cubic Inches (Liters)		Exhaust Emission Control Systems (Special Features)	
EVV2.1V6FFT2	130	(2.1)	Three-Way Catalyst with Closed Loop (Mechanical Fuel Injection) (Turbocharger)	

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the certification emission standards for this engine family to be listed on the window decal required by "California Assembly-Line Test Procedures for 1983 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles":

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.41	7.0	0.7

The following are the certification emission values for the above engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.16	2.6	0.6

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

_ day of August, 1983.

K. D. Drachand, Chief Mobile Source Control Division

Manufacturer	Volvo Car Corporation	Executive Order No.	A-18-30
Engine Family	EVV2.1V6FFT2	Evaporative Family	E2
		Engine CID (Liters)	130 (2.1)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance
Control
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System
CFI, CL, DID, DIP, EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

Models:

VEHICLE MODELS:

Exhaust Emissions Control System

AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System TR-Thermal Reactor TWC-Three-Way Catalyst System

: Volvo GLT - 2 Door Sedan

Volvo GLT - 4 Door Sedan Volvo GLT - 4 Door Wagon

Special Features

CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection-Direct DIP-Diesel Injection-Prechamber EFI-Electronic Fue I Injection MFI-Mechanical Fuel Injection

TC-Turbocharged

Engine Code (If Coded see attachment) GLT M5 Spark Plugs: Solve Spark Plugs: Spark Plugs: Spark Plugs: Spark Plugs: Application of the property of the prop	ty Vehicles Page	2 Noted	Label
Engine Family EVV2.1V6FFT2 ECS (Special Features) CA, MFI, CL, TWC, TC Engine Code Vehicle Models (If Coded see attachment) Trans. Equiv. Test Weight Fart No. Pa FCGX:1 GLT M5 3250 Spark Plugs: Spark Plugs: Application Assembly Volvo 1276703 Bosch WR 7 DS Park Plugs: Application Assembly Volvo 1276703 Bosch WR 7 DS Park Plugs: Application Assembly Volvo 1276703 Bosch WR 7 DS Park Plugs: Application Assembly Volvo 1276703	Page Engine Code CID (Liter)- /3 a Type (2) Fuel System MFI, CFI	e Noted 2.1 Liter,) I	-4 Label
ECS (Special Features) CA, MFI, CL, TWC, TC Engine Code (If Coded see attachment) FCGX:1 GLT M5 3250 3375 Volvo 1276728 Ap Part No. Spark Plugs: No. FCGX:2 GLT A4 Distribution Assembly Volvo 1276703 Bosch 0237003024	Code CID (Liter)- /3 Type (2) Fuel System MFI, CFI	e Noted 2.1 Liter,) 1	Label
Engine Code (If Coded see attachment) FCGX:1 GLT M5 3250 3375 3375 Volvo 1276728 A4 Distribution Assembly Volvo 1276703 Bosch 0237003024	ID (Liter)- /3 a Type (2) Fuel System MFI, CFI	2.1 Liter,	Label
Code (If Coded see attachment) GLT M5 GLT M6 GLT M7 GLT M7 GLT M8 GLT GLT M8 GLT GLT M8 GLT GLT GLT GLT GLT GLT GLT GL	MFI, CFI	EGR Valve	
FCGX:1 GLT M5 3250 Spark Plugs: SAP Nolvo 1276728 Ap Bosch WR 7 DS Proceed to 16. Distribution Assembly Volvo 1276703 Bosch 0237003024	Part No.	4	Ident.
FCGX:2 GLT A4 Spark Plugs: Spar	-	Part No.	Part No.
A4 Bosch WR 7 DS Particular Assembly Volvo 1276703 Bosch 0237003024	See Application	Not Applicable	Tune Up
Assembly Volvo 1276703 Bosch 0237003024	Page 6.04.01.00	**************************************	Label: Volvo
Bosch 0237003024			1313607
Electronic		ĺ	
Control Unit			
Volvo 1266714			
Bosch 0227018			

numents: See page one for abbreviations and evaporative emission family identification. ease refer to manufacturer's HP list for correct dyno test HP settings based on model and ripment. If two test weights are listed, the lower weight will be used for testing.

id 10% to dyno test HP for air conditioning usage.

e of Issue -