### State of California AIR RESOURCES BOARD

# EXECUTIVE ORDER A-19-34 Relating to Certification of New Motor Vehicles

DR. ING. H.C.F. PORSCHE, AKTIENGESELLSCHAFT

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1984 model-year Dr. Ing. h.c.F. Porsche, Aktiengesellschaft exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacement Cubic Inches (Liters)	Exhaust Emission Control Systems (Special Features)	
EPR285V5FD10	285 (4.7)	Air Injection - Pump Three-Way Catalyst with Closed Loop (Electronic Fuel Injection)	

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the certification emission standards for this engine family to be listed on the window decal required by "California Assembly-Line Test Procedures for 1983 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles":

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per Mile	Grams per Mile	Grams per Mile	
0.41	7.0	0.4	

The following are the certification emission values for the above engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.31	2.7	0.4

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

day of July 1983.

K. D. Drachand, Chief Mobile Source Control Division

## 198 4 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer_	Porsche	Executive Order No.	A-19-34	Page 1	
Engine Family	EPR285V5FD10	Evaporative Family	G		_
•		Engine CID (Liters)	285 (4.7)	•	

#### **ABBREVIATIONS**

Ignition System
CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance
Control
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System
CFI, CL, DID, DIP, EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

Exhaust Emissions Control System
AIP-Air Injection-Pump
AIV-Air Injection-Valve
CL-Closed Loop
EGR-Exhaust Gas Recirculation
EM-Engine Modification
OC-Oxidation Catalyst System
TR-Thermal Reactor
TWC-Three Way Catalyst System

Special Features
CCV-Combustion
Chamber Valve
CFI-Central Fuel
Injection
DID-Diesel
InjectionDirect
DIP-Diesel
InjectionPrechamber

MFI-Mechanical Fuel Injectio TC-Turbocharged

### Vehicle Models

928 S

DRIVE SYSTEM: Front Engine / Rear Drive

Manu Engir	facturer <u>Por</u> ne Family <u>FPR</u> 2	sche 285V5F		f.O.	#A -19-34	· .
Engine Code	Vehicle Models (If Coded see attachment)	1	Ign. System Part No.	Fuel System Part No.	EGR Valve	Label Ident.
M 19-C	928 \$	M-5	Distributor o2374olo19	-Air Flow Meter o28o2o3o15	N/A	928.006. 401.33
M 2o-C		A-4		-Control Unit o280002104 -Injectors		
		,		0280150154	•	
						·

\*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - Revisions:



Page

17.03-05.00/DI

JUN. 23 1983