State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-20-33 Relating to Certification of New Motor Vehicles

ISUZU MOTORS LIMITED

Pursuant to the authority vested in the Air Resources Board by the Health and Eafety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1984 model-year Isuzu Motors Limited exhaust emission control systems are certified as described below for diesel-powered passenger cars:

Engine Family	Displacem Cubic Inches	ent (Liters)	Exhaust Emission Control Systems (Special Features)
ESZ711D6JBD6	111	(1.8)	Exhaust Gas Recirculation (Diesel Injection - Prechamber)

Vehicle models, transmissions and engine codes are listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by "California Assembly-Line Test Procedures for 1983 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles".

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per Mile	Grams per Mile	Grams per Mile	
0.41	7.0	1.0	

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per Mile	Grams per Mile	Grams per Mile	
0.18	0.8	0.8	

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this ______

day of August, 198

K. D. Drachand, Chief

Mobile Source Control Division

1984 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Isuzu Motors Limited	Executive Order No.	A-20-33	Pagel
Engine Family ESZ111D6JBD6	Evaporative Family _	NA	_
	Engine CID (Liters)	111 (1.8)	_
ABBREVIATIONS			
Ignition System CA-Centrifugal Advance EEC-Electronic Engine Control EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard	Exhaust Emissions Con AIP-Air Injection-Pur AIV-Air Injection-Va CL-Closed Loop EGR-Exhaust Gas Recin EM-Engine Modification OC-Oxidation Catalys TR-Thermal Reactor	np C lve rculation on E t System	Special Features CCV-Compustion Chamber Valve CFI-Central Fuel Injection OID-Diesel Injection- Direct

Fuel System CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor VV-Variable Venturi

TWC-Three Way Catalyst System

Injection-Prechamber

MFI-Mechanical Fuel Injection TC-Turbocharged

Models: Isuzu I-Mark

PD-3: Sedan

DRIVE SYSTEM: REAR

X Passenger CarsLight-Duty TrucksMedium-Duty VehiclesGas _X Diesel ManufacturerIsuzu Motors LimitedE.O. #A2O 33 Engine FamilyESZ111D6JBD6CID (liter) - Type111 (1.8)-L4 ECS (Special Features)EGR (DIP)										
Engine Family ESZ111D6JBD6 CID (liter) - Type 111 (1.8)-L4 ECS (Special Features) EGR (DIP)										
ECS (Special Features) EGR (DIP)										
	Engine Family ESZ111D6JBD6 CID (liter) - Type 111 (1.8)-L4									
	\cdot									
Engine Vehicle Models Trans. Equiv. Ign. System Fuel System EGR Valve Label Code (If Coded see Test Injection Ident.										
attachment) Weight Part No. Pump Pump Part No. Part No. Part No.	o.									
	•									
DBD-1 M-5 8942429613										
PD-3 2,750 NA 8941144220 89413153	370									
DBD-2 A-3 8942429623										
DBD-2										
	,									

Page _____2

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - Regisions: