State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-23-21 Relating to Certification of New Motor Vehicles

HONDA MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1984 model-year Honda Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

| Engine Family | Displacement Cubic Inches (Liters) | | Exhaust Emission Control Systems (Special Features) | | |
|---------------|---------------------------------------|-------|--|--|--|
| EHN1.3V3EBC2 | 82 | (1.3) | Exhaust Gas Recirculation Three-Way Catalyst | | |

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the certification emission standards for this engine family to be listed on the window decal required by "California Assembly-Line Test Procedures for 1983 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles":

| Hydrocarbons | Carbon Monoxide | Nitrogen Oxides | |
|----------------|-----------------|-----------------|--|
| Grams per Mile | Grams per Mile | Grams per Mile | |
| 0.39 | 7.0 | 0.7 | |

The following are the certification emission values for the above engine family:

| Hydrocarbons | Carbon Monoxide | Nitrogen Oxides | |
|----------------|-----------------|-----------------|--|
| Grams per Mile | Grams per Mile | Grams per Mile | |
| 0.20 | 1.9 | 0.6 | |

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 12th day of August, 1983.

K. D. Drachand, Chief

Mobile Source Control Division

1984 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

| Þ٤ | 10 | e | 1 |
|----|----|---|---|
| | | | |

| Manufacturer | HONDA | Executive Order No. | A-23-21 | |
|-----------------|--------------|----------------------|----------|--|
| Engine Family _ | EHN1.3V3EBC2 | Evaporative Family _ | 84FA | |
| | | Engine CID (Liters) | 82 (1.3) | |

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
:SAC-Electronic Spark Advance
Control
VA-Yacuum Advance
VR-Yacuum Retard

Fuel System
CFI, CL, DID, DIP, EFI, MFI
nV-nVenturi Carburetor
V-Variable Venturi

Exhaust Emissions Control System

AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System TR-Thermal Reactor TWC-Three-Way Catalyst System

Special Features

CFI-Central Fuel

Chamber Valv

CCV-Combustion

Injection
DID-Diesel
Injection-Direct
DIP-Diesel
Injection-Prechamber
EFI-Electronic
Fuel
Injection
MFI-Mechanical
Fuel
Injection
TC-Turbocharged

VEHICLE MODELS:

Civic 1.3 HB

Civic 1.3 Coupe

E.O. 1A - 23-21

1984 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

| <u>x</u> Pas | senger Cars Li | ght-Duty | y Trucks | Medium-Du | uty Vehicles | X Gas | Diesel |
|--|---------------------------------|----------------------|-------------|--------------------------------------|------------------------|--------------------|---------------------------------------|
| Man | ufacturer | HONDA | | | Page | 2 | |
| _ | ine Family | | V3EBC2 | | Engin Code | B | · |
| | (Special Features) | | | - | CID (Liter)- Type _ | 82 (1.3), I | -4 |
| Engine Vehicle Models Code (If Coded see | Trans. Equiv. Test Weight | Ign. System CA ≥ VA | Fuel System | EGR Valve | Label Ident. | | |
| · | attachment) | | RE IGII C | Fart No. | Part No. | Part No. | Part No. |
| EB1, EB1/1 | Civic 1.3 HB | M4 | 2125 | Hitachi dis- tributor D4R82-27 | Keihin EAO3A | 18710-PEO- 0030 | VECI See P 07.01.00-1 Vac. Hose |
| | | | • | | | | 17277-PEO- 6900 |
| EB2, EB2/1 | Civic 1.3 Coupe | м5 | 2000 | Hitachi dis- tributor D4R82-27 | Keihin EAO7A | 18710-PEO- 9010 | VECI See F 07.01.00-1 |
| | | | | | | | Vac. Hose 17277-PEO- 6800 |
| | | | | | | | |
| | | | | | | | • |
| | | | | | | | |
| • | | | | | | | |

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue -

