(Page 1 of 2)

#### State of California AIR RESOURCES BOARD

# EXECUTIVE ORDER A-23-23 Relating to Certification of New Motor Vehicles

HONDA MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1984 model-year Honda Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacement Cubic Inches (Liter	Exhaust Emission Control Systems s) (Special Features)
EHN1.8V3FFCX	112 (1.8)	Air Injection - Valve Exhaust Gas Recirculation Three-Way Catalyst with Closed Loop

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the certification emission standards for this engine family to be listed on the window decal required by "California Assembly-Line Test Procedures for 1983 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles":

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.39	7.0	0.7

The following are the certification emission values for the above engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.19	2.6	0.3

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 12M day of August, 1983.

K. D. Drachand, Chief
Mobile Source Control Division

Manufacturer	HONDA	Executive Order No.	A-23-23
Engine Family _	EHN1.8V3FFCX	Evaporative Family	84FB
		Engine CID (Liters)	112 (1.8)

#### **ABBREVIATIONS**

### Ignition System

CA-Centrifugal Advance EEC-Electronic Engine Control EI-Electronic Ignition :SAC-Electronic Spark Advance Control **VA-Vacuum Advance** VR-Vacuum Retard

Fuel System CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor YV-Variable Venturi

# Exhaust Emissions Control System

AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System TR-Thermal Reactor TWC-Three-Way Catalyst System

## Special Features

CCV-Combustion

Chamber Valv CFI-Central Fuel Injection DID-Diesel Injection-Direct DIP-Diesel Injection-Prechamber EFI-Electronic Fue 1 Injection MFI-Mechanical · Fue i Injection TC-Turbocharged

## **VEHICLE MODELS:**

Accord HB Accord Sedan Accord LX HB Accord LX Sedan

		=⁺		• •		E.O.	11-23-23
0.4	ATD	DECAMPEE	DORDO	CHOOL CHENTAL	DATA	CHEET	

Engine Code Vehicle Models (If Coded see attachment)  Efl Accord HB Accord LX HB Accord Sedan  Today  M5  Accord Sedan  Trans. Equiv. Test Weight  Test Weight  Accord LX HB Accord Sedan  Today  Ign. System CA * VA ET Part No.  Vecinin CB91C  18710-PD2- 6810  Vac.	Manu Engi	enger CarsLi  ifacturerH  ne FamilyE  (Special Features)	ONDA HN1.8V3F	FCX -		Page Engin	2	
Accord LX HB	Engine	Vehicle Models (If Coded see	1	Equiv. Test	Ign. System	Fuel System	EGR Valve	Label Ident. Part No
Accord LX HB	EF1	Accord LX HB	м5		tributor	Keihin CB91C		07.01.00-
Accord LX HB Accord Sedan  EF3/1 Accord HB Accord LX HB Accord LX HB Accord Sedan  Accord Sedan  TD=08K  6910	EF1/1	Accord LX HB Accord Sedan			distributor			Vac. Hose 17277-PD2 6800
EF3/1 Accord HB 2625 Toyo Denso distributor TD-OSK	EF3	Accord LX HB	A4	2500	tributor	Keihin CB91D		
	EF3/1	Accord HB Accord LX HB Accord Sedan		2625	distributor	·		
	,							

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

\*Add 10% to dyno test HP for air conditioning usage.

Date of Issue -



Manu: Engir	1984 A enger CarsLi facturer H ne FamilyE (Special Features)	ght-Duty ONDA HN1,8V3F	y Trucks		uty Vehicles Page Engin	<u>x</u> Gas	,
Engine Code	Vehicle Models (If Coded see attachment)			Ign. System		EGR Valve	Label Ident.
EF1-39	Accord HB Accord Sedan Accord HB Accord LX HB Accord LX HB Accord Sedan Accord Sedan	м5	2500 2625 2500 2625	Hitachi dis- tributor D4R83-03 Toyo Denso distributor TD-09K	Keihin CB91G	18710-PD2- 6810	VECI See 07.01.00 Vac. Hos 17277-PD
·	Accord HB Accord LX HB Accord Sedan Accord HB Accord LX HB Accord Sedan Accord Sedan	A4	2500 2625	Hitachi dis- tributor D4R83-02 Toyo Denso distributor TD-08K	Keihin CB91H	18710-PD2- 6910	

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

\*Add 10% to dyno test HP for air conditioning usage.

Date of Issue -

