State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-252-1 Relating to Certification of New Motor Vehicles

LAMBORGHINI OF NORTH AMERICA

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1984 model-year Lamborghini of North America exhaust emission control systems are certified as described below for gasoline-powered passager cars:

| Engine Family | Displacement Cubic Inches (Liters) | Exhaust Emission Control Systems (Special Features) | |
|---------------|---------------------------------------|---|--|
| ELM4.8V6FRE6 | 290.2 (4.8) | Air Injection - Pump Three-Way Catalyst with Closed Loop (Mechanical Fuel Injection | |

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the certification emission standards for this engine family to be listed on the window decal required by "California Assembly-Line Test Procedures for 1983 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles":

| Hydrocarbons | Carbon Monoxide | Nitrogen Oxides |
|----------------|-----------------|-----------------|
| Grams per Mile | Grams per Mile | Grams per Mile |
| 0.41 | 7.0 | 0.7 |

The following are the certification emission values for the above engine family:

| Hydrocarbons | Carbon Monoxide | Nitrogen Oxides |
|----------------|-----------------|-----------------|
| Grams per Mile | Grams per Mile | Grams per Mile |
| 0.28 | 1.5 | 0.5 |

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 29 h day of March, 1984.

K. D. Drachand, Chief Mobile Source Division

1984 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

| Manufacturer _ | LAMBORGHINI | Executive Order No. A-252-1 |
|----------------|--------------|-----------------------------------|
| Engine Family | ELM4.8V6FRE6 | Evaporative Family DCCTADVWSOACAP |
| | | Engine CID (Liters) 290.2 (4.8) |

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance
Control
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System
CFI, CL, DID, DIP, EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

Exhaust Emissions Control System

AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System TR-Thermal Reactor TWC-Three-Way Catalyst System

Special Features

CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection-Direct DIP-Diesel Injection-Prechamber EFI-Electronic Fue 1 Injection MFI-Mechanical Fue1 Injection TC-Turbocharged

VEHICLE MODELS:

LAMBORGHINI COUNTACH LP500S CARLINE CODE WDE 23015

| DRIVE | SYSTEM:_ | Mid | Engine/ | <i>F</i> ear | -Wheel | Drive |
|-------|----------|-----|---------|--------------|--------|-------|
| | | | | | | |

| | 198 4 A | IR RESOU | RCES BOA | RD SUPPLEMENTA | | <u> -252-1</u> | |
|----------------|---|----------|--------------------------------------|-----------------------------------|--|----------------|---------------------------------------|
| <u>X</u> Passe | enger Cars Li | ght-Duty | Trucks | Medium-Du | ıty Vehicles | <u>X</u> Gas | Dies el |
| Manu | facturer <u>Lamborgh</u> | ini of N | orth Ame | rica | Page Fraince | | |
| Engi | ne Family ELM4.8V6 | FRE6 | | | | L505P1MCRE1 | · · · · · · · · · · · · · · · · · · · |
| ECS | TWC/CL (MFI) | | CID (Liter)- Type 290.2 (4.8)-V12 | | | | |
| Engine Code | Vehicle Models (If Coded see | Trans. | Equiv. Test | Ign. System | Fuel System MFI | EGR Valve | Label Ident. |
| | attachment) | | Weight | Mfgr Part No. | Mfgr No. | Part No. | Part No. |
| | COUNTACH LP 500 S (Dyno HP 9.2 w/AC) | M5 | 3500 | Masnetti Marelli AEC 104 BK | Bosch Fuel Distribu 0438 100 099 | - tor | |
| | | | | | | | |
| | | | | | | | |

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Date of Issue - 03/26/84