

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-279
Relating to Certification of New Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1985 model-year Ford Motor Company exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

| <u>Engine Family</u> | <u>Displacement Cubic Inches (Liters)</u> | <u>Exhaust Emission Control Systems (Special Features)</u> |
|----------------------|---|--|
| FFM5.8T2HGG1 | 302/351 (5.0/5.8) | Air Injection - Pump Exhaust Gas Recirculation Three-Way Catalyst with Closed Loop |

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the certification emission standards for this engine family to be listed on the window decal required by "California Assembly-Line Test Procedures for 1983 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles":

| <u>Equivalent Inertia Weight</u> | <u>Hydrocarbons Grams per Mile</u> | <u>Carbon Monoxide Grams per Mile</u> | <u>Nitrogen Oxides Grams per Mile</u> |
|--|--|---|---|
| 4000-5999 | 0.50 | 9.0 | 1.0 |

The following are the certification emission values for the above engine family:

| <u>Equivalent Inertia Weight</u> | <u>Hydrocarbons Grams per Mile</u> | <u>Carbon Monoxide Grams per Mile</u> | <u>Nitrogen Oxides Grams per Mile</u> |
|--|--|---|---|
| 4000-5999 | 0.19 | 2.6 | 0.8 |

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036) and Health and Safety Code Section 43204, provided, however, that jurisdiction is hereby reserved to modify these provisions to the extent made necessary by an EPA waiver decision, in order to assure that the listed vehicles comply with the minimum federal requirements applicable in California.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 29th day of June 1987


K. D. Drachand, Chief
Mobile Source Division

1985 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. #A-10-279

Passenger Cars Light-Duty Trucks Medium-Duty Vehicles Gas Diesel

Manufacturer Ford Motor Company Page 2A

Engine Family FFM5.8T2HGG1 (F5.0/5.8TGG) Engine Code 4-54R R12B

ECS (Special Features) AIP, CL, EGR, OC, TWC CID (Liter)-Type 302 (5.0) V8

| Engine Code | Vehicle Models (If Coded see attachment) | Trans. | Equiv. Test Weight | Ign. System EEC IV Part No. | Fuel System 2V Part No. | EGR Valve Part No. | Label Ident. Part No. |
|-------------|--|----------------|--------------------|-----------------------------------|-------------------------------|-----------------------|--------------------------|
| 4-54R R12B | F150 | AOX051 (L4) | 4000 | E43F-ZA | E5TE-YA | E3TE-CA | CCD |
| | 4x2 RCS | | 4250 | | | | |
| | RCL | | 4500 | | | | |
| | SCS | | | | | | |
| | SCL | | | | | | |
| | F250 | | | | | | |
| | 4x2 RCL | | | | | | |
| | E150 | | | | | | |
| | 4x2 RVS | 4250 | | | | | |
| | RVL | 4750 | | | | | |
| | SVL | 5000 | | | | | |
| | CWL | 5250 | | | | | |
| | E250 | | | | | | |
| 4x2 RVL | AOX 051/054 | | | | | | |

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Date of issue: June 8, 1984

Engine Family F5.0/5.8TGG

| | | | | | | | | |
|-------------|-------------|-------|--|--|--|--|--|--|
| Issue Date: | JUN 11 1984 | 17-4A | | | | | | |
| Revised | | | | | | | | |

