(Page 1 of 2)

# State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-10-284 Relating to Certification of New Motor Vehicles

### FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and . Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1985 model-year Ford Motor Company exhaust emission control systems are certified as described below for gasoline-powered light duty trucks:

Engine Family	Displace <u>Cubic Inches</u>		Exhaust Emission Control Systems (Special Features)		
FFM2.8T2HKGO	171	(2.8)	Air Injection - Pump Exhaust Gas Recirculation Three-Way Catalyst with Closed Loop		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the certification emission standards for this engine family to be listed on the window decal required by "California Assembly-Line Test Procedures for 1983 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles":

Equivalent Inertia Hydrocarbons Weight Grams per Mile		Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
0-3999	0.39	9.0	1.0

The following are the certification emission values for the above engine family:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides <u>Grams per Mile</u>
0-3999	0.11	3.2	0.7

FORD MOTOR COMPANY

EXECUTIVE ORDER A-10-284 (Page 2 of 2)

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 5/ day of

T984. July.

K. D. Drachand, Chief Mobile Source Division

	1985	AIR	RESOURCES	BOARD	SUPPLEMENTAL	DATA	SHEE
--	------	-----	-----------	-------	--------------	------	------

Page 1

facturer Ford Motor Company

Executive Order No. <u>A-10-284</u>

Engine Family FFM2.8T2HKG0

Evaporative Family 5DM

Engine CID (Liters) 171(2.8L)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance

EI-Electronic Ignition

ES AC-Electronic Spark Advance Control

VA-Vacuum Advance VR-Vacuum Retard

EEC-Electronic Engine Control

Exhaust Emissions Control System

AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System TR-Thermal Reactor TWC-Three Way Catalyst System Special Features

AIP-Air Injection-PumpCCV-Combustion Chamber ValveAIV-Air Injection-ValveCFI-Central Fuel InjectionCL-Closed LoopDID-Diesel Injectin-DirectEGR-Exhaust Gas RecirculationDIP-Diesel Injection Prechamber

#### Fuel System

CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor VV-Variable Venture MFI-Mechanical Fuel Injection TC-Turbocharged

Vehicle Line	Body Type (Cab Style)	Body Code (Wheelbase)
Bronco II	Standard	Standard
Ranger 4X2	Reg. Cab	SWB
		LWB
Ranger 4X4	Reg. Cab	SWB
		LWB
Ranger 4x2	Chassis Cab	LWB

(1) Added by R/C 2.8-104 091184.

Engine Family \_\_\_\_\_ F2.8TKG

Issue Date: Lill 1 G	17-3	
Revised: BRE 13 4		

Page 2

1985 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

1

Passenger Cars	<u>x</u> Light Duty Truck	s Medium Duty Vehicles Ga	sDiesel
Manufacturer	Ford Motor Company	E.O. #A-10-284	
Engine Family _	FFM2.8T2HKG0	CID (Liter) - Type171(2.8L) - V-	6
ECS (Special Fe	stures) AIP,EGR,EGS,	TWC, CL	

ŕ

Engine Code	Vehicle Mod Dyno HP*	els	Trans.	Equiv Test Weight	Ign. System Part No. EEC	Fuel System Part No. 2V	EGR Valve Part No.	Label Ident. Part No.
5-61S- R02A/N	Ranger 4X2 Ranger 4X4 Bronco II	RCS RCL RCS RCL	¥5X396& K5X397 (M50D)	3000/3125# 3125 3250 3250 3625	E57F-12A650- BA	E57E-9510- BA	E5TE-9F483- EB	CGS
5-62R- ROIA/N	Ranger 4X2 Ranger 4X4 Bronco II Ranger 4x2	RCS RCL RCS · RCL CCL	A4X004 (L4)	3000/3125# 3125 3250 3250 3625 3625	Ē57F-12A650- DA	E57E-9510- CA	E5TE-9F483- EB	CDK
5-62E- R01A/N	Ranger 4x2	CCL	A4X004 A4X005	3625	E57F-12A650 DA	E57E-9510- CA	E5TE-9F483 EB	
(1) 5-61S- R10A/N	Ranger 4x2	RCS RCL	1	3000/3125 3125	E57F-12A650 DA	E57E-9510- BA	E5TE-9F483 EB	
	Ranger 4x4	RCS RCL		3250 3250				
	Bronco II	STD		3625				
	Ranger 4x4	RCS RCL	1	3250 3250				
	Bronco II	STD		3625				

\* See Attachment

# With A/C

18

Date of Issue: 073184 sions: (1) Added by R/C 2.8-112 120584.

Engine	Family	F2.	8TKG
er i Buie			

CIUL 1 5

17-4 Issue Date: Revised: MAR 1 3 1385

E.O. <u>A-10-284</u>

1

# Section 8.13.01.00 1985 LIGHT-DUTY TRUCK DPA TABLE

	ETW		No	n A/C	٨	/c
Truckline	Limit		DPA	CDT	DPA	CDT
Ranger 4x2	3125		11.4	13.46	12.5	12.48
Ranger 4x2	3250		11.7	13.87	12.9	12.88
-				•• ••		10 (9
Ranger 4x2	3625		15.2	11.47	16.6	10.68
Chassis Cab	@28 ∎q. ft. 3875	•	18.1	10.98	19.5	10.33
Ranger 4x2 Chassis Cab	039 sq. ft.	,	10.1	10000		
	()) 84. 10.					
Ranger 4x4	3375		11.8	12.98	13.0	12.12
Ranger 4x4	3625		12.2	13.49	13.4	12.52
	2/ 25		11.0	14.24	12.1	13.26
Bronco II	3625		11.5	14.24	12.6	13.35
Bronco II	3750		11.7	14 + 7 4	12.0	10100
F-150 4x2 1/	4000		13.2	13.24	14.5	12.41
F-150 4x2	4500		14.0	14.18	15.4	13.20
F-150 4x2	4750		15.2	15.42	16.6	14.35
F-250 4x2	5000	R	16.2	14.18	17.6	13.30
F-250 4X2		B	18.0	12.77	19.4	12.04
			16.5	14.19	17.9	13.30
F-150 4x4	5000	R B	16.5 18.6	12.23	20.0	11.59
•		Ð	10+0		2010	
F-250 4x4	5250	R	17.7	14.03	19.1	13.18
	5500	В	20.0	12.53	21.4	11.90
			14.0	15.42	15.4	14.36
Bronco	5000	R B	17.2	12.51	18.6	11.88
	5250	Þ	17.02	15.71	10.0	
E-150	5250	R	15.2	15.38	16.6	14.35
~					<del>-</del>	
"E-250	5500	R	17.3		18.7	13.31
	6000	B	18.0	13.71	19.4	13.05

## NOTES

B=Bias R=Radial tires (All values for radial tires except where noted) 1/ F-150 (4000 ETW, Radial Tires and 1" x 50" spoiler)

•