State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-282 Relating to Certification of New Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1985 model-year Ford Motor Company exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displace Cubic Inches		Exhaust Emission Control Systems (Special Features)
FFM5.0V5HBC5	302	(5.0)	Air Injection - Pump Exhaust Gas Recirculation Three-Way Catalyst with Closed Loop (Central Fuel Injection)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the certification emission standards for this engine family to be listed on the window decal required by "California Assembly-Line Test Procedures for 1983 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles":

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.39	7.0	0.7

The following are the certification emission values for the above engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per Mile	Grams per Mile	Grams per Mile	
0.19	1.2	0.7	

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13. California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036) and Health and Safety Code Section 43204, provided, however, that jurisdiction is hereby reserved to modify these provisions to the extent made necessary by an EPA waiver decision, in order to assure that the listed vehicles comply with the minimum federal requirements applicable in California.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this ______ day of July, 1984.

K. D. Drachand, Chief Mobile Source Division

MARAMIN

• . lanufacturer	Ford Motor Company	Executive Order No. 🖊	1-10-282
Engine Family	FFM5.0V5HBC5	Evaporative Family	5FM
•		Engine CID (Liters)	302 (5.0L)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance
Control
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System

CFI, CL, DID, DIP, EFI, MFI

nV-nVenturi Carburetor

VV-Yariable Venturi

Exhaust Emissions Control System

AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System TR-Thermal Reactor TWC-Three-Way Catalyst System

Chamber CFI-Central F Injection DID-Diesel Injectio Direct DIP-Diesel Injectic Prechamb EFI-Electroni Fue 1 Injection NFI-Mechanica Fuel Injection TC-Turbocharge

Special Featur

CCV-Combustio

VEHICLE MODELS:

Vehicle Line	Body Type (Cab Style)	Fody Code (Wheelbase)	
Mark VII	2-Dr Sedan	63D	
Continental	4-Dr Sedan	54D	
Lincoln	4-Dr Sedan	54D	
Crown Victoria	2-Dr/4-Dr/Sta Wagon	66K/54K/74K	
Grand Marquis .	2-Dr/4-Dr/Sta Wagon	66K/54K/74K	
Thunderbird	2-Dr Sedan	63D	
Cougar	2-Dr Sedan	66D	
Mustang	2-Dr/3-Dr/Conv	61B/66B/B2L	
Capri	3-Dr Sedan	61D	
LTD	4-Dr Sedan	54D	
Marquis	4-Dr Sedan	54D	

DRIVE	SYSTEM:	Front	Engine	/ Rear	Wheel	Drive

1985 AIR RESOURCES EDARD SUPPLEMENTAL DATA SHEET A-10-282 x Passenger Cars ___ Light-Duty Trucks ___ Medium-Duty Vehicles x Gas _ Diesel Page Manufacturer Ford Motor Company Engine Engine Family FIM5.0V5HBC5 Code CID (Liter)-ECS (Special Features) EEC/EGR/EGS/AIP/TWC/CFI 302 (5.0L) Type Trans. Equiv. Ign. System Fuel System Vehicle M. dels EGR Valve Labe Engine (If Coded see Test Code EEC IV CFI Iden AOD attachment) Weight Part No. Part No. Part No. Part |Non-A/C Dyno Rp | 5-22P-R00A Must-61B (8.9) A0X056 3500 E53F-FA E5ZE-CA E5AE-AA E5AE-CHM Must-66B (9.5) 3500* Must-B2L (9.9) 3625 Capri-61D (9.1) 3500* 5-22P-ROON Must 61B (8.1) 3500 Must 66B (3.6) 3375 Must B2L (9.0) **5**025 Capri 61D (8.3) 3500 3625% 5 --Lincoln 54D (12.) AOX063 E4VF-12A650-JA E5AE-9C973-EA E45E-9F483-AA E5AF 22Q-R00A 4250 9C48 Crown Vict 74K A0X065 (12.5)E5AE-9F483-AA CAH (alt) Crown Vict 66K (11.9)Crown Vict 54K A0X065 A0X061 A0X065 Grand Marq 74K (12.5)Grand Marq 66K A0X065 (11.9)A0X061 Grand Marq 54K (11.9)5-. 22Q-R00N Crown Vict 74K A0X065 (11.4)Crown Vict 66K 4000 (10.8)A0X065 4250 Crown Vict 54K A0X061 (10.8)Grand Marq 74K A0X065 (11.4)Grand Marq 66K A0X065 (10.8)A0X061 Grand Marq 54D (10.8)% - R/C 5.0L - 10*Revised per R/C 5.0-22

108 D VIN KEZONKOFZ BONKO ZONKOFULUKUNY DULKI A-10-282 x Passenger Cars __ Light-Duty Trucks __ Medium-Duty Vehicles x Gas __ Diesel Manufacturer __ Ford Motor Company Page Engine Engine Family FFM5.0V5HBC5 Code CID (Liter)-ECS (Special Features) EEC/EGR/EGS/AIP/TWC/CFI 302 (5.0L) Equiv. Ign. System Fuel System Vehicle Models Trans. EGR Value Engine Labe Test (If Coded see Ider Code CFI EEC IV AOD Weight attachment) Part No. Part No. Part No. Part (Non-A/C Dyno Hp) 4250 E4VF-12A650-JA E5AE-9C973-EA E5AE-9F483-AA E5AE A0X061 5-22Q-R01A Crown Vict 74K **9C**48 (12.5)CAJ Grand Marq 74K (12.5)Crown Vict 74K 5-22Q-R01N (11.4)Grand Marq 74K (11.4)E5AF-12A650-RA E55E-9C973-EAE5AE-9F483-AA E5AI A0X062 4000 Mark VII 63D 5-22R-R00A 9C48 (9.1)CFH Continental`54D (11.0)E5AL A0X056 E53F-12A-650- E5ZE-9C973-BA E5AE-9F483-A4 5-22M-R01A Mark VII 63D **9C4**8 VC (9.1)CEA 3625 LTD 54D E5AE (9.4)AD 9C48 Marquis 54D CBF (9.4)3500 Mustang 61B (8.9)Mustang 66B 3375 (9.5)3625 Mustang B2L (9.9)-22P-R12N LTD 54D (8.5)Marquis 54D (8.5)3375 Mustang 61B (8.1)Mustang 66B (8.6)3625 Mustang B2L (9.0)3500 Capri 61D (8.3)Capri 61D 3500 -22P-R12A 3625% (8.9)%-R/C 5.0L-10

e e e e e e e e e e e e e e e e e e e	1985	AR RESOL	IRCES EDA	ARD SUPPLEMENT	E.D. AL DATA SHEET	A-10-	282
x Pass	enger Cars Li	ght-Duty	Trucks	Medium-D	uty Vehicles		
Kanu	facturer Ford Me	otor Comp	any		Page		
	ne Family FFM5				Engin Code	e	
	(Special Features)		•	/TWC/CFi	CID (Liter)- Type	302 (5.0L)	
Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight	Ign. Sjetem EEC IV	Fuel System CFI	EGR Valve	Labe/ Iden
	(Non-A/C Dyno Ep)			Part No.	Part No.	Part No.	Part
5-22T-R00A , 5-22T-R00N	T'Bird 63D (8.9) Cougar 66D (9.7) T'Bird 63D (8.1)	AOX065 AOX061	3625	E53F-12A650- CA	E5SE-9C973-DA	E57E-9F483- AA E57E-9F483-A (alt)	E5AE- 9C485-C. 3
	Cougar 66D (8.8)		•				
.5-22M-R10A#	Mark VII 63D (9.1)	AOX056		E53F-12A650- VD	E5ZE-9C973-BA		E5AE-9(CFL
	•						
•							-
	#R/C 5.0-4						

1985 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

× Pass	enger Cars Li	ght-Duty	Trucks	Medium-Du	ıty Vehicles	x Gas	Diesel
. Manu	facturer For	d Motor	Company			5	
• .	ne Family FFM5	•			Engin Code	e	
-	(Special Features)				CID (Liter)- Type _	302 (5.0	L)
Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight	Ign. System EEC IV	Fuel System CFI	EGR Valve	Label Ident
	(Non-A/C Dyno Hp)			Part No.	Part No.	Part No.	Part
4-22P-R13A	LTD 54D (9.4) Marquis 54D (9.4) Mustang 61B (8.9) Mustang 66B (9.5) Mustang B2L (9.9) Capri 61D (8.9)		3625 3500 3375 3625	E4VF-12650-TA	E4ZE-9C973-AD	E5AB-9F483- AA	E5AE−9€ CJE
4-22P-R13N	LTD 54D (8.5) Marquis 54D (8.5) Mustang 61B (8.1) Mustang 66B (8.6) Mustang B2L (9.0) Capri 61D (8.3)	•	3625 3500 3375 3625 3500				
				•			

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

.Date of Issue - August 31, 1984

R/C 5.0-6

Manu Engi	enger Cars Li facturer For ne Family FFM (Special Features)	d Motor	Company		vehicles Page Engin Code CID (Liter)-	6	Diesel
Engine Code	Vehicle Models (If Coded see attachment) (Non-A/C Dyno Hp)	Trans.	Equiv. Test Weight	Ign. System EEC IV -12A650- Part No.	Fuel System CFI -9C973 Part No.	EGR Valve -9F483- Part No.	Labe Iden -9C485- Part
5-22T-R10	T'Bird 63D (8.1) Cougar 66D (8.8)	1	3625	E53F-CA	E5SE-FA	E57E-AA E57E-AB (alt	
			Z		·		

Manu Engi	enger CarsLi facturerFo ne FamilyFF (Special Features)	rd Motor	Company		Page Engin Code CID (Liter)- Type	7	Diese:
Engine Code	Vehicle Models (If Coded see attachment) (Non-A/C Dyno Hp)	AOD	Equiv. Test Weight	Ign. System EEC IV 12A650 Part No.	Fuel System CFI 9C973 Part No.	9F483 Part No.	Labe Ider 90485 Far
5-22R-R10A	Mark VII 63D(9.1) Continental 54D (11.0)	AOX062 AOX059	4000	E5AF-RB	E55E-EB	E5AE-AA	E5AE -C

R/C 5.0-14

		1985 AIR RESOURCES BOAR	D SUPPLEMENTAL I	· E.O. A DATÁ SHEET	1A - 10-	282
<u>x</u> .	_ Passenger Cars	Light-Duty Trucks	Medium-Duty	Vehicles	× Gas	Diesel
-	Manufacturer	Ford Motor Company		Page _	8	
	Engine Family _	FFM5.0V5HBC5		Engine Code	• 	

ECS	(Special Features)		GR/EGS/A	IP/IWC/CFI	Type _	302 (5.0L)
Engine Code	Vehicle Models (If Coded see attachment) (Non-A/C Dyno Hp)	Trans. AOD	Equiv. Test Weight	Ign. System EEC IV -12650- Part No.	Fuel System CFI -9C973- Part No.	EGR Valve -97483- Part No.	Labe: Iden: -9C485- Part
5-22S-R11A	LTD 54D (9.4) Marquis 54D (9.4) Must. 61B (8.9) Must. 66B (9.5) Must. B2L (9.9) Capri 61D (8.9)	A0X056	3625 3500 3625	E4VF-TA	E5ZE-DA	E5ZE-AA E5ZE-AB (alt	E5AE-CME
5-22S-R11N	LTD 54D (8.5) Marquis 54D (8.5) Must. 61B (8.1) Must. 66B (8.6) Must. B2L (9.0) Capri 61D (8.3)	•	3625 3500 3375 3625 3500				

E.O. #A_10-282

* *	1985 AIR RESOURCES BOA	RD SUPPLEMENTAL DATA SHEET	•	
<u>×</u> Passenger Cars	Light-Duty Trucks	Medium-Duty Vehicles	× Gas	Diese
Manufacturer	Ford Motor Company	Page	9	
Engine Family _	FFM5.0V4GMC2	Engine Code		
ECS (Special Fe	atures) EGR/AIP/TWC	CID (Liter)- Type _	302 (5.0L)	

Engine Code	Vehicle Models (If Coded see attachment) (Non-A/C Dyno Hp)	Trans.	Equiv. Test Weight	Ign. System 12127 Part No.	Fuel System 9510 Part No.	EGR Valve 9D448 Part No.	labe/ Ident 9C485 Part
5-21Q-R10A	Mustang 61B (8.9) Mustang 66B (9.5) Mustang B2L (9.9) Capri 61D (8.9)		3500 3375 3625 3500	E5ZE-BA	E5ZE-GA	E5ZE-AA	E5AE-CT
5-21Q-R10N 	Mustang 61B (8.1) Mustang 66B (8.6) Mustang B2L (9.0) Capri 61D (8.1)		3375 3500				
	·	•	·				
			er.				

Comments: See page one for abbreviations and evaporative emission family identification. R/C 5.0-25