State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-2-22 Relating to Certification of New Motor Vehicles

FWI HEAVY INDUSTRIES LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1985 model-year Fuji Heavy Industries Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

| Engine Family | Displacement Cubic Inches (Liters) | | Exhaust Emission Control Systems (Special Features) | | |
|---------------|---------------------------------------|-------|---|--|--|
| FFJ1.6V2HCE7 | 97 | (1.6) | Air Injection - Valve Exhaust Gas Recirculation Three-Way Catalyst with Closed Loop | | |

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the certification emission standards for this engine family to be listed on the window decal required by "California Assembly-Line Test Procedures for 1983 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles":

| Hydrocarbons | Carbon Monoxide | Nitrogen Oxides |
|----------------|-----------------|-----------------|
| Grams per Mile | Grams per Mile | Grams per Mile |
| 0.41 | 7.0 | 0.7 |

The following are the certification emission values for the above engine family:

| Hydrocarbons | Carbon Monoxide | Nitrogen Oxides | |
|----------------|-----------------|-----------------|--|
| Grams per Mile | Grams per Mile | Grams per Mile | |
| 0.14 | 3.6 | 0.3 | |

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

_day of July, 1984

K. D. Drachand, Chief Mobile Source Division

| Manufacturer _ | Fuji Heavy Industries Ltd. | Executive Order No. | A-2-22 |
|----------------|----------------------------|---------------------|--------|
| Engine Family | FFJ1.6V2HCE7 | Evaporative Family | NU |
| | | Engine CID (Liters) | 97 CID |

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance
Control
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System
CFI, CL, DID, DIP, EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

Exhaust Emissions Control System

AIP-Air Injection-Pump
AIV-Air Injection-Valve
CL-Closed Loop
EGR-Exhaust Gas Recirculation
EM-Engine Modification
OC-Oxidation Catalyst System
TOC-Trap Oxidizer Continual
TOP-Trap Oxidizer Periodical
TR-Thermal Reactor
TWC-Three-Way Catalyst System

Special Features

CCV-Combustion

Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection-Direct DIP-Diesel Injection-Prechamber EFI-Electronic Fue 1 Injection IC - Intercooler MFI-Mechanical Fue1 Injection TC-Turbocharged

VEHICLE MODELS:

AF2; 2-door Hatchback

DRIVE SYSTEM: Front Engine/ Front -Wheel Drive

Issue Date: 6/20/'84

Page: 17-14

CAL LDV CARB

| | 1985 | AIR RESO | URCE S BO | ARD SUPPLEMENT | E.O. AL DATA SHEET | *A-2-22 | |
|-------------------------|--|---------------|--------------------------|---------------------------------|---------------------------------|---------------------------------|----------------------------------|
| <u>x</u> Pass | senger Cars L | | | | | X Gas | Diesel |
| Manu | ıfacturer <u>Fuji</u> | Heavy In | dustries | Ltd. | Page | | |
| | ne Family | | | | Engir Code | e F1.6V2CE F1.6V2CE | |
| ECS | (Special Features |) <u>AIV,</u> | CL, EGR, | OC, TWC | CID (Liter)- Type | 97 CID-H | 04 |
| Engi ne Code | Vehicle Models (If Coded see attachment) | Trans. | Equiv. Test Weight | Ign. System | Fuel System 1-2V | EGR Valve | Label Ident. |
| | (qH) | | | Part No. | Part No. | Part No. | Part No |
| F1.6V2CEE F1.6V2CEEA | AF2 (7.7 HP) | M-4 | 2375 | Nippondenso 100291-0300 | Hitachi DCP306-23 | Hitachi APDQ72-3A | Tune-up: J1 |
| | | | | Fuji's Part No. 429879000 | Fuji's Part No. 429979450 | Fuji's Part No. 469997450 | Vacuum Hose Routing: T5 |
| | | | | | | | |
| Please refe | See page one for er to manufacturer If two test weig | 's HP li | st for c | orrect dyno te | st HP settings | based on mo | del and |
| | | | | | | | |

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue -

Issue Date: 6/20/'84

Page: 17-15