(Page 1 of 2)

## State of California AIR RESOURCES BOARD

4

.

EXECUTIVE ORDER A-17-77-1 Relating to Certification of New Motor Vehicles

#### AMERICAN MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1985 model-year American Motors Corporation exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family	Displacement Cubic Inches (Liters)		Exhaust Emission Control Systems (Special Features)		
FAM258T2HEAO	258	(4.2)	Air Injection - Valve Exhaust Gas Recirculation Three-Way Catalyst with Closed Loop		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the certification emission standards for this engine family to be listed on the window decal required by "California Assembly-Line Test Procedures for 1983 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles":

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
0-3999	0.39	9.0	1.0

The following are the certification emission values for the above engine family:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
0-3999	0.36	7.6	0.8

#### AMERICAN MOTORS CORPORATION

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE II FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

This Executive Order supercedes Executive Order A-17-77, dated June 20, 1984, for vehicles in the 0-3999 Equivalent Intertia Weight class.

Executed at El Monte, California this  $2k^{CT}$  day of January, 1985.

K. D. Drachand, Chief Mobile Source Division

Page <u>1</u>

-

# 1985 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer_	American Motors Corpor	ation Executive Order No.	A-17-77-1
Engine Family	FAM258T2HEAO	Evaporative Family	FT-258B-1P FT-258B-1S
		Engine CID (Liters)	258 (4.2)

ABBREVIATIONS:

if my en e

•

Ignition System CA - Centrifugal Advance EEC - Electronic Engine Control EI - Electronic Ignition ESAC - Electronic Spark Advance Control VA - Vacuum Advance VR - Vacuum Retard	Exhaust Emissions Control System AIP - Air Injection-Pump AIV - Air Injection-Valve CL - Closed Loop EGR - Exhaust Gas Recirculation ÉM - Engine Modification OC - Oxidation Catalyst System TOC - Trap Oxidizer Continual TOP - Trap Oxidizer Periodical TR - Thermal Reactor TWC - Three-Way Catalyst System
Fuel System CFI, CL, DID, DIP, EFI, MFI nV – nVenturi Carburetor VV – Variable Venturi	<u>Special Features</u> <u>CCV - Combustion Chamber Valve</u> CFI - Central Fuel Injection DID - Diesel Injection-Direct DIP - Diesel Injection-Prechamber EFI - Electronic Fuel Injection IC - Intercooler MFI - Mechanical Fuel Injection TC - Turbocharged
VEHICLE MODELS: 87 = Open Truck CJ-7 4WD 88 = Scrambler 4WD 35 = Eagle Sedan 4WD 38 = Eagle Wagon 4WD	
DRIVE SYSTEM: Front	ENGINE/ Front & Rear -WHEEL DRIVE

6325g/1

E.O. #A-17-77-1

### 1985 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Pa	ssenger CarsLigh	t-Duty	Trucks	X Medium-Duty	Vehicles	Gas <u>X</u> Dies	e1
Ma	nufacturer <u>American</u>	Motor	s Corpo	oration		Page 2	
Engine Family FAM258T2HEAO Engine				Code			
EC	S (Special Features)	CL+E	GR+AIV+	TWC (None)	CID (Liter)	Туре_258(4	.2)16
Engine Code	Vehicle Models (If Coded See Attachment)(Hp)	Trans	Equiv. Test Weight	Ignition System CA, VA Part No.	CL, 2V	EGR Valve Part No.	Ident.
ואנ	87, 88	M4 M5	3500	8933002353	8933001708		8953001891 8953002300
1M3	35, 38	M5	3750				8933002336
1A1	87,88	A3	3500		8933001707		8953001890 8953002301
1A3	35	· A3	3750			8933000828	8933002335
 							-

Comments:

(See Page 1 for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.)

, Note: Add 10% to dyno test HP for air conditioning usage.

Date of Issue: UPDATED TO H-17-77-1 ON 1-15-85.

071080

•.'

6325g/2