

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-86-60  
Relating to Certification of New Motor Vehicles

MITSUBISHI MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1985 model-year Mitsubishi Motors Corporation exhaust emission control systems are certified as described below for diesel-powered light-duty trucks:

<u>Engine Family</u>	<u>Displacement Cubic Inches (Liters)</u>		<u>Exhaust Emission Control Systems (Special Features)</u>
FMT2.3K6JCB5	143.2	(2.3)	Engine Modification Exhaust Gas Recirculation (Diesel Injection - Prechamber) (Turbocharger)

Vehicle models, transmissions and engine codes are listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by "California Assembly-Line Test Procedures for 1983 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles".

<u>Equivalent Inertia Weight</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per mile</u>	<u>Particulates Grams per Mile</u>
0-3999	0.41	9.0	1.0	0.4

The following are the certification emission values for this engine family:

<u>Equivalent Inertia Weight</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>	<u>Particulates Grams per Mile</u>
0-3999	0.15	1.4	0.8	0.3

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 31<sup>st</sup> day of July, 1984.

  
K. D. Drachand, Chief  
Mobile Source Division

E.O. No. A-86-60

ABBREVIATIONS

Ignition System

CA - Centrifugal Advance  
EEC - Electronic Engine Control  
EI - Electronic Ignition  
ESAC - Electronic Spark Advance Control  
VA - Vacuum Advance  
VR - Vacuum Retard

Exhaust Emissions Control System

AIP - Air Injection-Pump  
AIV - Air Injection-Valve  
CL - Closed Loop  
EGR - Exhaust Gas Recirculation  
EM - Engine Modification  
OC - Oxidation Catalyst System  
TOC - Trap Oxidizer Continual  
TOP - Trap Oxidizer Periodical  
TR - Thermal Reactor  
TWC - Three Way Catalyst System

Special Features

CCV - Combustion Chamber Valve  
CFI - Central Fuel Injection  
DID - Diesel Injection Direct  
DIP - Diesel Injection Prechamber  
EFI - Electronic Fuel Injection  
IC - Intercooler  
MFI - Mechanical Fuel Injection  
TC - Turbocharged

Fuel System

CFI, CL, DID DIP, EFI, MFI  
nV - nVenturi Carburetor  
VV - Variable Venturi

Issued : 5-31-84  
Revised:

17.16.03.00 1985 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Mitsubishi Motors Corp. Executive Order No. A-86-60

Engine Family 2.3TC Evaporative Family         
*FMT2.3K6JCB5*

Passenger Cars     Light-Duty Trucks   X   Medium-Duty Vehicles    

Gas     Diesel   X  

Engine CID (liter) - Type 143.2 (2.3) - L4

ECS (Special Features) EGR (DIP+MFI+TC)

Drive System Front engine / Rear drive or Front engine / 4 wheel drive

Add 10% to dyno test HP for air conditioning usage    

Engine Code	Vehicle Model (If Coded see attachment)	Trans.	ETW	Ign. System Part No.	Fuel System DIP,MFI Part No.	EGR Valve Part No.	Label Ident. Part No.
CM ACM	Mitsubishi Truck 2WD	M5	3000	N/A	NP-VE4/10F 2100RNP303	K5T55471	VECI MD088705
	Dodge RAM50 2WD		3125				Vac Hose MD075233
CM ACM	Dodge Power RAM50 4WD Mitsubishi Truck 4WD		3375				

Note: Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment.

Issued : 5-31-84  
 Revised: