State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-61-20 Relating to Certification of New Motor Vehicles

WINNEBAGO INDUSTRIES, INC.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1985 model-year Winnebago Industries, Inc. exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

Displacement Exhaust Emission Control Systems

Engine Family Cubic Inches (Liters) (Special Features)

FWB2.2T5FGA0 132.1 (2.2) Exhaust Gas Recirculation

Three-Way Catalyst with Closed Loop

(Electronic Fuel Injection)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
4000-5999	0.50	9.0	1.0

The following are the certification emission values for the above engine family:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
4000-5999	0.25	3.3	0.6

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

day of March, 1985.

K. D. Drachand, Chief Mobile Source Division

1985 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

WINNEBAGO Manufacturer <u>INDUSTRIES. INC.</u>	Executive Order No.	A-61-20	Page _	1	
Engine Family FWB2.2T5FGA0	Evaporative Family	FT2,2E2P			
	Engine CID (Liters)	132.1 (2.2)			

ABBREVIATIONS

Ignition System
CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance
Control
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System
CFI, CL, DID, DIP, EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

Exhaust Emissions Control System
AIP-Air Injection-Pump
AIV-Air Injection-Valve
CL-Closed Loop
EGR-Exhaust Gas Recirculation
EM-Engine Modification
OC-Oxidation Catalyst System
TR-Thermal Reactor
TWC-Three Way Catalyst System

Special Features
CCV-Combustion
Chamber Valve
CFI-Central Fuel
Injection
DID-Diesel
InjectionDirect

MFI-Mechanical Fuel Injection TC-Turbocharged

Injection-Prechamber

DIP-Diesel

VEHICLE CONFIGURATION - WINNEBAGO "H"-BODY

VEHICLE MODELS

- WINNEBAGO Le Sharo ITASCA Phasar Centauri and Utility Van

DRIVE SYSTEM: Front Engine - Front Wheel Drive

•	•					#A-61-20	
	1985 /	AIR RESCU	JRCES BOA	RD SUPPLEMENT	AL DATA SHEET		
Fas:	senger Cars <u>X</u> Li	ght-Duty	/ Trucks	Medium-D	uty Vehicles	X Gas	Diesel
Man	ıfacturer <u>WIN</u>	NEBAGO IN	NDUSTRIES	, INC.	Page	2	
Eng:	ine FamilyFWB:	2.2T5FGA)		Engir. Code	e	
_	(Special Features)			(EFI)	CID (Liter)- Type	132.1(2.2)14	ļ
Engine ; Code	(If Coded see	Trans. Equiv. Test	Ign. System EI, ESAC	Fuel System EFI	EGR Valve	Label Ident.	
,	attachment)		Weight	Part No.	Part No.	Part No.	Part No
A	H Body (Winnebago) RLHP=22.0	A3	5500	7700720343	7700715635	77000720061	080727-01
	KL41 - 22.0	·					4
•					•		
						•	
		•				•	
				,		٠.	
:							
			·				
·							

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Daty of Issue -