State of California AIR RESOURCES BOARD

1

EXECUTIVE ORDER A-19-39 Relating to Certification of New Motor Vehicles

DR. ING. h.c.F. PORSCHE, AKTIENGESELLSCHAFT

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1985 model-year Dr. Ing. h.c.F. Porsche, Aktiengesellschaft exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacement Cubic Inches (Liters)		Exhaust Emission Control Systems (Special Features)	
FPR302V5FD11	302.5	(5.0)	Air Injection - Pump Three-Way Catalyst with Closed Loop (Electronic Fuel Injection)	

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.41	7.0	0.4

The following are the certification emission values for the above engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.28	2.8	0.3

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this _______ day of December, 1984.

K. D. Drachand, Chief Mobile Source Division

Manufacturer _	Porsche	Executive Order No.	1-19-39	Page	1
Engine Family	FPR302V5FDII	Evaporative Family	G		
		Engine CID (Liters)	302 (5.0)		

ABBREVIATIONS

Icnition System
CA-Centrifugal Advance
EEC-Electronic Engine Control
El-Electronic Ignition
ESAC-Electronic Spark Advance
Control
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System
CFI, CL, DID, DIP, EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

Exhaust Emissions Control System AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System TR-Thermal Reactor TWC-Three Way Catalyst System

Special Features
CCV-Combustion
Chamber Valve
CFI-Central Fuel
Injection
DID-Diesel
Injection-

Direct DIP-Diesel Injection-Prechamber

MFI-Mechanical Fuel Injectio TC-Turbocharged

Vehiele Models

928 S

DRIVE SYSTEM: Front Engine (W/5) Rear Drive

Passenger Cars Light-Duty Trucks Medium-Duty Vehicles x Gas Diesel

X Passenger Cars Light-Duty Trucks Medium-Duty Vehicles x Gas Diesel

X Passenger Cars Light-Duty Trucks Medium-Duty Vehicles x Gas Diesel

X Passenger Cars Light-Duty Trucks Medium-Duty Vehicles x Gas Diesel

X Passenger Cars Light-Duty Trucks Medium-Duty Vehicles x Gas Diesel

X Passenger Cars Light-Duty Trucks Medium-Duty Vehicles x Gas Diesel

X Passenger Cars Light-Duty Trucks Medium-Duty Vehicles x Gas Diesel

X Passenger Cars Light-Duty Trucks Medium-Duty Vehicles x Gas Diesel

X Passenger Cars Light-Duty Trucks Medium-Duty Vehicles x Gas Diesel

X Passenger Cars Light-Duty Trucks Medium-Duty Vehicles x Gas Diesel

X Passenger Cars Light-Duty Trucks Medium-Duty Vehicles x Gas Diesel

X Passenger Cars Light-Duty Trucks Medium-Duty Vehicles x Gas Diesel

X Passenger Cars Light-Duty Trucks Medium-Duty Vehicles x Gas Diesel

X Passenger Cars Light-Duty Trucks Medium-Duty Vehicles x Gas Diesel

X Passenger Cars Light-Duty Trucks Medium-Duty Vehicles x Gas Diesel

X Passenger Cars Light-Duty Trucks Medium-Duty Vehicles x Gas Diesel

X Passenger Cars Light-Duty Trucks Medium-Duty Vehicles x Gas Diesel

X Passenger Cars Light-Duty Trucks Medium-Duty Vehicles x Gas Diesel

X Passenger Cars Light-Duty Trucks Medium-Duty Vehicles x Gas Diesel

X Passenger Cars Light-Duty Trucks Medium-Duty Vehicles x Gas Diesel

X Passenger Cars Light-Duty Trucks Medium-Duty Vehicles x Gas Diesel

X Passenger Cars Light-Duty Trucks Medium-Duty Vehicles x Gas Diesel

X Passenger Cars Light-Duty Trucks Light-Duty Light-Duty Light-Duty Trucks L

Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Ign. System	Fuel System	EGR Valve	Label Ident.
	(44)		Part No.	Part No.	Part No.	Part No.
м 28/43 C	928 S (7.7)	M-5 3500	Control Unit EZF O 227 400 013	Contr.Unit LH-Jetronid O 280 002 502	N/A	928.006
		A-4 3750		Air-mass Meter O 280 214 OO1		

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - Revisions:

((11981

Page

17.03-05.00/DI